GENERAL REGISTER OFFICE


THE REGISTRAR GENERAL'S

QUARTERLY RETURN FOR

ENGLAND AND WALES

BIRTHS, DEATHS AND MARRIAGES INFECTIOUS DISEASES WEATHER POPULATION ESTIMATES

Quarter ended 31st March 1961





LONDON
HER MAJESTY'S STATIONERY OFFICE
1961

PRICE 2s. 6d. NET

TABLE OF CONTENTS

	P
General No	tes
Non-Quarte	erly Statistics
Notes on the	e Quarter
Births, Dear	ths, Marriages and Infectious Diseases
Table I	Marriages, live births, stillbirths and deaths—total numbers registered. Years 1951 to 1961 and each quarter of those years. England and Wales
Table II	Persons marrying, live births and deaths—annual rates per 1,000 population. Stillbirths and perinatal mortality—rates per 1,000 total live and still births. Deaths under 1 year and deaths under 4 weeks—rates per 1,000 live births. Years 1951 to 1961 and each quarter of those years. England and Wales
Table III	Populations, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) in the last two quarters. London Administrative County and certain cities abroad
Table IV	Notifications of certain infectious diseases in the quarter. England and Wales, counties, county boroughs, London A.C., City of London, metropolitan boroughs and port health districts
Table IVa	Corrected notifications of certain infectious diseases in the preceding quarter, analysed by sex and age. England and Wales
Table V	Infant mortality. Rates by quarters and each completed year, 1958 to 1961. England and Wales and various other countries
Table VI	Deaths by cause and sex, 1958, 1959 and 1960, and in each of the last eight available quarters, classified according to the International Abbreviated List with certain sub-divisions. England and Wales
Table VII	Accidental deaths registered in the quarter, analysed by sex and age, with totals for the corresponding quarter of the previous year. England and Wales
Table VIII	Numbers of insured persons absent from work owing to certified sickness or industrial injury (or prescribed disease). England and Wales and standard regions
Meteorology	
Table IX	Values of air temperature, rainfall and sunshine for the quarter, expressed as differences from or percentages of the average values. Districts of England and Wales

A	births) and deaths (distinguishing deaths of infants under I year of age) registered in the year 1960. England and Wales and administrative counties with associated county boroughs.	20
В	Estimated home populations as at 30th June, 1960, births (distinguishing stillbirths), deaths (distinguishing deaths of infants under 1 year of age and deaths from certain causes) registered in the year 1960. England and Wales, municipal boroughs and urban districts with a resident population of 25,000 and over at the Census 1951, county boroughs, Greater London, City of London and metropolitan boroughs, with comparative figures for four Scottish and Irish towns	21
C	Deaths registered in the year 1960 by cause and age. London Administrative County	27
D	Infant mortality, 1958 to 1960. England and Wales, standard regions and certain large towns	28
E	Populations, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) in the year 1960. London Administrative County and certain cities abroad	28

GENERAL NOTES

1. The figures in this return are provisional until confirmed in the Statistical Reviews. Births and deaths are tabulated from returns furnished to the Registrar General by Registrars of births and deaths; marriages from returns furnished by the Clergy, Authorised Persons, Registrars of marriages and others; and notifications of infectious diseases (Tables IV and IVa) from special quarterly statements furnished to the Registrar General by Medical Officers of Health.

2. Definition of Areas

London A.C.—Administrative County of London which consists of the City of London (including the Inner and Middle Temples) and the metropolitan boroughs.

Greater London—London A.C. plus the remaining administrative areas falling entirely within the area of the Metropolitan Police District as defined in the Police Act, 1946 (an area of approximately 15 miles radius from Charing Cross).

- C.B.—county borough; M.B.—municipal borough; U.D.—urban district;
- 3. The home population comprises the population, of all types, actually in England and Wales, distributed by area according to residence.
 - 4. Non-civilians are included in all figures except where otherwise stated.
- 5. Births and deaths for England and Wales and the parts thereof are those registered within the quarter or period shown. In some non-quarterly statistics (see page 4) they are assigned to the area of residence.
- 6. The notifications of infectious diseases have been corrected for changes in diagnosis by the notifying medical practitioner or the medical superintendent of the infectious diseases hospital.

NON-QUARTERLY STATISTICS

Certain non-quarterly information is published in the Quarterly Return as stated below:

Half-Yearly

June and December Returns

Lists of the changes in boundaries, names, etc., of local authority areas during the six months ending 30th June and 31st December respectively.

Yearly

March Return

- (1) Estimated home population as at 30th June, marriages, births (distinguishing stillbirths) and deaths (distinguishing deaths of infants under 1 year of age) registered in England and Wales during the preceding year, showing those assigned to each administrative county (with associated county boroughs).
- (2) Estimated home population as at 30th June for the preceding year, births (distinguishing stillbirths), deaths (distinguishing deaths of infants under 1 year of age and deaths from certain causes) registered in England and Wales during the preceding year, showing those assigned to municipal boroughs and urban districts with a resident population of 25,000 and over at the Census, 1951, county boroughs, Greater London, City of London and metropolitan boroughs, with comparative figures for four Scottish and Irish towns.
- (3) Deaths registered during the preceding year and assigned to London Administrative County, analysed by cause and age.
- (4) Infant mortality in England and Wales, standard regions and certain large towns in the preceding three years.
- (5) Populations, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) for the preceding year in London Administrative County and certain cities abroad.
- (6) Births registered in the preceding year by sex and legitimacy and the illegitimacy rate.

June Return

- (1) A presentation of mortality from certain causes in the preceding year in terms of the resulting loss in expected years of life.
- (2) Deaths registered in the preceding year in England and Wales distinguishing 36 causes of death (Registrar General's Abridged List) by sex and age.
- (3) An abridged life table constructed from the estimated home population and deaths in England and Wales for the preceding three years.

September Return

(1) Estimates of the sex and age distribution of the total, home and civilian populations of England and Wales as a whole as at 30th June.

December Return

- (1) A textual summary of the vital statistics of England and Wales for the year then ended.
- (2) A table showing the home population of England and Wales and each standard region and conurbation by sex and age as at 30th June.
- (3) Projections of the total populations for England and Wales by sex and age as at 30th June.
- (4) Home populations of each hospital region in England and Wales by sex and age as at 30th June.
- (5) Estimated population, as at 30th June, of children aged under 1 year, 1-4 years and 5-14 years, in England and Wales and in administrative counties, county boroughs, London Administrative County, City of London and metropolitan boroughs.
- (6) Diagram showing the numbers of live births, marriages and deaths registered during the current and preceding nine years.

Number of births 1960 by sex and legitimacy and the illegitimacy rate

Of the 782,221 live births registered 402,783 were male and 379,438 were female, a proportion of 1,062 males to 1,000 females. The number of illegitimate births included in the total was 42,266, giving an illegitimacy rate for England and Wales of 54 per 1,000 live births or 6 per 1,000 more than the average for the preceding 5 years.

NOTES ON THE FIRST QUARTER OF 1961, ENGLAND AND WALES

Live Births

The number of live births registered during this quarter was 203,976, representing a live birth rate, based on the home population of England and Wales for 1960, of 18·1 per thousand. These figures compare with 187,965 live births and a rate of 16·3 for the preceding quarter, 197,932 live births and a rate of 17·4 for the corresponding quarter of 1960, and an average live birth rate for the first quarters of the five years 1955-59, of 16·5.

Stillbirths

The 3,940 stillbirths registered represent 18.9 per 1,000 of the total live and still births. This rate is 0.9 lower than that for the first quarter of 1960.

Deaths

The number of deaths registered was 176,917, representing a death rate, based on the 1960 home population, of 15.7 per 1,000. The rate for the corresponding quarter of 1960 was 13.1, and the average death rate for the first quarters of the five years 1955-59 was 14.7.

The deaths of children under one year of age numbered 4,677, representing an infant mortality rate of 22.9 per 1,000 live births; this was 0.3 per 1,000 lower than that for the first quarter of 1960, and is the lowest recorded for the first quarter of any year. This compares with a rate of 38.4 for the corresponding quarter of 1951.

There were no cases of smallpox notified and no deaths from this cause registered during the quarter.

Natural Increase

The births registered exceeded the deaths by 27,059. Corresponding figures for the first quarters of 1960, 1959 and 1958 were 49,036, 14,980 and 27,172 respectively.

Marriages

The number of persons marrying during the quarter was 168,490, which was 35,596 less than the average for the corresponding quarters of the preceding five years 1956-60.

TABLE I

Marriages, live births, stillbirths, and deaths: total numbers registered Years 1951 to 1961 and each quarter of those years. England and Wales

											-
	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960(a)	1961(a)
	12:114 - LN				3.6	ADDIAG	700			TO SVIL	
						ARRIAG					
Year	360,624	349,308	344,998	341,731	357,918	352,944	346,903	339,913	340,126	343,614	
March Qtr. June September December ,	109,567 66,382 111,312 73,363	106,629 69,489 103,411 69,779	93,610 77,123 105,614 68,651	95,922 74,364 104,505 66,940	100,696 74,763 106,691 75,768	107,122 68,821 106,923 70,078	110,092 65,804 103,617 67,390	102,629 66,211 101,698 69,375	101,430 63,281 102,591 72,824	88,944 72,895 103,580 78,195	84,245
					***	VE DIDE	TTG				
						VE BIRT					
Year	679,689	673,286	681,964	672,635	664,954	698,317	723,274	739,337	750,383	782,221	
March Qtr. June September December ,	176,047 181,614 168,033 153,995	173,338 174,159 168,030 157,759	171,649 179,477 172,943 157,895	173,547 175,290 166,938 156,860	169,190 171,234 166,890 157,640	179,151 182,400 173,534 163,232	183,864 185,361 179,978 174,071	190,767 189,866 180,322 178,382	191,860 198,410 186,792 173,321	197,932 198,764 197,560 187,965	203,976
					ST	ILLBIRT	HS				
Year	16,019	15,647	15,683	16,202	15,815	16,384	16,622	16,309	16,076	15,794	
March Qtr. June September December ,	4,259 4,196 3,752 3,812	4,174 4,004 3,714 3,755	3,975 4,220 3,711 3,777	4,236 4,171 3,939 3,856	4,032 4,023 3,910	4,311 4,248 3,948	4,262 4,274 4,117	4,194 4,092 3,967	4,239 4,313 3,912	4,008 4,149 3,894	3,940
December ,,	3,012	3,733	3,777	3,030	3,850	3,877	3,969	4,056	3,611	3,743	s dis
4		,	I	DEATHS	(excluding	stillbirth	s): ALL	AGES			
Year	549,380	497,484	503,529	501,896	518,864	521,331	514,870	526,843	527,651	526,275	
March Qtr. June September December ,	205,878 121,683 100,057 121,762	146,948 115,369 98,613 136,554	171,350 114,644 98,545 118,990	153,120 117,205 104,114 127,457	168,645 124,230 101,677 124,312	170,292 120,059 104,131 126,849	134,557 118,122 110,037 152,154	163,595 124,169 105,629 133,450	176,880 120,172 103,397 127,202	149,039 124,338 112,480 140,418	176,917
					INFAN	T MORT	CALITY				
	Cashing			(dea		ents under		age)			
Year	20,223	18,555	18,324	17,160	16,613	16,554	16,720	16,685	16,629	17,118	presidentia.
March Qtr. June September December ,,	6,572 5,066 4,003 4,582	5,629 4,332 3,863 4,731	5,709 4,448 3,862 4,305	5,256 4,304 3,543 4,057	4,852 4,155 3,605 4,001	4,939 4,083 3,525 4,007	4,467 4,062 3,873 4,318	4,851 4,090 3,651 4,093	4,810 4,103 3,631 4,085	4,598 4,143 3,850 4,527	4,677
	PERM DO					TAL MO					
	,			(deat	hs of infa	nts under	4 weeks o	f age)			
Year	12,788	12,331	12,088	11,946	11,516	11,779	11,904	11,970	11,881	12,192	
March Qtr. June ,, September ,, December ,,	3,627 3,358 2,831 2,972	3,386 3,028 2,857 3,060	3,347 3,146 2,831 2,764	3,352 3,103 2,688 2,803	3,081 2,970 2,760 2,705	3,210 2,981 2,706 2,882	3,028 2,987 2,902 2,987	3,134 3,026 2,853 2,957	3,153 3,034 2,792 2,902	3,156 2,997 2,959 3,080	(b)
				1	PERINAT	TAL MOI	RTALITY				
3			(sti	illbirths ar	nd deaths	of infants	under 1	week of ag	ge)		
Year	26,521	25,845	25,810	26,250	25,565	26,313	26,799	26,523	26,245	26,268	
March Qtr. June ,, September ,, December ,,	7,120 6,995 6,102 6,304	6,877 6,552 6,127 6,289	6,687 6,885 6,132 6,106	6,965 6,766 6,260 6,259	6,537 6,536 6,351 6,141	6,947 6,786 6,276 6,304	6,795 6,861 6,624 6,519	6,792 6,667 6,443 6,621	6,864 6,945 6,316 6,120	6,667 6,724 6,477 6,400	(b)

⁽a) Provisional.

⁽b) Not yet available.

TABLE II

Persons marrying, live births, and deaths: annual rates per 1,000 population Stillbirths, perinatal mortality: rates per 1,000 total live and still births Infant mortality, neonatal mortality: rates per 1,000 live births*

Years 1951 to 1961 and each quarter of those years. England and Wales

Detimoral 3)	1	1	/		(/
home population ln thousands	43,815 (b)	43,955 (b)	44,109 (b)	44,274	44,441	44,667	44,907	45,109	45,386	45,755	(c)
	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960(a)	1961(a)
					PERSO	NS MAR	RYING				
Year	16.5	15.9	15.6	15.4	16.1	15.8	15.4	15.1	15.0	15.0	1
March Qtr. June " September " December "	20·3 12·2 20·2 13·3	19·5 12·7 18·7 12·6	17·2 14·0 19·0 12·3	17·6 13·5 18·7 12·0	18·4 13·5 19·0 13·5	19·3 12·4 19·0 12·5	19·9 11·8 18·3 11·9	18·5 11·8 17·9 12·2	18·1 11·2 17·9 12·7	15·6 12·8 18·0 13·6	14.9
					LI	VE BIRT	HS				
Year	15.5	15.3	15.5	15.2	15.0	15.6	16.1	16.4	16.5	17.1	
March Qtr. June ,, September ,, December ,,	16·3 16·6 15·2 13·9	15·9 15·9 15·2 14·3	15·8 16·3 15·6 14·2	15·9 15·9 15·0 14·1	15·4 15·5 14·9 14·1	16·1 16·4 15·5 14·5	16·6 16·6 15·9 15·4	17·2 16·9 15·9 15·7	17·1 17·5 16·3 15·2	17·4 17·5 17·2 16·3	18.1
					STI	LLBIRT	HS				
Year	23.0	22.7	22.5	23.5	23.2	22.9	22.5	21 · 6	21.0	19.8	
March Qtr. June " September " December "	23·6 22·6 21·8 24·2	23·5 22·5 21·6 23·2	22·6 23·0 21·0 23·4	23·8 23·2 23·1 24·0	23·3 23·0 23·0 23·8	23·5 22·8 22·2 23·2	22·6 23·1 22·4 22·2	21·5 21·1 21·5 22·2	21·6 21·3 20·5 20·4	19·8 20·4 19·3 19·5	18.9
			D	EATHS (excluding	stillbirths	s): ALL	AGES			
Year	12.5	11.3	11.4	11.3	11.7	11.7	11.5	11.7	11.6	11.5	
March Qtr. June September December ,,	19·1 11·1 9·1 11·0	13·4 10·6 8·9 12·4	15·8 10·4 8·9 10·7	14·0 10·6 9·3 11·4	15·4 11·2 9·1 11·1	15·3 10·8 9·3 11·3	12·2 10·6 9·7 13·4	14·7 11·0 9·3 11·7	15·8 10·6 9·0 11·1	13·1 10·9 9·8 12·2	15.7
				(deat		T MORT	ALITY 1 year of	age)			
Year	29.7	27.6	26.8	25.4	24.9	23.7	23 · 1	22.6	22.2	21.9	1
March Qtr. June September December ,	38·4 28·6 23·4 28·5	33·6 25·1 22·8 29·0	34·0 25·2 22·2 26·2	31·0 24·7 21·0 25·1	29·2 24·4 21·6 24·5	28·6 22·9 20·1 23·7	25·2 22·3 21·5 24·8	25·4 21·5 20·2 22·9	25·1 20·7 19·4 23·6	23·2 20·8 19·5 24·1	22.9
							RTALITY 4 weeks o				
Year	18.8	18.3	17.7	17.7	17.3	16.8	16.5	16.2	15.8	15.6	1
March Qtr. June ,, September ,, December ,,	21·1 18·6 16·6 19·0	20·0 17·4 16·9 19·1	19·7 17·5 16·2 17·2	19·7 17·6 16·0 17·6	18·5 17·3 16·6 16·7	18·2 16·5 15·4 17·3	16·8 16·2 16·1 17·2	16·4 15·9 15·8 16·6	16·4 15·3 14·9 16·7	15·9 15·1 15·0 16·4	(d)
TIST IS			(st	illbirths a	PERINATind deaths	TAL MO	RTALITY ts under 1	week of a	ige)		
Year	38 · 1	37.5	37.0	38 · 1	37.6	36.8	36.2	35.1	34.2	32.9	1
March Qtr. June September December ,	39·5 37·6 35·5 39·9	38·7 36·8 35·7 38·9	38·1 37·5 34·7 37·8	39·2 37·7 36·6 38·9	37·7 37·3 37·2 38·0	37·9 36·4 35·4 37·7	36·1 36·2 36·0 36·6	34·8 34·4 35·0 36·3	35·0 34·3 33·1 34·6	33·0 33·1 32·2 33·4	(d)
December "	39.9	38.9	37.8	38.9	38.0	31.1	30.0	30.3	34.6	33.4	

^{*}Based on related live births up to and including the September quarter 1957. Rates for subsequent periods (including the year 1957) are based on the live births of the period.

⁽a) Provisional.

⁽b) Population estimates for 1951, 1952 and 1953 have been revised in the light of final data from the 1951 Census, and rates shown for these years may therefore vary slightly from those shown in previous versions of this table.

⁽c) Provisional rates based on 1960 population.

⁽d) Not yet available.

TABLE III

Populations, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) in the fourth quarter 1960 and, where available, first quarter 1961

London A.C. and certain cities abroad

	9/1	0-01	25 311					W. E.						
	or				Rate 1,000	per living			Г	eaths	from		12/11	
CTTIES	Population (enumerated estimated)	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths)	Live Births	Deaths (excluding Still- births)	Typhoid and paratyphoid fevers	Smallpox	Whooping	Diphtheria	Tuberculosis (all forms)	Influenza	Acute poliomyelitis	Enteritis and diarrhoea (under 2 yrs.)
1.03				Fourth	Quar	ter 196	0				1,4			
London, A.C.	3,194,480	15,844	244	11,081	19.7	13.8			1	-	61	7	_	6
AUCKLAND BOMBAY CALCUTTA CHRISTCHURCH	407,500 4,941,000 3,040,000 213,710	2,571 34,339 23,515 1,312	26 1,053 855 13	1,062 9,924 9,003 533	25·2 27·8 30·9 24·6	11·9 8·0 11·8 9·4	† 73 68 †	† 349 1 †	† 2 5 †	† 45 119 †	† 708 648 †	† 4 11 †	† 19 4 †	† 340 296 †
COLOGNE COPENHAGEN GOTHENBURG HAMBURG	791,165 735,500 400,787 1,836,000	2,900 2,868 † 5,652	52 41 † 78	2,433 1,979 834 5,835	14·6 15·6 † 12·2	12·3 10·7 8·3 12·6	<u>-</u> - <u>1</u>	1 =	1 1 3		41 15 3 55	3 3 - 2	3 - 6	3 † 1
HELSINKI OSLO ROME STOCKHOLM	466,700 473,000 2,115,213 806,449	1,742 1,476 9,876 2,272	18 24 198 24	1,103 1,163 4,263 2,011	14·9 12·4 18·6 11·3	9·5 9·8 8·0 10·0				6	43 4 109 29	5 1 —	14	1 † 6
WELLINGTON ZURICH	236,340 441,990	1,521 1,426	21 15	528 1,012	25·7 12·9	8·9 9·2	+	+	+	†	†4	† 1	+	+
				Fi	st Qua	arter 1	961							
LONDON, A.C. AUCKLAND CHRISTCHURCH COLOGNE	3,194,480 407,500 213,710 794,336	17,189 2,623 1,341 3,266	307 39 16 52	13,369 905 347 2,377	21·8 25·7 26·0 16·7	17·0 8·9 6·5 12·2	+ -	+ 1	†	3 + -	91 † 39	229 † -3	1 † —	7 + 2
COPENHAGEN GOTHENBURG HELSINKI OSLO	730,200 404,738 469,200 478,000	3,047 † 1,930 1,606	31 † 24 32	2,023 823 1,030 1,277	16·9 † 16·5 13·6	11·2 8·2 8·8 10·8	+	<u>-</u>	1 +	†	13 6 † 11	5	1 +	+
ROME STOCKHOLM WELLINGTON	2,131,674 808,022 236,340	10,896 2,673 1,095	213 41 24	4,754 2,029 460	20·7 13·2 27·0	9·0 10·0 7·8	2 †	-	1 +	2 †	130 28 †	2 †	8 †	7

Notifications of certain infectious diseases in the quarter ended 31st March 1961

England and Wales, counties (distinguishing aggregates of municipal boroughs and urban districts, and rural districts), county boroughs, London A.C., City of London, metropolitan boroughs and port health districts

Note: Total original and corrected notifications are distinguished for England and Wales as a whole. Otherwise the figures refer to corrected notifications only.

(See General Notes on page 3)

0	Отрет	9000	v	99000	4 44	€0 -4405 m	111	
Tuberculosis	Meninges and C.N.S.		- -	-111-		-	111	
Tub	Respiratory	47.00	53 12 22 22	44 74 75 75 75 75 75 75 75 75 75 75 75 75 75	20 20 11 10 9	282,282,282	040	
31	rinosiog boo4	ww	400	1001		25 13 128	111	
olio-		111	1111				111	
cute		111					111	
	Dysentery	-11-	31 45	241 218 187 31 4	66 65	238 1 1 1 388 8 1 1 1 1 1 1 1 1 1 1 1 1 1	111	
nia inenzal)	Acute pneumo (prim'y or in	89 27 37 37	278 41 139 98	20833	222 2	237 103 103 135 135 136 137 137 137	123	
evers	Typhoid and factorious for the paratyphoid for	1111	1111		111	-		
	Diphtheria		7112	111111				
	Scarlet fever	13 72	137 14 47 76	8422258 822228	16	25 24 11 24 25 25 25 25 25 25 25 25 25 25 25 25 25	177	
		Cumberland Carlisle C.B Total M.Bs. & U.Ds.	Derbyshire Total M.Bs. & U.Ds. Total R.Ds	Devon	Dorset	Total C.Bs	Ely, Isle of Total M.B. & U.Ds. Total R.Ds	
sis	Other	631	628	9 74	9-10	1 17 6	-4 LUN	5.
Tuberculosis	Meninges and C.N.S.	42	4				1 111	octed 35
Tu	Respiratory	5,323	5,075	24 11 24 24	133	2 244 20 2	24 18 18 6	, Corrected
Su	Food poisoni	tions 1,325	906	m -2	11 9	9 110 10	0-111	inal 33,
olio- nyelitis		Original notifications 703 39 17 1,325 orrected Notifications	r				-1 111	Original
Acute		39 and Nated Nated Nated Nated	34	1 1111			11 111	ever:
	Dysentery	1, 0	6,860	46 62 8	74 £ 84	. 221 121	6 195	Paratyphoid fever:
nia fluenzal)	Acute pneumo ni 10 v'mi10)	11,352	11,192 124 84	66 20 32 32 32	20 10 70	325 84 1441 113 113 113	30 20 30	Paratyl
èvers	Typhoid and biodqytaisq	* * *	43			11 4 11111	4	ted 8.
	Diphtheria	71	24	1 1111	111.1		11 111	Corrected 8.
	Scarlet fever	6,475	6,444	2222	38 11 28 2	12 10 10 10 10 10 10 10 10 10 10 10 10 10	108 29 25 17	nal 10,
No. of the last of		England and Wales	England and Wales Bedfordshire Total M.Bs. & U.Ds.	Berkshire Reading C.B Total M.Bs. & U.Ds. Total R.Ds	Buckinghamshire Total M.Bs. & U.Ds. Total R.Ds Cambridgeshire	Cheshire Total R.Ds Total C.Bs Birkenhead C.B Chester C.B Stockport C.B	Total M.Bs. & U.Ds. Total R.Ds Cornwall Total M.Bs. & U.Ds. Total R.Ds	* Typhoid fever: Original 10,

	sis	Other	12 2 17 17	333	= x 4 t	m=0	414	040-0	36 31	1110
	Tuberculosis	Meninges and C.N.S.		11112						
	T	Respiratory	10 20 20 10 10 10 10 10 10 10 10 10 10 10 10 10	38 112 193 23	39 8 8 8 8 8	444	088	233	644	7 8 0 E 4
		Food poisoning	100 4	35	04 1			01 110	155	71- 0
	-oı sitile	Non- paralytic myo	1-1111	11111			-		1111	- IIII
		Paralytic Act	1011111	1-114-	1111	111			4	
		Dysentery	43.2 64.2 65.3 88	278 278 94	138 123 153	01 94		201 100 400 110	30 30	×4,00,4
	a enzal)	Acute pneumoni (prim'y or influ	132 122 150 200 151	32 21 22 480 53	123 34 40 49	34 21 13	193	1122	33	20 20 47
	STS	Typhoid and paratyphoid fevo	ma	The second secon				-111	- 7	
		Diphtheria				-		1111	41	5
		Scarlet fever	120 103 103 24 23 8 8 8	19 111 361 777	51 29 7	51 33	100	233	30 424	LL 201
			-cont.		J.Ds.	of J.Ds.	of		š: : :	
,			ire CCB. CB.	S. & C.B.	rshire S. &L	Parts nd) & & & s.	Parts ven) s. & l	Parts	A.C.	HS :: ey :: reen :: reen :: III
			Lancashire—C Bury C.B Liverpool C.B. Manchester C.B. Olddam C.B Preston C.B Rochdale C.B	Salford C.B. Southport C Warrington Wigan C.B. Total M.Bs.	Leicestershire sicester C.B otal M.Bs. &U	Lincs. (Parts of Holland)	Lincs. (Parts of Kesteven) Total M.Bs. & U.Ds. Total R.Ds.	Lines. (Parts of Lindsey) Total C.Bs Grimsby C.B	Total R.Ds London A.C. CITY OF LONDON	METROPOLITAN BOROUGHS Battersea Bermondsey Bethnal Green Camberwell
			La Bury Lives Man Oldh Prest Roct Roct St. H	Salford C.B Southport C.B. Warrington C.B. Wigan C.B Total M.Bs. & U.I.	Leicestershire Leicester C.B Total M.Bs. &U.I Total R.Ds.	Lin Total Total	Total	Total Grin	Total Total Crry	METROPOLITAN BOROUGHS Battersea Bermondsey Bethnal Green Camberwell
	sis	Other	£4 1e.82	400	1 000	000		- to ===	31 21 21 10	31
	Tuberculosis	Meninges and C.N.S.	111 1111	888	711		111 0-		w 41	00
The state of	Tul	Respiratory	242 60 16 19 19 163 19	84E 25	133	33178	200 27	81 841	180 144 33	345 345 12 18
		gninosiog booH	106	16	1 10 1	1040	4 4 9	01 4 4	15	784 T
1	elitis		- -		111				1111	
		Paralytic Act							1111	r4
		Dysentery	492 31 118 113 401 60	121 63 63 77 77	272	1270	2000 707	21 211	53	719 347 29
	ia enzal)	Acute pneumon (prim'y or influ	498 14 35 371 48	229 141 132 9 18	58212	388 7	28 18 135 98	37 26 16 10	329 11 235 83	1,208 675 18 18
	ers	Typhoid and paratyphoid fev					11111		1111	90 111
		Diphtheria						1 1 1	1111	11 111
		Scarlet fever	540 90 111 59 20 415 35	48 48 11 29	1144	1961 3	15 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	12 w-4	196 1 157 38	947 509 21 35
			Essex Total C.Bs East Ham C.B Southend-on-Sea C.B West Ham C.B Total M.Bs. & U.Ds. Total R.Ds	Gloucestershire Total C.Bs Bristol C.B Gloucester C.B Total M.Bs. & U.Ds. Total R.Ds.	Hampshire	Southampton C.B Total M.Bs. & U.Ds. Total R.Ds.	Total M.Bs. & U.Ds. Total R.Ds Hertfordshire Total M.Bs. & U.Ds.	Total R.Ds Huntingdonshire Total M.Bs. & U.Ds. Total R.Ds	Kent Canterbury C.B Total M.Bs. & U.Ds. Total R.Ds	Lancashire

5	-	13	61 01	110	398	4		902-	, w44	"	₩7-	33.39	24 -		927
			m 7	- -			111		-		<u> </u>			1 1	
II.	00	22.22	176	2530	1 2 C C C C C C C C C C C C C C C C C C	222	∞ v) ≈	154	37 26	4 / 07	15	280 228 179 49	36 22 2	101	229
5	n	4 4	∞ m	111	1- 4-			17 10 10	94%	122		31 20 11 11	» m	88	
		1111				ww						1111			Annel Annel
1			7-		-	99		2 42							
0	9	20 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	110 29	15	7 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	2330		138 16 99 23	044	1128	35	315 283 158 125	71		51
200	10	121 822 823	648 315	15 127 97	13 187 146	25 30 30	257	275 28 220 27	166	2446	55 17 38	593 407 263 144	103 81 32 77	3	35 23 23
-	-		e =	-	1121					1711		13	10		
Total College			8		"		111			1111		444			
GJ	?	49 10 10 24	190	2272	12821	51 14 15	35	264 58 168 38	61 255 22	272	31 25 6	34.5 238 170 68	37	2 61 6	74 70 70 70 70
:52:		& U.Ds.	* *	. B.	C.B. C.B. : Ds.	: :š:	.Ds.			Ds.	Ds.	ځ: : : :	ġ: ¡ä	Ds.	Ds.
The state of the s	***	:::%:	ire	C.B.	pton & U	ast & U	Vest & U	B	ast B.::	S	est & U	hire C.B.	ind :: C	Sof R.D.	& U.Ds.
Total P. De	2	Somerset Bath C.B. Total M.Bs. Total R.Ds.	Staffordshire Total C.Bs.	Eurton upon Trent C.B. Smethwick C.B. Stoke on Trent C.B. Walsall C.B.	West Bromwich C.B. Wolverhampton C.B. Total M.Bs. & U.Ds. Total R.Ds.	Suffolk, East Ipswich C.B Total M.Bs. & U.J Total R.Ds	Suffolk, West Total M.Bs. & U.Ds. Total R.Ds	Surrey Croydon C.B Total M.Bs. & U.J. Total R.Ds.	Sussex, East Total C.Bs. Brighton C.B.	Eastbourne C.B. Hastings C.B Total M.Bs. & U.] Total R.Ds	Sussex, West Total M.Bs. & U.Ds, Total R.Ds	Warwickshire Total C.Bs Birmingham C.B Coventry C.B	Total M.Bs. & U	Wight, Isle of Total M.Bs. & U.Ds. Isle of Wight R.D.	Wiltshire Total M.Bs. Total R.Ds.
1 (mm.)	Otal 1	Som ath C otal I	Staff otal (Tren Tren nethy oke c	est B olver otal N	Suffe swich otal N	Suffo otal N otal R	Surrey roydon otal M.J	Susse	Eastbourne Hastings C. Total M.Bs Total R.Ds.	Susse otal N	Warvotal Criming	West	Wigh tal M	Wilts tal M tal R
the fee	1	MEE	Ε¢	a ~~~××××××××××××××××××××××××××××××××××	\$\$FF	HHH	ĔĔ ———		H	HEFF	EE	HACE	E E	ToT	To
-	2	44	500 m	04-4		7	σ ε	L 604	4-0-	13	13	<u>-</u> 277	97-6	U	
to design	2	44	111	1	1 1 1		1 - 3 9		4121	1 21 13	1 10	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	971-15	711	
	20 2	29 — 4 10 — 1 7 — 1	334	15 10 10 10 40 10 10 10 10 10 10 10 10 10 10 10 10 10	26 - 1 27 - 1 6 - 7 21 - 7	1 1	35 1 9	20 3	29 113 8 12 1 1	——	54 1 10 55 3 8 1	98 2 11 45 - 2 38 - 7 15 2 2	32 6		111
- 11	4	8 29 — 4 4 10 — 1 32 71 — 4	8 4 4 4 4 4 8 4 4 4 8 4 4 8 4 4 8 4 8 4		10 26 — 1 8 8 6 — 1 5 21 — 7	1 1	17 35 1 9 7 13 — 3	9 20 1 4	2 29 8 29	——			1 32 6 -1 5 - 2 -1 23 - 3	7	
- 11	4		8 4 4 4 3 4 4 5 4 4 9 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6			263				——		988 115 115	1 32 6		
- 11	4		1			263				——		988 115 115	1 32	7 mm	
	4	1	34	11 6	0.0000000000000000000000000000000000000	263	17	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				988 115 115	140		
14 5	111	22	37 - 4 + 68	24 6		2 1 - - 12 - 147 1 - 61 263 -	58 - 17	25.5.5.6		75 — 5 126 1 2 — 1 63 1	1 4 - 4	1		12	4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 -
14 5	111	22	37 - 4 + 68	22 24 6 10 55 - 1	22 22 32 4 4 10 10 10 10 10 10 10	2 1 — 12 — 147 1 — 61 263 —	58 - 17	25.5.5.6	166 - 3	36 2 — 5 126 1 36 2 — 1 63 1	72 - 1	173 1 25 1 144 - 4 38 - - 8 15	140 — 1 62 — — 1 78 — — 1		
14 5	111	22	12 34 — 8 33 26 — 4 40 37 — 4 22 5	22 24 6 10 55 - 1	22 22 32 4 4 10 10 10 10 10 10 10	2 1 — 12 — 147 1 — 61 263 —	58 - 17	25.5.5.6	166 - 3	36 2 — 5 126 1 36 2 — 1 63 1	35 2 — 1 24 72 — 4 31 — 4	173 1 25 1 144 - 4 38 - - 8 15	140 — 1 62 — — 1 78 — — 1		
14 14 4	28 11 2	- - 1 29 22 - 8 - - 1 8 - 1 - 4 - - - 24 96 - - - 32		- 1 42 3 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		2 1 — 12 — 147 1 — 61 263 —	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	27 5 6 7 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	166 - 3		35 2 — 1 24 72 — 4 31 — 4	173 1 25 1 144 - 4 38 - - 8 15	140 — 1 62 — — 1 78 — — 1		3 4
14 14 4	28 11 - 2	- - 1 29 22 - 8 - - 1 8 - 1 - 4 - - - 24 96 - - - 32	12 1	- 1 42 3 - 11 - 1	30 - 32 63 - 10 17 - 65 22 - 3 10 4 - 3 12 32 - 10 12 32 - 10 12 32 - 19 13 5 - 19	20 — — 43 2 1 — — 12 — 266 1 1 511 147 1 — 61 263 —	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	42 — 27 6 — 7 12 — 20 25 — 7 76 — 102 22 — 9	86 1 11 25 36 - 36 - 39 - 41 4 41 4	60 — 2 91 75 — 5 126 1 28 — 2 36 2 — 1 63 1	27 2 35 2 1 1 - 2 1 - - 17 - 24 72 - - 4 15 - - 31 1 - - 4	118 — 265 173 1 — 12 98 30 — — 145 25 1 — 45 — 62 — — 73 144 — — 45 — 26 — — 47 — 4 38 — 26 — — 47 — 8 15	43 — — 43 140 — — 1 20 — — 24 62 — — — 3 — — — — — — — 20 — — — — — — — 19 — — — — — — —	3 - 10 - 10 - 2 - 2 - 2 - 2	
14 14 4	21 28 11 - 2	th $\begin{pmatrix} 6 & - & - & 29 & 22 & - & 8 \\ - & - & 1 & 8 & - & 1 & - & 4 \\ & & -8 & - & - & 24 & 96 & - & - & 32 \\ \end{array}$	31	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30 - 32 63 - 10 17 - 65 22 - 3 10 4 - 3 12 32 - 10 12 32 - 10 12 32 - 19 13 5 - 19	20 — — 43 2 1 — — 12 — 266 1 1 511 147 1 — 61 263 —	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	42 — 27 6 — 7 12 — 20 25 — 7 76 — 102 22 — 9	86 1 11 25 36 - 36 - 39 - 41 4 41 4	nd 60 — 2 91 75 — 5 126 1	27 2 35 2 1 1 - 2 1 - - 17 - 24 72 - - 4 15 - - 31 1 - - 4	118 — 265 173 1 — 12 98 30 — — 145 25 1 — 45 — 62 — — 73 144 — — 45 — 26 — — 47 — 4 38 — 26 — — 47 — 8 15	43 — — 43 140 — — 1 20 — — 24 62 — — — 3 — — — — — — — 20 — — — — — — — 19 — — — — — — —	3 - 10 - 10 - 2 - 2 - 2 - 2	::::
14 - 4 14 - 5	21 28 11 - 2	th $\begin{pmatrix} 6 & - & - & 29 & 22 & - & 8 \\ - & - & 1 & 8 & - & 1 & - & 4 \\ & & -8 & - & - & 24 & 96 & - & - & 32 \\ \end{array}$	31	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30 - 32 63 - 10 17 - 65 22 - 3 10 4 - 3 12 32 - 10 12 32 - 10 12 32 - 19 13 5 - 19	20 — — 43 2 1 — — 12 — 266 1 1 511 147 1 — 61 263 —	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	42 — 27 6 — 7 12 — 20 25 — 7 76 — 102 22 — 9	86 1 11 25 36 - 36 - 39 - 41 4 41 4	erland 60 — 2 91 75 — 5 126 1 pon	27 2 35 2 1 1 - 2 1 - - 17 - 24 72 - - 4 15 - - 31 1 - - 4	118 — 265 173 1 — 12 98 30 — — 145 25 1 — 45 — 62 — — 73 144 — — 45 — 26 — — 47 — 4 38 — 26 — — 47 — 8 15	43 — — 43 140 — — 1 20 — — 24 62 — — — 3 — — — — — — — 20 — — — — — — — 19 — — — — — — —	3 - 10 - 10 - 2 - 2 - 2 - 2	::::
14 - 4 14 - 5	21 28 11 - 2	th $\begin{pmatrix} 6 & - & - & 29 & 22 & - & 8 \\ - & - & 1 & 8 & - & 1 & - & 4 \\ & & -8 & - & - & 24 & 96 & - & - & 32 \\ \end{array}$	31	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30 - 32 63 - 10 17 - 65 22 - 3 10 4 - 3 12 32 - 10 12 32 - 10 12 32 - 19 13 5 - 19	20 — — 43 2 1 — — 12 — 266 1 1 511 147 1 — 61 263 —	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	42 — 27 6 — 7 12 — 20 25 — 7 76 — 102 22 — 9	86 1 11 25 36 - 36 - 39 - 41 4 41 4	erland 60 — 2 91 75 — 5 126 1 pon	27 2 35 2 1 1 - 2 1 - - 17 - 24 72 - - 4 15 - - 31 1 - - 4	118 — 265 173 1 — 12 98 30 — — 145 25 1 — 45 — 62 — — 73 144 — — 45 — 26 — — 47 — 4 38 — 26 — — 47 — 8 15	43 — — 43 140 — — 1 20 — — 24 62 — — — 3 — — — — — — — 20 — — — — — — — 19 — — — — — — —	3 - 10 - 10 - 2 - 2 - 2 - 2	::::
14 14 - 4	21 - 28 11 - 2	th $\begin{pmatrix} 6 & - & - & 29 & 22 & - & 8 \\ - & - & 1 & 8 & - & 1 & - & 4 \\ & & -8 & - & - & 24 & 96 & - & - & 32 \\ \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	one 17 2 22 1 6 7 7 10 55 10 7		& U.Ds. 266 1 1 1 511 147 1 - 61 263 -	olk 132 — 151 58 — 17 Bs 44 — 29 111 — 17 armouth	42	1 125 16 3 1 25 9 1 41 41 4 2	erland 60 — 2 91 75 — 5 126 1 28 — 2 36 2 — 1 63 1	27 — 2 35 2 — 1 5.Ds. 17 — 24 72 — 4 15 — 31 1 — 4	- 265 173 1 12 98 - - 145 25 1 - 45 - - - - 73 144 - - 4 38 - - - - 47 - 8 15	43 — — 43 140 — — 1 20 — — 24 62 — — — 3 — — — — — — — 20 — — — — — — — 19 — — — — — — —	3 - 10 - 10 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	

sis	Other	2 0	/ t	1		16	m0/51	111	1 123				1
Tuberculosis	Meninges and C.N.S.	111	1 7		1:11	e	12	111	11'11	111	111		1.
F.	Respiratory	10 13	241	26	32 13	181 69 47	16 87 25	2000	48 32 4	00m	10 6	66	25
	Food poisoning	111		111	30	10 10	17	111	13	111	111	111	
sitile	Non- paralytic mye				111			111		11.1		111	1
	Paralytic Acu	111		111		8	[12]		1111	111	111		1
	Dysentery	1113	4 1 1	26		118	244	111	38 38 12 9			111	
a enzal)	Acute pneumoni (prim'y or influ	0000	317	31 15	32 15 17	353 181 171	10 141 31	248	55 13 37 5	23	122		9
213	Typhoid and paratyphoid fevo			111		111.				111			-
	Diphtheria			111		7	1121	111		111	111		1 .
	Scarlet fever	1118	127	00-1-	947	154 666 39	23 70 18	111	32 23 6	m=0	21 19 2		4
,		Cardiganshire Total M.Bs. & U.Ds. Total R.Ds	Total M.Bs. & U.Ds. Total R.Ds	Denbighshire Total M.Bs. & U.Ds. Total R.Ds	Flintshire Total M.B.s & U.Ds. Total R.Ds		Swansea C.B Total M.Bs. & U.Ds. Total R.Ds	Merionethshire Total U.Ds	Monmouthshire Newport C.B Total M.Bs. & U.Ds. Total R.Ds.	Montgomeryshire Total M.Bs. & U.Ds. Total R.Ds	Pembrokeshire Total M.Bs.& U.Ds. Total R.Ds	Radnorshire Total U.Ds	Port Health Districts*
osis	Other	\$00mm	7-	e = e	7	978-	61	10	13	113	2==	and the state of t	88
uberculosis	Meninges and C.N.S.	227		n	7	1350	5 61	10			711		77
Tuberculosis			1 1		1	228 228 328 15 15 13 13 13 13		777 10			2	422	12 - 2 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
	Meninges and C.N.S.		27		10 9		∨ −			1 4 1	241		
eitile	Mon- paralytic my Food poisoning Respiratory Meninges and C.N.S.	52 20 13 7	27	58	10 9	75 28 32 15	423 288 1	21.2000	00 00 00 00 00 00 00 00 00 00 00 00 00	3 — 6 — 107 — 4 — 1 = 28			12
oi-oi-	Paralytic Truy Food poisoning Respiratory Meninges and C.N.S.	52 20 13 7	27	58	10 9	75 28 32 15	423 288 1	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	00 00 00 00 00 00 00 00 00 00 00 00 00	3 — 6 — 107 — 4 — 1 = 28			12
oi-oi-	Mon-paralytic my Food poisoning Respiratory Meninges and C.N.S.	52 20 13 7	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	16 58 -	00 00 00 00 00 00 00 00 00 00 00 00 00	75 28 32 15	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	43 97	6			12
otr -oi sitifs	Paralytic Act Pond Paralytic my Paralytic my Pood poisoning Respiratory Meninges and C.N.S.	6 52	1 5 5	16 58 -	15 - 8 10 - 15 - 6 - 6 - 7	4	2,032 3 1,480 2 2 99 2 99 3 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	216	6			
is contact of the con	Dysentery Paralytic Hon- Non- paralytic my Food poisoning Respiratory Meninges and C.N.S.	31 — 6 52 — 1 13 — 1 13 — 1 1 13 — 1 1 1 1 1 1 1	1 5 5	89 - 16 58 -	15 - 8 10 - 15 - 6 - 6 - 7	135 — 6 75 92 — 2 288 · — 41 — 4 15 —	2,032 3 1,480 2 2 99 2 99 3 1	265 1 14 71 13 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	216	285 — 6 6 6 — 1 1 107 4 1 1 28 — 4 1 1 28 — 4 1 1 1 28 — 4 1 1 1 28 — 4 1 1 1 2 1 2 1 1 2 1 1 2 1 1 2 1 1 1 2 1			$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
is contact of the con	Acute pneumon (prim'y or influ Dysentery Paralytic Non-paralytic my Pood poisoning Mespiratory Respiratory Meninges and C.N.S.	31 — 6 52 — 1 13 — 1 13 — 1 1 13 — 1 1 1 1 1 1 1	1 5 5	- 353 89 - 16 58 - - 281 47 - 8 42 -	15 - 8 10 - 15 - 6 - 6 - 7	135 — 6 75 92 — 2 288 · — 41 — 4 15 —	1,441 2,032 3 — 111 423 5 936 1,480 2 — 99 288 1	265 1 14 71 13 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	216	285 — 6 6 6 — 1 1 107 4 1 1 28 — 4 1 1 28 — 4 1 1 1 28 — 4 1 1 1 28 — 4 1 1 1 2 1 2 1 1 2 1 1 2 1 1 2 1 1 1 2 1			$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
is contact of the con	Typhoid and paratyphoid few paratyphoid few (prim'y or influ Dysentery Hoon-paralytic pol paralytic	31 — 6 52 — 1 13 — 1 13 — 1 1 13 — 1 1 1 1 1 1 1	36 - 1 5 - 1 5	- 353 89 - 16 58 - - 281 47 - 8 42 -	- 77 - 8 10 44 15 8 0 6 10		1,441 2,032 3 — 111 423 5 936 1,480 2 — 99 288 1	- 149 265 1 - 14 71 - 1 - 1 12 33 - 1 5 - 1 8 1	- 1 77 216 - 1 15 - 15 - 15 - 15 - 15 - 15 - 15	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$

Original notifications of Meningococcal infection numbered 324, Whooping cough 10,683, and Measles 351,380. receted notifications were Meningococcal infection 260, Whooping cough 10,654 and Measles 351,516, distributed by counties follows:—

	Meningo- coccal infection	Whooping	Measles		Meningo- coccal infection	Whooping	Measies		Meningo- coccal infection	Whooping	Measles
dishire ire ghamshire ghamshire ire all irland hire ire of ire stershire ire dishire ire dishire ire dishire ire dishire ire dishire ire ire dishire ire gdonshire ire ire ire ire ire ire ire ire ire	1 1 2 1 2 1 2 1 -9 3 -14 -8 5 8 1 3 1 2 3 3 4	27 197 74 30 263 101 17 226 503 106 442 29 446 227 77 103 21 628 965 70 39	4,117 3,356 3,857 567 10,572 1,218 1,477 6,811 1,540 701 15,966 506 23,058 2,756 13,244 1,561 8,919 1,464 16,083 28,249 3,282 2,025	Lincs. (Kesteven) Lincs. (Lindsey) London A.C Middlesex Norfolk Northamptonshire Northumberland Nottinghamshire Oxfordshire Peterboro', Soke of Rutland Shropshire Somerset Staffordshire Suffolk, East Staffolk, West Suffolk, West Surrey Sussex, East Sussex, West Warwickshire Westmorland Wight, Isle of	1 1 25 7 2 3 5 9 2 1 - 4 3 6 6 6 1 9 5 1 1 1	70 191 489 230 242 112 159 123 126 33 2 81 354 227 176 112 349 163 167 373 113	430 3,762 31,078 19,557 6,294 1,853 5,656 7,821 3,031 1,487 71 2,207 1,780 12,135 2,878 1,025 10,938 3,189 2,418 23,174 1,180 684	Wiltshire Worcestershire Yorks. E. Riding Yorks. N. Riding Yorks. W. Riding (including York C.B.) Anglesey Brecknockshire Caernarvonshire Cardiganshire Carmarthenshire Denbighshire Flintshire Glamorganshire Merionethshire Montgomeryshire Pembrokeshire Radnorshire Port Health Dists.*	-3 -1 30 -1 -1 -2 1 -7 -3 -1 -111	66 112 122 101 628 17 59 58 26 6 395 3 145 4 19	3,195 3,152 6 944 1,945 24,962 35 143 444 6 1,002 1,700 712 11,376 2,232 1,306 34 350 1

Other diseases notified:—Ophthalmia neonatorum: Original 244, Corrected 244. Acute encephalitis, Infective: Original Corrected 32. Acute encephalitis, Post infectious: Original 65, Corrected 62. Erysipelas: Original 701, Corrected 697. erperal pyrexia: Original 2,175, Corrected 2,163. No cases of Cholera, Plague, Smallpox or Typhus fever were notified. incorrected figures for 13 weeks ended 1st April 1961 not included in totals for England and Wales.

TABLE IV (a)
Corrected notifications of certain infectious diseases in the quarter ended 31st December 1960, analysed by sex and age England and Wales

(See General Notes on page 3)

			Dysentery			arlet ver		oping ugh	Dipht	heria	Mea	asles	Menir cocc infect	al	Acı Paral		liomyelit Non-pa	
-g1	rou	p	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
	·······································		2,822 148 217 195 184 162 755 381 163 588 29	2,951 105 181 203 184 160 638 280 312 853 35	3,124 22 79 190 289 391 1,693 347 81 25 7	2,909 16 66 140 250 378 1,606 361 60 20 12	5,982 638 694 764 684 658 2,192 269 25 46 12	6,414 645 650 784 749 656 2,423 341 49 101 16	9 1 5 2 1	8 - - 4 3 - 1	40,989 1,301 3,746 4,798 5,339 5,601 19,251 701 103 48 101	38,484 1,259 3,400 4,499 4,960 5,374 17,937 745 122 84 104	92 32 9 6 7 6 10 7 7 8	75 21 5 10 3 2 8 4 12 10	63 	36 8 4 1 3 7 1 5 7	11 2 — 3 2 2 — 2	13 1 3 - 4 3 1 1

-group	Typhoic	l fever	Paratyphoid fever		Erysipelas			Acute enc		s fectious		cute monia	Food poisoning	
1	M.	F.	M.	F.	M.	F.	M.	F.	М.	F.	M.	F.	M.	F.
es over	15 2 9 2 2 2	8 -1 5 2 	23 8 7 7 1	34 8 9 11 4 2	309 3 11 58 162 68 7	369 3 13 80 173 92 8	23 7 11 4 1	17 4 4 8 1	13 4 8 1 —	16 5 6 4 — 1	1,990 406 203 405 564 395 17	1,559 337 160 304 333 412 13	799 210 207 233 102 43 4	878 157 139 415 104 55 8

			Tuberculo	osis		
Age-group	Respi	ratory	Meni and C		Oth	ner
	M.	F.	M.	F.	M.	F.
All Ages 0— 5— 15— 25— 45— 65 and over Unknown	3,177 103 128 416 936 1,185 402	1,806 65 147 453 712 320 103 6	24 4 6 8 4 1 —	16 4 4 3 3 2	268 14 31 35 118 45 25	375 10 38 81 135 75 34 2

TABLE V

Infant mortality: rates by quarters and each completed year, 1958 to 1961

England and Wales and various other countries (Deaths under 1 year per 1,000 live births)

	1)	1	1			1	-			1				-
Country	1958	58 1959	1960		1958			19	59			19	60		1961
		1707	13.00	June	Sept.	Dec.	Mar.	June	Sept.	Dec.	Mar.	June	Sept.	Dec.	Mar
England and Wales Wales Scotland N. Ireland Irish Republic	23 27 28 28 35	22 26 28 28 32	22 25 27 27 30	22 24 27 28 35	20 24 25 23 30	23 27 27 29 32	25 28 33 33 37	21 25 26 26 26 35	19 25 25 26 25	24 28 29 29 30	23 25 29 28 35	21 25 26 26 27	20 21 24 22 26	24 26 27 30 30	23 26 30 †
Australia Canada Chile Denmark France	20 30 127 22 32	22 28 † 22 30	20 † † 22 28	20 29 118 24 31	21 28 105 21 27	21 31 124 21 30	22 32 143 22 35	20 26 106 23 30	23 26 103 19 26	21 29 126 25 28	21 † 158 23 31	18 † 127 21 28	22 † 105 18 24	19 † 24 28	++++
Italy Netherlands New Zealand Sweden U.S.A.	48 17 19 16 27	45 17 20 16 26	44 17 20 † 26	49 16 22 15 27	50 15 22 14 25	46 18 17 17 28	49 20 20 16 28	44 16 19 16 26	44 16 22 15 24	43 16 19 18 27	43 18 17 17 27	46 17 20 17 26	42 15 24 14 23	45 17 18 † 27	† 17 † † 27

[†] Figures not yet available.

TABLE VI

Deaths by cause and sex in 1958, 1959 and 1960, and in the last eight available quarters, classified according to the International Abbreviated List (7th Revision, 1955), with certain sub-divisions

England and Wales

Causes of Death	1958	1959	1960†		19:	59	1		190	50†		
				March	June	Sept.	Dec.	March	June	Sept.	Dec	
ALL CAUSES $\left\{ egin{array}{llllllllllllllllllllllllllllllllllll$	270,639 256,204	269,878 257,773	269,175 257,100	90,251 86,629	61,404 58,768	52,918 50,479	65,305 61,897	76,122 72,917	63,323 61,015	57,801 54,679	71,9; 68,4	
Tuberculosis of respiratory system (001-008) Tuberculosis of meninges Mand C.N.S. (010) Tuberculosis, other forms (011-019) Syphilis and its sequelae (020-029) Typhoid fever (040) Maratyphoid fever (041) Paratyphoid fever (041) Scarlet fever (050) Maratyphoid fever (050	257,296 247,091 2,949 1,050 44 49 214 174 653 388 2 - 1 1 - 16 16 16 3 1 4 4 6 4 4 13 14 71 74 - 71 58 52 40 1 - 23 26 - 2 2 420	256,422 248,394 2,620 854 50 37 140 153 627 331 2 —————————————————————————————————	255,673 247,482 2,332 762 26 36 36 134 136 622 320 2 — 1 — 10 13 20 17 46 48 — 18 4 62 61 — 13 18 1 — 14 11 — 14 11	86,801 83,872 968 283 14 111 47 45 175 116 ——————————————————————————————————	58,133 56,587 574 172 16 9 42 40 165 92 — — — — — — — — — — — — — — — — — —	49,597 48,476 484 184 10 9 27 22 130 60 1 — 2 3 1 1 15 7 16 12 12 9 — 7 3 — — — — — — — — — — — — — — — — —	61,891 59,459 594 215 10 8 24 46 157 63 1 1 2 - 1 4 20 11 - 7 6 10 16 10 16 - 1 1 2	72,677 70,255 663 214 7 12 32 45 169 77 — — — — — — — — — — — — — — — — — —	59,955 58,813 552 188 10 8 30 24 160 71 1 4 9 11 11 8 55 155 122 4 10 19 3 3 3 1	54,490 52,587 487 156 5 7 31 31 147 78 1 — 4 4 4 4 — 1 2 7 8 6 — 5 2 17 19 — 3 2 1 1 2	68,5: 65,8: 620	
(Rem. of 001-138) F	414	420	441 423	123 104	108 90	103	86 94	103 118	105 89	111 97	12 11	

[†] Provisional.

TABLE VI (continued)

1959 1960†											
Causes of Death	1958	1959	1960†		19	959			196	0†	
				March	June	Sept.	Dec.	March	June	Sept.	Dec.
hs from non-violent causes—cont.		# 030	T 0 4 5		1055	4 000	1.00-	4.000		1.000	
alignant neoplasm of M stomach (151) F alignant neoplasm of	7,934 6,178	7,930 6,146	7,845 6,105	1,991 1,510	1,955 1,584	1,987	1,997 1,562	1,999 1,553	1,892 1,430	1,988 1,532	1,966 1,590
intestines and rectum M (152-154) F	6,940 8,040	6,774 8,248	6,758 8,015	1,664 2,020	1,677 2,058	1,733 2,059	1,700 2,101	1,656 1,953	1,698 1,944	1,695 2,088	1,709 2,030
alignant neoplasm of other digestive organs M (Rem. of 150-159) F	4,262 4,147	4,456 4,191	4,414 4,308	1,075 1,038	1,122 996	1,067 1,071	1,192 1,086	1,109 1,091	1,064 1,028	1,096 1,110	1,145 1,079
lalignant neoplasm of trachea, bronchus, lung M (162-163) F	17,040 2,780	18,181 2,882	18,876 3,116	4,580	4,358 694	4,452 744	4,791 732	4,712 789	4,533 712	4,743 815	4,888 800
alignant neoplasm of other respiratory or M	859	845	876	252	211	178	204	246	227	194	209
gans (Rem. of 160-165) \ F f f f f f f f f f	312 73 8,949	320 62 8,708	321 63 9,056	13 2,253	78 16 2,063	73 19 2,119	73 14 2,273	70 15 2,319	90 14 2,183	76 19 2,243	85 15 2,311
Ialignant neoplasm of uterus (171-174) Feukaemia and Maleukaemia (204) F	4,115 1,301 1,085	4,003 1,315 1,219	4,085 1,479 1,219	978 345 315	984 320 315	1,008 309 287	1,033 341 302	1,009 355 300	1,008 390 320	1,026 357 322	1,042 377 277
lalignant neoplasm of other sites (Rem. of M 140-205) F	12,326 9,463	12,220 9,617	12,447 9,766	3,108 2,402	2,906 2,365	3,013 2,360	3,193 2,490	3,141 2,421	3,035 2,401	3,089 2,480	3,182 2,464
enign and unspecified M neoplasms (210-239) F	538 658	541 735	630 778	132 184	143 182	128 200	138 169	152	154 184	163 187	161 185
hyrotoxicosis with or M without goitre (252) F	282	55 296	311	16 100	13 78	14 53	65	9 95	14 82	10 61	73
raicious and other	1,152 2,163	1,100 2,093	1,197 2,368	372 653	234 450	203 450	291 540	315 661	263 555	265 496	354 656
h y p e r c h r o m i c { M anaemias (290) { F naemias, other (291- } M 293) { F	247 578 329 531	227 582 355 527	253 517 341 551	70 150 103 149	42 167 86 140	68 128 75 109	47 137 91 129	75 114 84 143	56 149 83 151	128 89 135	73 126 85 122
ascular lesions affecting the central nervous M system (330-334) F	31,298 44,879	30,897 44,253	31,006 45,232	9,968 14,054	7,256 10,286	6,185 8,937	7,488 10,976	9,061	7,243 10,881	6,602 9,519	8,100 11,906
on-meningococcal SM meningitis (340) F	197 142	180	210	54 40	31 29	42 28	53	64	47 32	38	61
heumatic fever (400- \ M \ 402) F	70 61	63	61 62	19 23	18	9	14	19 23	16 10	18 15	8 14
hronic rheumatic heart { M disease (410-416) { F oronary and arterio-	2,567 4,867	2,482 4,589	2,471 4,650	785 1,516	616 1,070	498 879	583 1,124	703 1,350	567 1,070	550 971	651 1,259
sclerotic heart disease M (420) F	52,085 31,956	52,193 32,729	56,520 35,450	15,299 10,067	12,523 7,504	10,601 6,469	13,770 8,689	15,561 9,792	13,117 8,283	12,428 7,508	15,414 9,867
other myocardial de- \{ M \\ generation (421, 422) \} F	23,152 33,814	20,507 31,49 5	19,548 30,746	7,715 11,278	4,565 7,275	3,545 5,720	4,682 7,222	6,051 9,260	4,513 7,279	3,834 6,129	5,150 8,078
ther diseases of heart $\int M$ (430-434) $\int F$	5,845 7,150	5,644 7,120	6,020 7,476	2,083	1,257	980	1,324 1,614	1,801 2,161	1,438 1,787	1,153 1,525	1,628 2,003
ypertension with heart \ M \ disease (440-443) \ \ \ F \ \ ypertension \ without	5,173 7,110	4,656 6,719	4,675 6, 612	1,626 2,385	1,049 1,526	872 1,224	1,109 1,584	1,365	1,101 1,548	935 1,268	1,274 1,805
mention of heart (444- \ M 447) \ F	3,524 3,839	3,269 3,555	3,121 3,405	1,109 1,188	753 833	639 677	768 857	923 1,011	771 804	626 674	801 916
ther diseases of circulatory system (Rem. of M 400-468) F	7,491 8,941	7,492 9,256	7,839 9,911	2,454 3,118	1,771 2,119	1,415 1,743	1,852 2,276	2,189 2,680	1,861 2,399	1,639 2,077	2,150 2,755
ifluenza (480-483) { M F	1,216 1,185	3,898 3,964	553 545	3,419 3,483	331 328	28 32	120 121	242 266	125 137	31 20	155 122
newborn) (490-493) {F	11,799 11,939	13,203 13,387	11,824 12,533	6,222 6,512	2,497 2,547	1,672 1,631	2,812 2,697	3,833 4,184	2,790 2,919	1,981 1,990	3,220 3,440
Pneumonia of newborn { M F	512 325	445 305	452 283	165 116	106 61	83 65	91 63	133 96	98 71	93 47	128 69
ronchitis (500-502) $\dots \begin{cases} M \\ F \end{cases}$	20,326 9,070	20,193 8,858	18,993 7,486	10,475 5,087	3,386 1,409	2,040 736	4,292 1,626	6,624 2,813	3,792 1,517	2,626 848	5,951 2,308
ther respiratory diseases $\int M$ (Rem. 470-527) $\int F$ Icer of stomach and $\int M$	3,683 1,590 3,425	3,462 1,587 3,090	3,471 1,566 3,160	1,393 635 1,111	726 351 690	545 248 549	798 353 740	1,033 521 973	779 372 749	598 248 649	1,061 425 789
duodenum (540, 541) F	1,473 462	1,473 430	3,160 1,541 367	511 107	328 117	281 97	353 109	474 104	332 87	318 79	417 97
testinal obstruction and M	328 1,400	271 1,413	269 1.452	81 388	58 341	64 326	68 358	69 386	67 352	67 345	66 369
hernia (560, 561, 570) \ F astritis, duodenitis, enteritis and colitis, ex-	1,464	1,570	1,602	464	374	347	385	412	381	375	434
cept diarrhoea of the M newborn (543, 571, 572) F	996 1,345	951 1,381	1,012 1,478	235 365	241 342	214 342	261 332	258 402	268 334	233 342	253 400
Gastro-enteritis and colitis, except ulcer-											
ative, aged 4 wks2 yrs., and diarrhoea of newborn (571.0, f M	197	218	250	68	41	37	72	75	68	42	65
764) (F	125	129	155	43	35	24	27	56	35	24	40

TABLE VI (continued)

			1	1				()			
Causes of Death	1958	1959	1960†		195	59			19	60†	
		2777	1500	March	June	Sept.	Dec.	March	June	Sept.	Dec.
Deaths from non-violent causes—cont.											
Cirrhosis of liver (581) M	644 532	617 586	682 587	155 143	167 137	137 141	158 165	175 147	173 142	155 146	179 152
Other diseases of digestive system (Rem. of M	1,288	1,247	1.317	346	298	249	354	336	326	334	321
530-587) F Nephritis and nephrosis M	1,806 2,158	1,878 1,923	1,938 2,011	486 589	447 500	474 406	471 428	488	492 514	456 432	502 514
(590-594) \ F Hyperplasia of prostate	1,920	1,762	1,716	560	420	372	410	472	420	375	449
(610) M Other diseases of genito-	3,577	3,505	3,255	1,034	836	793	842	924	770	728	833
urinary system (Rem. SM) of 590-637)	1,371 1,757	1,460 1,914	1,558 2,009	386 490	386 463	314 454	374 507	424 524	379 517	348 490	407 478
Sepsis of pregnancy, childbirth and puer-	1,,,,,,	1,717	2,000	4,70	405	454	307	324	317	430	470
perium; abortion with sepsis (640, 641, 651,				-							
681, 682, 684) F	88	76	68	18	16	22	20	20	20	13	15
pregnancy, childbirth and puerperium includ-								A 7-1			
ing abortion (Rem. 640- 689) F	240	214	242	57	61	54	42	62	70	57	53
Congenital malforma- M tions (750-759) F	2,589 2,301	2,503 2,408	2,697 2,423	682 656	604 625	616 515	601 612	687 614	683 612	637 585	690 612
Birth injuries, postnatal asphyxia and atelect- M	2,725	2,818	2,747	717	736	669	696	698	670	700	679
asis (760-762) F Infections of the newborn M	1,727 573	1,743 511	1,749 525	454 186	462 120	419 97	408	443 152	387 125	459 102	460 146
(763-768) \ F Other diseases peculiar	368	338	318	130	65	72	71	103	80	. 57	78
to early infancy, and immaturity unqualified M	2,320	2,177	2,429	561	534	540	542	608	594	572	655
(769-776) \F Senility without mention	1,705	1,726	1,756	445	444	380	457	453	456	427	420
of psychosis, ill-defined and unknown causes M	2,989	2,718	2,442	1,033	615	472	598	736	598	480	628
(780-795) F All other natural causes M	5,265 4,769	5,094 4,716	4,880 4,742	1,760 1,489	1,227 1,109	906 99 0	1,201 1,128	1,414 1,304	1,191 1,180	1,009 1,052	1,266 1,206
(Rem. 001-795) \{F	6,631	6,693	6,692	2,065	1,569	1,458	1,601	1,843	1,608	1,472	1,769
Deaths by violence \(\)M	13,343	13,456	13,502	3,450	3,271	3,321	3,414	3,445	3,368	3,311	3,378
Motor vehicle accidents M	9,113 4,034	9,379 4,414	9,618 4,754	2,757 966	2,181 990	2,003 1,091	2,438 1,367	2,692 1,180	2,202 1,050	2,092 1,215	2,632 1,309
(E810-E835) F Other transport accidents	1,405	1,612	1,887	365	324	394	529	530	326	446	585
(E800 - E802, E840 - { M E866) { F	756 143	584 92	552 80	155 22	125 17	151 28	153 25	140 22	123	158	131 17
Accidental poisoning \(\) \(\) \(\) \(\)	588	600	CCA	233	139	101	126	24.5	4.40	10.1	407
Accidental poisoning (E870-E895) F Accidental falls	716	608 750	813	295 636	156	112 464	135	215 252	148 162	104	197 266
(E900-E904) [F	2,010 3,474	2,105 3,538	1,907 3,559	1,145	510 816	709	495 868	508 994	494 844	455 795	450 926
Accidents caused by fire or hot substance (E916, 5 M	302	320	275	123 238	61	55	81	109	70	38	58
E917) F All other accidents (Rem. M E800-E962) F	467 2,299	486 2,128	455 2,117	489	112 567	45 640	91 432	183 457	98 608	50 579	124 473
£600-£902) (F	683	667	661	175	141	181	170	174	159	172	156
Suicide and self-inflicted injury (E963, E970-∫M	3,175	3,116	3,053	801	842	778	695	701	020	705	705
E979) F Homicide and operations	2,123	2,091	2,054	487	580	503	521	791 513	830 560	727 449	705 532
of war (E964, E965, M E980-E999)	179 102	181 143	180 109	47 30	37 35	41 31	56 47	45	45	35	55
	102	143	109	30]	33	J		24	34	25	26

[†]Provisional.

TABLE VII

Accidental deaths registered in the quarter ended 31st March 1961 analysed by sex and age, with totals for the corresponding quarter of the previous year

England and Wales

(Classified according to the International Classification of Diseases (7th Revision 1955))

(Crassifica according to the International Classification of Diseases (Ith Revision 1955))													
		Ma qua	ages arch arter	0—	1	5—	10-14	Total under 15	15	25—	45—	65 & over	Total aged 15 & over
		1960	1961										
me accidents*: Coal gas poisoning (E890)	${M \atop F}$	131 175	134 231			discription of	_1	_1	7 8	11 7	33 30	82 186	133 231
Other poisoning (E870-E888, E891-E895)	$\{^{M}_{F}$	51 58	55 65	1	3 4	an-anaged	2	6 4	2 4	17 6	23 23	7 28	49 61
Falls (E900-E904)	${M \brace F}$	354 856	358 886	2	6 3	3 4	1	12 8	_1	7 5	42 35	296 838	346 878
Burns and scalds (E916-E917)	${M \choose F}$	96 179	90 172	2 3	7 11	1 6	<u> </u>	10 26	-3	12	14 15	54 121	80 146
Choking and suffocation (E921, E922, E924, E925)	${M \choose F}$	63 51	58 41	35 17	7 6	designation of the second	<u>-</u> 1	42 24	1 1	4 2	9 7	2 7	16 17
Other (Remainder of E870-E936)	$\{^{M}_{F}$	39 24	46 39	3 1	9 5	4 2	2	18 9	1 2	8 2	13	6 18	28 30
ral home accidents	${M \choose F}$	734 1,343	741 1,434	43 22	32 29	8 12	6 8	89 71	12 18	59 29	134 118	447 1,198	652 1,363
insport accidents:													
Motor vehicle road accidents involving injury to: Motor cyclist† (E814, E815, E821)	{M F	294 29	281 26			er enemen	de-laman		133 14	86	52	10	281 26
Pedal cyclist (E813)	${M \atop F}$	127 21	119 12		_1	_3	13	17	14	19	46	23	102 12
Pedestrian (E812)	{M F		417 357		22 8	22 4	5 4	49 17	18 12	36 16	88 91	226 221	368 340
Occupant of motor vehicle;	(M	299	324	1	3	1	3	8	74	135	85	22	316
(Remainder of E810- E825)	{ _F	118	134	1	2	3	1	7	29	34	34	30	127
Other road accidents involving injury to: Pedal cyclist (E843)	${M \choose F}$	23 5	15	_	_	_1	_	1	2	_3	5	_4	14 1
Pedestrian (E840-E842, E844)	${M \choose F}$	6	4 4			_	_	-1	_	<u> </u>		4 2	4 3
All other transport accidents including rail, air, water (Remainder of E800-E866)	${M \choose F}$	121 12	143 13		_3	_1	4	8	14	38	64	19 5	135 13
al transport accidents 00-E866)	$\{^M_F$	1,295 543	1,303 547	1 2	29 11	28 7	25 5	83 25	255 60	317 65	340 138	308 259	1,220 522
her accidents:													
Poisonings (E870-E895)	${M \choose F}$	29 21	31 28	_	_	_	_1	_1	3 2	7 7	16 14	4 5	30 28
Falls (E900-E904)	${M \choose F}$	138 65	165 91	1 1	_1			2 1	9	36 4	49 9	69 77	163 90
Burns (E916-E917)	${ M \brace F}$	12 2	59 3	_	_	1	_2	2 1	_8	19	27 1	3	57
Drowning (E929)	$\{^{M}_{F}$	116 43	121 52		16 7	16 1	_6	38 8	10 1	21 8	33 16	19 19	83 44
Other (Remainder of E870-E936)	${ M \brace F}$	196 21	226 27	4 5	_4	1	3 2	12 8	31 4	86 4	80 5	17 6	214 19
otal other accidents E870-E936)	${ M \brace F}$	491 152	602 201	5 6	21	17	12	55 18	61 7	169 23	205 45	112 108	547 183
tal, all accidents arch quarter 1961 (E800- E936)	${M \choose F}$		2,646 2,182	49	82 47	53	43	227	328	545	679	867	2,419
			4,102				15	114	85	117	301	1,565	2,068
tal, all accidents arch quarter 1960 (E800- E936)	7	2,520 2,038		56 38	50 42	56 33	50 8	212 121	340 63	465 120	656 333	847 1,401	2,308 1,917
		-			1		11	- 11					6

cluding deaths in residential institutions. † Including passengers. ‡ Including a few deaths of other and unspecified persons acluding deaths from therapeutic misadventure, etc., (E940-E959), and late effects of injury and poisoning (E960-E962).

TABLE VIII

Numbers of insured persons absent from work owing to certified sickness or industrial injury (or prescribed disease)

England and Wales; standard regions*
(Supplied by the Ministry of Pensions and National Insurance)
(Figures to nearest hundred)

Area	17th Jan	uary 19 61	21st Febr	uary 1961	21st March 1961		
Area	Sickness	Injury	Sickness	Injury	Sickness	Injury	
England and Wales	998,600	52,200	1,067,700	50,300	818,400	50,700	
Northern	75,100	7000	83,800	7,000	67,700	7,200	
East and West Ridings	102,600	8,000	110,400	7,600	82,400	7,400	
North Western	204,200	7.500	198,100	7,200	155,200	7,500	
North Midland	69,800	5,000	75,600	4,700	56,900	4,900	
Midland	118,200	4,200	94,400	4,200	79,300	4,300	
Eastern	54,700	2,200	64,700	2,100	48,200	2,000	
London and South Eastern:							
London and Middlesex	106,100	3,400	120,200	3,400	88,100	3,400	
Remainder	88,800	3,300	102,900	3,200	77,500	3,100	
Southern	40,300	1,600	49,200	1,500	36,100	1,500	
South Western	62,200	2,400	74,300	2,400	56,400	2,300	
Wales	76,600	7,500	93,900	7,200	70,600	7,000	

Notes: (1) The proportion of males in the total England and Wales figures of persons absent from work owing to sickness remains fairly constant at between 65% and 66% except in epidemic periods when it may rise to about 69%. For industrial injury the proportion remains constant throughout the year at about 88%.

- (2) Broadly, the whole of the civilian working population aged 15 and over can now qualify under the National Insurance Act for sickness benefit without limit of income, including not only those employed under contract of service but also the self-employed. Only comparatively small sections of the working population are excluded, the most numerous being those employed married women who elect not to be insured in their own right.
- (3) The National Insurance (Industrial Injuries) Act applies, broadly speaking, to all civilians working for an employer under contract of service or apprenticeship, corresponding closely with the class of "employed persons" under the main scheme.
- (4) It is not practicable to make a straightforward count of the number of persons who are absent from work on a given day owing to sickness or industrial injury. The method followed has accordingly been to take the number of long term certificates then current, and to add to it the number of first and intermediate certificates of incapacity received during the week ended on the given day. (The figure so obtained includes a small proportion of persons whose incapacity in fact ended before that day, and excludes a small proportion of persons whose incapacity in fact began on or before that day. Sample enquiries indicate that these factors do not produce on balance any significant effect on the national and regional totals.)

*The constitution of the standard regions of England and Wales is as follows:

REGION I REGION IV REGION VI Wales II (remainder) Anglesey Caernarvonshire Northern Eastern Southern Cumberland Bedfordshire Berkshire Cambridgeshire Ely, Isle of Buckinghamshire Cardiganshire Denbighshire Durham Northumberland Dorset, Part of Westmorland Essex, Part of a Hampshire Flintshire Hertfordshire, Part of 8 Huntingdonshire Yorkshire, North Riding Merionethshire Oxfordshire Wight, Isle of Montgomeryshire Pembrokeshire REGION II East and West Ridings Yorkshire, East Riding Yorkshire, West Riding Suffolk, East Suffolk, West Radnorshire REGION VII South Western REGION IX Midland Cornwall REGION V Devon London and South Dorset, Part of 7 Herefordshire REGION III North Midland Derbyshire, Part of 1 Essex, Part of Shropshire Staffordshire Gloucestershire Somerset Hertfordshire, Part of 5 Wiltshire Warwickshire Leicestershire Kent Worcestershire London Admin. County Lincolnshire-Parts of Holland Middlesex REGION VIII Parts of Kesteven Parts of Lindsey Surrey Sussex, East Sussex, West Wales I (South East) Brecknockshire **REGION X** North Western Cheshire Northamptonshire Carmarthenshire Nottinghamshire Glamorganshire Derbyshire, Part of 8 Peterborough, Soke of. Monmouthshire Lancashire Rutland

- 1. All except Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D., and Chapel en le Frith R.D.
- 2. All except East Ham C.B., West Ham C.B., Chingford M.B., Wanstead and Woodford M.B., Leyton M.B., Walthamstow M.B., Ilford M.B., Barking M.B., Dagenham M.B., Waltham Holy Cross U.D., and Chigwell U.D.
- 3. All except Barnet U.D., Bushey U.D., Cheshunt U.D., East Barnet U.D. and Elstree R.D.
- 4. All areas stated in 2 above.
- 5. All areas stated in 3 above.

6. Poole M.B. only.

7. All areas except Poole M.B.

8. All areas stated in 1 above.

TABLE IX

Meteorology: values of air temperature, rainfall and sunshine for the first quarter 1961 expressed as differences from or percentages of the average values*

Districts of England and Wales

(Supplied by the Director General of the Meteorological Office)

A de regional de contraction de cont		Air Temperatur	e	Rair	nfall	Sunshine
District	Highest	Lowest	Difference from average daily mean	Percentage of average	Number of days difference from average	Percentage of average
	°F.	°F.	°F.	%		%
			JANUA	RY 1961		
England, N.E England, E Midland Counties England, S.E England, N.W. and N. Wales England, S.W. and S. Wales	55 54 57 54 57 56	17 21 19 22 15 22	-0.9 -0.5 -0.7 0.0 -0.9 -0.7	147 110 113 146 147 130	+ 4 + 1 + 1 - 2 0 + 2	103 93 72 105 98 70
Mean	-		-0.6	132	+ 1	90
			FEBUA	RY 1961		
England, N.E England, E Midland Counties England, S.E England, N.W. and N. Wales England, S.W. and S. Wales.	58 63 63 65 62 61	23 24 24 28 21 29	+ 4.0 + 4.9 + 5.2 + 5.4 + 4.5 + 4.9	72 122 103 118 115 108	- 2 + 1 0 + 3 0 + 2	103 99 102 98 112 81
Mean			+ 4.8	106	+ 1	99
			MARC	Н 1961		1
England, N.E England, E Midland Counties England, S.E England, N.W. and N. Wales England, S.W. and S. Wales	72 73 70 72 69 69	23 21 24 22 22 22 23	+ 4.9 + 4.0 + 4.7 + 3.6 + 4.5 + 2.9	36 20 16 5 54 11	9 7 8 9 4 9	131 131 146 135 117 115
Mean			+ 4.1	24	— 8	129
England, N.E	72 73 70 72 69 69	17 21 19 22 15 22	+ 2.7 + 2.8 + 3.1 + 3.0 + 2.7 + 2.4	85 84 77 90 105 83	- 7 - 5 - 7 - 8 - 4 - 5	112 108 107 113 109 89
Mean		-	+ 2.8	87	<u> </u>	106

^{*}The averages used for rainfall and raindays are for the period 1916-50, while those for sunshine and temperatures are for 1921-50.

APPENDIX A

Estimated home population as at 30th June 1960, marriages, births (distinguishing stillbirths), and deaths (distinguishing deaths of infants under 1 year of age) registered in the year 1960*

England and Wales and administrative counties with associated county boroughs

(See General Notes on page 3)

					enera! N	otes on page 3)							
ADMINISTRATIVE COUNTIES with associated COUNTY BOROUGHS	Home population (thousands)	Marriages	Live births	Stillbirths	Deaths (excluding stillbirths)	Deaths of infants under 1 year	ADMINISTRATIVE COUNTIES with associated COUNTY BOROUGHS	Home population (thousands)	Marriages	Live births	Stillbirths	Deaths (excluding stillbirths)	
ENGLAND & WALES	45,755	343,614	782,221	15,794	526,275	17,118	England— continued						
England†	43,126	324,273	738,268	14,731	493,560	16,001	PETERBORO', SOKE OF RUTLAND	70 25	600	1,435 460	32	708 241	
County of— BEDFORD	360	2,709	7,387	141	3,553	144	SHROPSHIRE	302	2,123	4,897	118	3,237	
BERKSHIRE	495	3,438	9,650	155	4,948	172	SOMERSET	589	4,004	9,362	175	7,573	
BUCKINGHAM	469	3,088	8,741	112	4,560	173	STAFFORD	1,716	13,302	29,956	690	17,864	
CAMBRIDGE	186	1,303	3,144	45	1,960	52	Suffolk, E,	345	2,307	5,628	94	4,016	
CHESHIRE	1,349	9,345	23,411	484	15,913	531	Suffolk, W	132	847	2,211	47	1,360	
CORNWALL	339	2,172	4,965	99	4,632	88	SURREY	1,711	11,839	25,682	397	19,164	
Cumberland	289	2,052	5,290	145	3,539	124	Sussex, E	649	4,323	8,360	125	10,218	
DERBY	871	6,038	14,359	332	9,601	301	Sussex, W	397	2,454	5,802	84	5,679	
DEVON	821	5,684	12,058	229	11,316	236	WARWICK	1,976	16,024	37,720	729	20,451	
Dorset	311	1,982	4,816	100	3,902	96	Westmorland	67	440	992	27	885	
DURHAM	1,516	11,656	28,498	658	17,509	767	WIGHT, ISLE OF	93	664	1,221	26	1,332	
ELY, ISLE OF	89	584	1,488	44	996	44	WILTSHIRE	418	2,911	7,833	151	4,285	
Essex	2,276	15,793	36,984	629	23,321	715	Worcester	565	4,132	9,055	200	6,136	
GLOUCESTER	984	7,347	17,072	279	11,191	324	Yorks., E.R.	527	3,925	9,260	189	5,937	
HAMPSHIRE	1,331	9,485	22,894	416	15,449	434	Yorks., N.R.	553	3,912	10,554	239	6,359	
Hereford	130	894	2,231	54	1,557	35	Yorks., W.R.		0,512	10,001	200	0,000	
HERTFORD	806	5,027	14,614	261	7,478	257	(including YORK C.B.)	3,643	27,385	61,807	1,333	42,830	
Huntingdon	82	486	1,504	33	805	30	Wales†	2,629	19,341	43,953	1,063	32,715	- Carone
Kent	1,685	11,618	27,078	543	19,378	501	County of—	,	,	,,,,,	1,000	02,710	
Lancashire	5,118	39,921	91,194	2,159	65,312	2,457	Anglesey	52	345	886	17	719	
LEICESTER	672	4,845	11,622	235	7, 464	248	Brecknock	55	368	815	16	722	
LINCOLN: HOLLAND	103	811	1,697	40	1,072	. 31	CAERNARVON	121	841	1,726	49	1,731	, transmitted
KESTEVEN	135	886	2,346	40	1,559	48	CARDIGAN	53	324	737	20	740	1
LINDSEY	497	3,749	9,018	203	5,331	204	CARMARTHEN	168	1,161	2,405	49	2,306	- colonosia
LONDON	3,194	32,677	56,993	1,040	36,521	1,232	DENBIGH	170	1,247	2,649	63	2,284	-
MIDDLESEX	2,252	17,431	35,269	573	23,099	655	FLINT	148	1,080	2,588	60	1,819	
Norfolk	562	3,890	8,888	186	6,560	152	GLAMORGAN	1,228	9,212	21,005	502	14,877	1
Northampton	394	2,805	6,869	126	4,484	151	MERIONETH	39	262	590	8	563	2 12
Northumber-			,,,,,	120	., 104	101	MONMOUTH	436	3,430	7,772	201	5,032	
LAND	821	5,988	14,326	288	9,900	326	MONTGOMERY	45	325	705	18	513	
NOTTINGHAM	897	6,906	16,023	331	9,374	370	PEMBROKE	95	633	1,776	53	1,180	-
Oxford	306	2,305	5 604	88	3,001	. 107	RADNOR	19	113	299	7	229	

^{*}The births and deaths are corrected for inward and outward transfers to place of residence. †The County of Monmouth is included in Wales and not in England.

APPENDIX B

mated home population as at 30th June 1960, births (distinguishing stillbirths), deaths (distinguishing deaths of infants under 1 year of age) and deaths from certain causes registered in the year 1960*

England and Wales, municipal boroughs and urban districts with a resident population of 25,000 and over at the Census 1951, county boroughs, Greater London, City of London and metropolitan boroughs and four Scottish and Irish towns

				ing					Deaths	from			
Area	Home population	Live births	Stillbirths	Deaths (excluding stillbirths)	Deaths of infants under 1 year of age	Malignant neoplasm lung, bronchus	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute poliomyelitis	Pneumonia‡	Coronary and arteriosclerotic heart disease
LAND and WALES-	45,755,000	782,221	15,794	526,275	17,118	21,992	37	5	3,426	1,098	22	25,092	91,970
val rates— land and Wales — — don — — — —		17·1 17·8	19·8 17·9	11·5 11·4	21·9 21·6	0·48 0·70	0.00	0·00 0·00	0·07 0·08	0·02 0·01	0.00	0·55 0·65	2·01 2·02
Northern ngton U.D ingtonshire U.D op Auckland U.D don U.D 1 M.B	28,150 29,710 35,440 31,020 35,050	485 463 650 530 627	8 6 21 11 18	314 322 416 362 383	15 10 24 21 10	13 11 14 15 20			4 4 7 2			3 9 13 9 17	76 66 75 60 78
isle C.B sett U.D k and Willington U.D. ington C.B n U.D	69,980 39,080 26,430 83,660 36,180	1,350 649 391 1,395 861	34 15 11 23 19	910 469 383 1,074 409	33 14 16 36 30	31 16 5 48 23			4 4 3 11 4	1 4 6 —		16 14 11 35 27	169 98 64 199 72
ng U.D shead C.B ghton-le-Spring U.D. bw M.B gbenton U.D	32,650 108,560 31,550 29,250 49,810	710 1,973 582 577 912	25 47 16 14 15	358 1,306 351 362 387	18 57 14 12 16	22 70 12 15 15			3 6 1 3 2	1 7 4 4 1		16 78 7 16 16	51 178 61 70 63
dlesbrough C.B. – castle upon Tyne C.B. car M.B. – – – borough M.B. – – am U.D. – – –	154,560 268,970 29,500 43,230 26,410	3,510 5,029 536 609 495	81 119 10 13 11	1,828 3,403 346 710 265	84 134 10 12 10	80 196 13 23 6	1 		16 28 1 3	10 1 - 2		94 173 7 28 13	283 658 66 157 37
on Valley U.D h Shields C.B ley U.D. (Durham) - kton-on-Tees M.B derland C.B	26,700 108,600 47,570 79,510 188,000	362 2,003 760 1,707 3,879	8 48 22 37 87	303 1,306 619 834 2,031	6 41 22 28 100	12 60 13 39 107	=		3 6 8 13 16	9 10 2 21		10 60 20 59 149	60 240 108 143 440
mouth C.B send M.B t Hartlepool C.B tley Bay M.B kington M.B	70,010 50,030 76,110 34,270 29,350	1,261 904 1,626 530 525	22 13 30 10 12	803 521 837 500 375	29 20 44 13 20	40 20 28 17 17			4 6 10 — 5	2 2 3 1 1		35 25 44 16 8	136 98 168 114 72
East and West Ridings borough U.D asley C.B by M.B lford C.B house M.B	27,840 75,450 39,750 289,860 30,570	355 1,358 723 5,437 455	3 25 16 112 7	398 825 504 3,741 382	10 42 19 154 8	9 32 15 142 9			2 6 1 21 2	-1 -3 -		15 47 22 285 7	73 116 84 751 87
leford M.B sbury C.B caster C.B fax C.B emprice U.D	41,690 53,460 85,300 94,900 41,340	689 906 1,531 1,612 684	25 26 30 33 10	434 743 891 1,371 432	15 20 33 52 9	21 22 35 45 22			5 3 10 12 2	_ 2 1 1		14 47 24 73 22	70 140 159 331 76
ogate M.B dersfield C.B hley M.B ston upon Hull C.B s C.B	53,720 129,130 55,230 302,400 514,760	821 2,204 942 5,783 8,791	12 53 28 128 162	712 1,710 825 3,192 5,792	12 58 21 135 199	25 59 25 186 270	= -1 -1		4 12 1 37 42	3 2 23 3		29 51 24 203 377	134 344 138 488 1,209
ley M.B	40,330 33,690 85,070 499,610 31,120	663 632 1,557 7,829 517	21 11 41 149 14	501 342 932 5,810 384	17 16 31 156 6	20 14 59 280 14			3 9 55 4	-1 -7 -7		23 13 42 230 20	124 76 150 1,015 86

^{*}Corrected for inward and outward transfers to place of residence.

†Live birth and death rates per 1,000 population, stillbirth rates per 1,000 total (live and still) births and infant mortality rates per 1,000 live births.

‡Including pneumonia of newborn.

				ling	Deaths from								
Area	Home population	Live births	Stillbirths	Deaths (excluding stillbirths)	Deaths of infants under I year of age	Malignant neoplasm lung, bronchus	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute poliomyelitis	Pneumonia‡	Coronary and
Spenborough M.B Wakefield C.B York C.B	36,910 59,840 104,120	567 934 1,712	13 19 42	452 811 1,232	12 25 35	12 23 51			3 11			13 29 60	1 2
North Western Accrington M.B Altrincham M.B Ashton-under-Lyne M.B. Barrow-in-Furness C.B Bebington M.B Birkenhead C.B Blackburn C.B	39,110 41,180 50,270 64,580 51,640 144,280 105,330	559 710 830 1,064 870 2,667 1,680	8 10 14 23 13 65 46	577 505 728 792 557 1,645 1,764	16 17 18 19 27 65 43	18 22 18 40 20 83 60			5 2 6 2 6 16 10	2 - 2 1 3 2		24 16 32 39 43 131 57	1 11133
Blackpool C.B Bootle C.B Burnley C.B Bury C.B Bury C.B Bury C.B	143,530 159,570 82,580 80,560 59,290	1,854 2,652 1,995 1,288 1,041	29 53 44 35 27	2,410 2,051 771 1,275 877	50 72 65 31 14	111 69 35 44 25	1		20 10 12 7 3	4 6 1 2		62 110 61 42 31	4 3 1 2 1
Chadderton U.D Cheadle and Gatley U.D. Chester C.B Chorley M.B Crewe M.B	32,760 41,870 60,090 31,320 51,320	567 945 1,076 473 910	11 16 20 11 28	399 421 648 406 540	14 16 31 14 19	13 8 21 13 17	1 1		1 1 3 - 5	1 1 - 2		17 13 30 11 21	1
Crosby M.B Darwen M.B Denton U.D Droylsden U.D Eccles M.B	58,440 29,370 29,790 26,240 43,520	1,052 457 602 408 721	12 16 14 3 11	777 430 362 261 634	25 14 18 7 17	34 10 11 10 37			9 3 3 3 3	2 _ _ _		51 12 12 6 21	1
Eilesmere Port M.B Farnworth M.B Fleetwood M.B Heywood M.B Hoylake U.D	40,920 27,320 28,710 24,660 30,900	964 476 512 419 490	27 13 8 14 15	332 383 295 318 416	19 14 13 10 9	18 14 15 9 10			2 1 1	- 1 1 1 -		24 12 7 8 33	1.
Huyton-with-Roby U.D. Hyde M.B Lancaster M.B Leigh M.B Liverpool C.B	62,810 31,640 49,220 47,240 754,670	1,310 489 801 750 15,961	29 5 20 22 377	490 454 708 555 8,897	52 18 22 15 450	23 17 15 10 457		1 1	8 2 4 2 90	-3 -2 16		48 19 37 13 832	1
Lytham St. Annes M.B. – Macclesfield M.B. – – Manchester C.B. – – – Middleton M.B. – – – Morecambe and Heysham M.B. – – –	32,590 36,780 665,590 56,370	406 541 12,595 1,086	7 9 327 22	620 488 8,269 518	6 9 366 25	18 11 445 24	1	= =	3 3 83 2	- 1 11 2		15 26 401 28	1,2
Nelson M.B Oldham C.B Preston C.B Prestwich M.B Radcliffe M.B	38,200 31,470 117,250 113,460 33,390 27,080	490 467 1,927 2,023 447 451	5 16 51 39 10 5	533 1,615 1,448 533 389	7 8 52 64 8 8	30 16 53 68 29 7			4 2 14 7 5	1 1 5 - 1		12 13 59 52 9	1 2 2
Rawtenstall M.B. — — — Rochdale C.B. — — — — St. Helens C.B. — — — — Sale M.B. — — — — — Salford C.B. — — — — Southport C.B. — — —	23,970 84,210 109,610 50,030 161,170 81,350	374 1,364 1,915 884 2,991 1,071	6 33 73 12 66 23	354 1,197 1,264 529 2,042 1,431	12 42 75 15 80 36	12 40 48 18 99 39			2 9 10 2 21 4		-	8 62 98 17 100 51	1 1 2 2
Stockport C.B Stretford M.B Swinton and	141,440 61,460	2,437 1,054	58 25	1,890 709	81 38	80 41	Service Control	_	8 3	5	estaniques (Manageld	79 32	3
Pendlebury M.B Urmston U.D	40,450 41,550	653 754	21 19	503 432	15 15	25 22		_	2 1			17 12	
Wallasey C.B Warrington C.B Widnes M.B Wigan C.B Worsley U.D	103,450 78,780 51,810 80,950 38,280	1,850 1,300 1,157 1,337 668	38 33 35 27 19	1,302 950 529 975 392	45 31 34 38 21	51 56 35 41 13	-1		12 6 2 9 1		· .	66 62 31 26 15	2 2 1
North Midland Beeston and Stapleford U.D Carlton U.D Chesterfield M.B Cleethorpes M.B Coalville U.D	56,370 37,850 67,830 31,090 26,830	957 642 1,030 608 402	11 10 25 12 10	476 385 845 353 259	18 19 20 11	25 23 35 18 13	Observation of the second of t		2 1 4 1	1 - 1		15 14 59 11 7	1

[‡]Including pneumonia of newborn.

				ding		(2)			Deaths	from			()
Area	Home population	Live births	Stillbirths	Deaths (excluding stillbirths)	Deaths of infants under 1 year of age	Malignant neoplasm lung, bronchus	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute poliomyelitis	Pneumonia ‡	Coronary and arteriosclerotic heart disease
rby C.B msby C.B mckley U.D ston M.B ttering M.B	127,430 97,030 40,890 35,050 38,030	2,097 1,909 667 551 614	48 56 18 9 7	1,724 1,032 374 336 473	59 48 20 7 12	69 60 16 23 6		2 _ _	17 8 3 3 3	1 1 1 3 2		174 33 14 15 17	309 170 61 54 72
cester C.B coln C.B ng Eaton U.D ughborough M.B nsfield M.B	273,370 73,730 31,480 35,910 52,860	4,546 1,287 531 587 891	105 24 17 9 22	3,456 807 312 391 625	111 24 8 10 29	142 45 12 4 24			22 3 — 2 1	4 - - 4		144 51 12 27 20	493 133 61 67 112
rthampton C.B ttingham C.B erborough M.B inthorpe M.B ton in Ashfield U.D ellingborough U.D brksop M.B	101,180 313,760 56,980 63,090 40,810 30,020 34,520	1,686 5,729 1,217 1,287 647 545 680	40 115 25 35 16 14 21	1,299 3,441 610 545 438 416 320	34 133 23 28 20 10 15	49 172 22 31 19 14 14		annoted and a second a second and a second and a second and a second and a second a	12 27 1 2 3 3 2	2 9 - 1 3 1		43 209 36 18 13 24 13	236 503 90 86 69 66 46
Midland dridge U.D ston M.B mingham C.B erley Hill U.D omsgrove U.D	48,930 33,400 1,093,160 54,560 32,790	1,143 571 20,780 917 604	27 15 417 22 9	309 340 12,015 496 367	24 23 473 15 12	11 16 598 22 10	_ _ _ _		3 2 86 5 3	1 3 31 4		11 18 574 18 25	47 35 1,772 74 71
rton upon Trent C.B. – nnock U.D. – – – iseley U.D. – – – ventry C.B. – – – dley C.B. – – –	49,460 43,440 38,070 291,000 63,910	861 677 797 5,998 954	19 17 25 117 25	614 456 338 2,668 684	23 18 12 163 26	19 14 11 123 19	= 1		5 3 4 29 7	3 1 7	_ _ _ _	17 16 21 136 34	82 73 60 549 114
lesowen M.B reford M.B dderminster M.B	44,180 35,000 40,360	693 714 647	22 18 11	423 440 472	16 8 11	27 8 18			3 4 6	$-\frac{2}{1}$		19 33 22	83 71 76
wcastle-under-Lyme M.B Ineaton M.B	75,680 57,660	1,271 922	33 25	777 590	34 32	47 20			9 12		1	33 27	118 99
ibury M.B dditch U.D wley Regis M.B yal Leamington Spa	55,440 34,440 49,470	821 613 649	21 14 9	523 358 508	18 8 12	31 9 23		_	2 1 2			22 15 21	83 58 87
M.B gby M.B	40,060 50,400	847 987	12 18	477 570	11 21	16 25			3 4	7 2	1	30 24	75 112
rewsbury M.B ethwick C.B ihull M.B efford M.B ke-on-Trent C.B	49,250 71,110 92,550 44,580 270,200	786 1,122 1,711 812 4,178	20 18 22 29 112	513 801 753 528 2,962	13 26 36 21 104	15 47 28 11 126		=	3 11 2 1 34	2 2 - 1 3		18 42 22 17 153	89 134 129 83 503
ton Coldfield M B ton M.B lsall C.B dnesbury M.B	41,010 64,760 39,200 115,390 34,820	669 1,369 585 2,263 598	18 27 23 50 8	374 544 344 1,211 385	15 16 13 49 9	23 28 15 54 22	= 1		1 5 6 4	1 1 5 5		14 18 11 76 17	64 98 60 200 48
st Bromwich C.B llenhall U.D llenhall U.D llenhampton C.B recester C.B	93,780 32,280 145,160 64,490	1,692 576 2,534 1,031	35 12 56 22	979 327 1,645 786	36 16 59 29	34 20 64 37			16 1 10 9	1 -23 -		44 9 123 40	132 49 194 121
Eastern sildon U.D lford M.B ntwood U.D nbridge M.B elmsford M.B	84,070 61,190 47,450 93,840 45,990	2,117 1,335 847 1,418 879	41 26 12 18 15	668 618 532 917 452	37 23 12 26 15	34 26 14 41 24			1 3 5 3 1	= _1		30 23 69 40 25	155 108 87 145 84
chester M.B at Yarmouth C.B rnchurch U.D wich C.B ugs Lynn M.B	66,480 51,500 124,590 115,780 27,150	1,113 769 2,437 2,083 488	17 14 41 34 14	679 682 1,117 1,233 340	20 13 46 45 11	20 30 62 44 10			4 7 10 5 2	1 1 - 1	1.	35 30 39 64 15	113 126 196 265 53
westoft M.B on M.B rwich C.B mford M.B	45,350 122,880 117,700 115,840	658 2,602 1,929 2,106	11 51 44 30	555 1,170 1,474 790	11 49 40 43	24 55 77 41			1 8 4 9		=	17 56 92 37	111 185 259 140

[‡]Including pneumonia of newborn.

				ding					Deatl	ns from			
Area	Home population	Live births	Stillbirths	Deaths (excluding stillbirths)	Deaths of infants under 1 year of age	Malignant neoplasm lung, bronchus	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute poliomyelitis	Pneumonia ‡	Coronary and
St. Albans M.B Southend-on-Sea C.B Thurrock U.D Watford M.B	49,180 160,120 109,710 74,340	951 2,224 1,895 1,232	17 26 36 22	533 2,203 842 781	13 42 37 19	28 105 39 36			1 12 6 7	1 6 1 2		23 111 61 46	4; 14 14
London and South Eastern Greater London London City of London	8,209,970 3,194,480 4,890	132,490 56,993 32	2,299 1,040 —	88,755 36,521 48	2.654 1,232	5,056 2,243 4	4 3 —	<u>'</u>	567 269	134 46 —	3 2 —	4,828 2,077 4	16,1
Metropolitan Boroughs Battersea Bermondsey Bethnal Green Camberwell Chelsea	107,120 53,510 47,580 175,020 49,140	1,932 849 825 3,078 697	36 19 11 75 15	1,138 565 539 1,902 729	35 23 22 76 12	75 43 39 120 30			6 3 4 18 2	2 2 1 2 2 2	=	58 33 37 99 41	18 8 9 32 11
Deptford Finsbury Fulham Greenwich Hackney	69,330 33,710 112,960 88,310 163,050	1,301 643 1,863 1,251 3,240	28 12 33 14 67	770 337 1,255 926 1,779	38 10 41 22 50	49 19 95 63 94			7 4 4 4 16	2 1 1		48 17 72 65 60	13 24 18 34
Hammersmith——— Hampstead ———— Holborn ————— Islington ————— Kensington ————	108,290 98,080 21,000 222,940 167,240	2,212 1,683 206 5,191 3,077	37 30 5 105 44	1,205 1,020 267 2,466 1,657	50 34 16 109 64	84 63 13 182 94			7 4 1 13 14			51 48 18 158 70	21 21 4 44 31
Lambeth Lewisham	224,080 221;330	4,797 3,586	88 63	2,388 2,510	101 68	168 162			21	4 3		147 134	44
Paddington Poplar St. Marylebone St. Pancras Shoreditch	113,350 63,340 69,640 127,710 42,870	2,481 1,127 741 2,346 675	48 24 6 37 8	1,192 665 1,090 1,354 549	64 30 20 57 15	88 40 48 97 35	=		8 12 8 13 5	3 2 		64 46 46 91 60	20 5 17 26
Southwark Stepney Stoke Newington - Wandsworth Westminster Woolwich	88,690 93,850 50,240 338,800 92,940 145,470	1,600 1,714 1,119 5,541 1,007 2,179	26 34 24 97 15 39	1,203 1,037 569 4,991 946 1,424	43 32 20 126 16 37	74 .53 32 237 67 75			14 8 8 34 11 9	- 		91 54 20 301 47 97	18 18 5 76 19 31
Acton M.B Banstead U.D Barking M.B Barnes M.B Barnet U.D	64,550 39,250 74,920 38,800 26,540	1,083 486 996 458 428	26 5 20 10 12	689 514 695 475 283	27 9 18 12 3	35 22 59 19 17			4 5 4 2 2	5 -1 2 -		42 35 32 23 21	13 8 10 9
Beckenham M.B Beddington and Wallington M.B	75,510 32,330	1,056	12	852	12	48			2		-	40	17
Bexhill M.B Bexley M.B Bognor Regis U.D	27,120 91,000 26,920	413 241 1,321 354	6 5 20 6	365 539 795 519	7 4 17 12	17 19 50 20			3 4 4 4	3		26 26 40 20	6 10 15 12
Brentford and Chiswick M.B Brighton C.B Bromley M.B Canterbury C.B Carshalton U.D	57,070 160,860 66,580 30,560 60,430	899 2,255 894 468 691	18 30 18 9 18	595 2,442 792 387 544	10 44 23 8 14	34 118 33 12 28			1 12 4 - 4	2 1 - 1	 	27 98 47 8 19	11 35 13 6 8
Caterham and Warlingham U.D Chatham M.B Chertsey U.D Chigwell U.D Chingford M.B	34,960 50,910 39,720 63,020 46,140	581 1,037 807 798 607	5 18 13 8 7	336 470 394 442 352	11 21 12 12 10	14 25 18 20 15			2 7 2 4 1			29 34 18 24 12	57677
Chislehurst and Sidcup U.D.————— Coulsdon and	89,750	1,327	31	702	23	34			4	1	_	32	15
Purley U.D Crayford U.D Croydon C.B Dagenham M.B	70,200 30,920 249,690 114,760	1,060 526 4,008 1,518	12 4 61 38	884 258 2,934 883	20 14 80 42	24 15 146 72	(100000000)		2 3 20 6	1 6 1		100 6 166 46	14 5 56 16

[‡]Including pneumonia of newborn.

1					1							
			ding		(A)				s from)		U
Home	Live births	Stillbirths	Deaths (exclustillbirths)	Deaths of infants under 1 year of age	Malignant neoplasm lung, bronchu	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute poliomyelitis	Pneumonia ‡	Coronary and arteriosclerotic heart disease
44,950 34,920 183,390 41,550 57,940	735 568 2,758 490 634	19 16 47 6	525 440 2,047 365 1,068	11 13 44 9 12	29 24 109 18 36			2 1 11 — 6	$\frac{-}{3}$		50 9 87 23 64	84 82 369 65 184
109,160 93,890 110,240 68,230 45,780	1,686 1,321 1,618 812 720	29 20 17 13 22	1,124 960 1,108 986 463	41 31 34 11 14	76 74 51 33 39			9 5 6 —	3 1 - 1		66 57 40 62 15	217 161 201 168 82
57,850 52,290 68,980 44,820 28,670	842 936 1,052 654 354	17 18 16 12 4	594 379 738 585 373	20 17 14 13 5	37 17 38 20 19			5 3 8 5 2	_ _ _ _ _	_ _ _ _	18 21 42 14 25	96 69 159 108 48
76,940 49,110 52,060 214,370 65,130	1,268 1,040 801 3,117 788	28 22 11 40 17	759 501 606 2,026 1,240	19 13 12 58 21	31 27 27 135 42			2 5 6 12 10	1 2 2 2 4		46 13 37 94 70	128 83 112 358 192
69,400 151,850	1,135 1,960	26 34	510 1,607	24 43	31 81	_		7 12	2 3	_	33 71	88 308
105,270	1,376	24	1,087	25	63	1		4	2	Benevered	46	202
69,870 178,520	755 2,512	31 7 37	1,111 1,264 1,971	11 45	54 51 89		=	4 8	3 4	_	54 127	242 218 350
38,630 35,570	578 534	8 11	432 296	6 5	23 19		_	3 2		_	27 11	89 49
96,870 58,190 45,700 43,990	1,260 1,017 560 482	21 16 7 8	1,395 707 505 724	28 19 10 7	70 23 30 31			6 5 4 4	4 1 -		76 35 26 27	190 113 93 125
70,220 64,090 76,020 25,770 36,450	811 953 1,437 560 567	11 18 22 19 9	749 599 712 295 533	19 21 27 9 13	32 36 33 14 18			2 3 3 2 5	1 - 1 1		44 27 71 13 18	168 125 132 50 88
51,230 42,270 48,770	793 631 804	14 4 17	660 564 536	15 6 12	27 37 17	<u>.</u>		2 3 4	6 1 —		22 24 30	131 105 77
39,170	536	17	676	11	25	_	_	2	3	_	45	114
75,470 53,150 69,880 49,400	1,079 817 944 937	13 11 11 23	609 699 929 408	21 14 14 17	37 31 47 24			5 5 5	_ _ 1		35 53 34 30	119 156 200 75
64,100 79,860 115,030 103,450 64,620 111,610	921 1,082 1,926 1,439 1,112 1,428	13 20 28 15 22 19	675 900 1,330 1,227 597 1,137	16 15 45 19 26 26	35 38 71 61 36 67		_ _ _ _ 1	3 2 4 4 4 8	2 2 1 5 2 3		27 45 83 65 19 69	128 157 255 230 117 204
44,510	699	14	484	14	19		Management	5	1	_	24	93
61,500 126,120	807 1,652	11 29	738 1,125	16 22	37 69	_		7 6	3 2		35 28	132 232
163,310 172,430 57,460	2,881 3,603 885	57 74 14	1,645 1,669 668	69 54 17	87 99 34	=		11 11 5	5 5 2	=	76 65 40	271 329 125
66,290 48,160 77,140	1,165 724 775	15 11 16	711 555 1,640	16 22 16	25 40 55		_ torinate	2 1 6	1		32 19 99	99 118 274
38,180	826	13	290	13	17			1	1		13	40
	44,950 34,920 183,390 41,550 57,940 109,160 93,890 110,240 68,230 45,780 57,850 52,290 68,980 44,820 28,670 76,940 49,110 52,060 214,370 65,130 69,400 151,850 105,270 96,570 69,870 178,520 38,630 35,570 96,870 58,190 43,990 70,220 64,090 76,020 25,770 36,450 51,230 42,270 48,770 39,170 75,470 53,150 69,880 49,400 64,100 79,860 115,030 115,030 103,450 64,620 111,610 44,510 61,500 126,120 161,500 172,430 57,460 64,620 111,610	44,950 735 34,920 568 183,390 2,758 41,550 57,940 634 109,160 93,890 1,321 110,240 1,618 68,230 812 45,780 720 57,850 842 52,290 936 68,980 1,052 44,820 654 28,670 354 76,940 1,268 49,110 1,040 52,060 801 214,370 3,117 65,130 788 69,400 1,135 151,850 1,960 105,270 1,376 96,570 1,895 755 178,520 2,512 38,630 578 35,570 534 96,870 1,260 58,190 1,017 45,700 45,700 46,090 75 75,470 361 36,450 567 51,230 793 <	44,950 735 19 34,920 568 16 183,390 2,758 47 41,550 490 6 57,940 634 14 109,160 1,686 29 93,890 1,321 20 110,240 1,618 17 68,230 812 13 45,780 720 22 57,850 842 17 52,290 936 18 68,980 1,052 16 44,820 654 12 28,670 354 4 76,940 1,268 28 49,110 1,040 22 52,060 801 11 214,370 3,117 40 65,130 788 17 69,400 1,135 26 151,850 1,960 34 105,270 1,376 24 96,570 1,895 31 169,870 755 7 178,520 2,512	44,950 735 19 525 34,920 568 16 440 183,390 2,758 47 2,047 41,550 490 6 365 57,940 634 14 1,068 109,160 1,686 29 1,124 93,890 1,321 20 960 110,240 1,618 17 1,108 68,230 812 13 986 45,780 720 22 463 57,850 842 17 594 52,290 936 18 379 68,980 1,052 16 738 44,820 654 12 585 28,670 354 4 373 76,940 1,268 28 759 49,110 1,040 22 501 52,060 801 11 606 69,400 1,135 26 510 151	H D D D D D D D D D	The color of the	The late of the	Heat Heat	The large of the	Second S	The state of the	Second S

APPENDIX B (continued)

				ing					Death	ns from			
Area	Home population	Live births	Stillbirths	Deaths (excluding stillbirths)	Deaths of infants under 1 year of age	Malignant neoplasm lung, bronchus	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute poliomyelitis	Pneumonia ‡	Coronary and
Bournemough C.B Eastleigh M.B Fareham U.D Farnborough U.D	146,550 37,720 59,760 30,760	1,707 620 1,107 631	24 12 24 8	2,423 371 567 242	39 12 29 11	95 14 26 10		Britanian Company	6 1 5 2	4		83 12 28 11	1
Gosport M.B Havant and Waterloo U.D. High Wycombe M.B Maidenhead M.B	65,760 71,130 46,330 33,560	1,414 1,616 951 658	18 26 15 14	568 645 459 411	18 43 20 11	24 25 31 20			2 1 4 2	1 1		27 22 40 22	1
Oxford C.B Poole M.B Reading C.B Slough M.B Southampton C.B Winchester M.B	104,490 90,160 217,520 118,110 77,410 201,790 27,560	1,549 1,358 3,695 2,063 1,426 3,470 412	24 24 79 36 18 70	1,053 1,158 2,743 1,306 666 2,133 367	25 25 58 42 36 55 13	46 43 136 57 30 105 12			9 4 21 7 4 30 2	2 1 1 2 2 5 1	1 -	61 43 150 59 32 98 15	224213
South Western Bath C.B Bristol C.B Camborne—	81,640 433,750	1,265 6,889	30 101	1,090 5,260	24 136	40 202	State of the State	Gregorius Wildreshall	4 28	2 10	arantais	74 209	1 3
Redruth U.D Cheltenham M.B Exeter C.B Gloucester C.B	35,160 70,370 77,450 68,620	579 1,306 1,162 1,341	10 22 22 37	461 870 1,001 713	9 18 17 32	16 27 36 33	_		3 3 7 2	1 1 1 1		18 31 38 34	1 1 1 1
Paignton U.D	27,490 216,470 34,930 84,870 35,930 51,760 41,110	299 3,683 593 1,901 510 580 612	7 67 12 28 9 7	484 2,591 523 758 430 868 638	6 86 14 29 15 18 7	15 95 22 32 17 30 10			1 20 3 3 3 3 8	2 4 - 3 - 1 1	1 1 	10 149 16 44 17 28 27	1
Melcombe Regis M.B.	38,410	671	17	505	14	20	_		1		***************************************	21	Springer AND C
Wales Aberdare U.D Abertillery U.D Barry M.B Bedwellty U.D Caerphilly U.D	39,450 26,330 42,520 28,150 38,010	594 429 804 499 721	14 12 23 18 24	570 331 447 296 364	24 14 15 18 24	5 10 27 8 7			5 3 2 4 6	2 2 - 2		11 10 17 13 12	one distributementelle
Cardiff C.B Ebbw Vale U.D Gelligaer U.D Llanelly M.B Llwchwr U.D	255,470 28,360 36,210 31,200 25,650	4,828 493 605 397 322	106 13 15 8 9	2,810 337 411 476 344	119 13 26 17 14	106 9 11 18 9			31 1 6 1 3	6 2 4 1		98 10 11 25 7	•
Merthyr Tydfil C.B Mountain Ash U.D Neath M.B Newport C.B Pontypool U.D	59,230 30,390 31,060 104,580 39,720	987 489 500 2,046 587	28 20 14 41 14	841 389 388 1,195 498	34 17 7 62 15	35 5 20 49 21		_	7 11 4 6 4	1 1 3 —	_ _ _ 1	20 8 21 26 11	4
Pontypridd U.D Port Talbot M.B Rhondda M.B Swansea C.B Wrexham M.B	37,240 48,840 105,360 165,560 32,590	561 1,034 1,544 2,738 583	5 26 48 55 20	515 562 1,332 2,114 387	22 38 48 59 19	12 25 34 75 16			1 4 17 16 6	-1 -1 -4 -	1	22 20 44 73 13	
*Edinburgh	471,600 1,068,900 †	8,443 23,090 †	166 575 †	5,940 13,034 †	178 744 †	† †		- † †	24 221 †	10 23 †	- + +	207 532 †	And the second s

^{*}The births and deaths for Edinburgh, Glasgow, Belfast and Dublin are classified according to area of residence.

[†]Figures not available.

[‡]Including pneumonia of newborn.

APPENDIX C

Deaths registered in the year 1960, by cause and age*

London A.C.

						A	ges at	death	1				
List No.	Causes of death	ALL AGES	Under 4 weeks	4 weeks— under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75 years and over
	ALL CAUSES	36,521	886	346	162	157	317	438	982	2,854	5,797	9,268	15,314
	Tuberculosis of respiratory system Tuberculosis, other forms Syphilis and its sequelae Typhoid fever Dysentery, all forms Scarlet fever and streptococcal sore throat Diphtheria Whooping cough Meningococcal infections Acute poliomyelitis Measles	235 34 98 1 4 — 3 9 6		1 1 3 3 3	2 1 — 1	1	1 1	11 3 -	21 3 2 1 1	32 4 11 —	62 7 19 — — — — 1 1	70 7 28 — — — — 1	35 6 38 -3 1
(b) t of	Acute infectious encephalitis (082)	2	SERSON PROMISE	_	_	_		1	2		1	2	_
(c) (f) (1) (k) t of	Other infective and parasitic diseases Malignant neoplasm of stomach (151). Malignant neoplasm of lung (162, 163). Leukaemia, aleukaemia (204) Hodgkin's disease (201) Other malignant and lymphatic neoplasms	921 2,243 208 54 4,653	1 2	2 	1 - 12 1 8	6 - 9 4 16	2 - 8 5 30	2 4 14 7 7 7	6 22 67 17 5 210	98 336 27 11 626	7 205 779 36 11 1,010	289 679 40 6	303 368 52 4 1,373
	Benign and unspecified neoplasms Diabetes mellitus Anaemias Vascular lesions of central nervous	104 217 90	$\frac{1}{1}$	2 1 —		2 1 1	5 3 1	5 3	11 4 1	15 8 3	20 35 6	18 69 23	25 93 54
	system	4,085	3	2 4	3	3 2	6 2	14	45	222	492	1,134	2,166
(b) (a)	Rheumatic fever	9 650 268		=	=	1 1 -	5	22 2	53	1 110 16	1 135 35	152 74	3 172 138
(c)	disease (420)	6,468 2,325 650 844	<u>-</u>				$\frac{2}{3}$	17 2 1 6	120 6 1 14	9	1,250 39 71 67	306 170	2,461 1,963 397 539
(c)	heart	658		1	_	2	1 1	6 8	15	42	102	153 302	346 694
(d)	Influenza	46 2,030 2,247 352		1 121 35 2	2 19 11 3	1 1 1 4	2 4 1 2	2 2 - 2	2 20 18 10	4 53 97 26	12 168 364 67	8 408 646 96	12 1,234 1,069
	Ulcer of stomach and duodenum Appendicitis Intestinal obstruction and hernia Gastritis and enteritis (except of new-	428 37 220	<u>-</u>	<u>-</u>	<u>-</u>	$\frac{-3}{-}$	2	2 1 —	9 2 4	27 2 12	74 6 22	150 10 52	166 11 118
(e)(f')	born)	187 105 222	_ 2	7 7	8 —	4 1 5	1	3 2 2	1 9 2	9 23 22	23 34 34	59 30 48	71 6 98
(g)	Nephritis and nephrosis	224 175 302	2	5	4 _	2	11 2	12 4	19 — 13	30 1 17	45 4 38	53 51 93	47 119 126
(c) t of	Abortion (650–652)	11 15 396 354	144 352	104	36		4 17	5 6 12	5 6	20	<u></u>		8
(b) t of	Birth injuries, asphyxia, atelectasis Diarrhoea of newborn (764)	56	2		_							-	-
(b) t of	Other infections of newborn	213	55 211	1 2		_		_	_	_	_		=
(a)	Other diseases of early infancy Senility without psychosis (794)	272	83	2	_	1 —	_	_		_		6	266
of & 46	Other diseases and ill-defined causes	854	5	18	21	7	19	28	47	91	147	208	263
8(a)	Motor vehicle accidents	447		_	7	24	90	36	43	44 2	54	63	86 1
8 & 0	Other accidents and homicide	628 502	4	13	15	22	37 42	51 73	59 74	72 102	82 108	88 60	185 43

[•] Corrected for inward and outward transfers to place of residence.

[†] Excluding pneumonia of newborn.

APPENDIX D

Infant mortality, 1958 to 1960

England and Wales, standard regions and certain large towns (Deaths under 1 year per 1,000 live births)

, 400,000,000,000 are 100 annual contractions	1958	1959	1960†		1958	1959	19
ENGLAND AND WALES	22.6	22 · 2	21.9	Towns with population over 200,000-cont.			
Regional summary: Northern	25·7 24·4 26·0 22·6 23·8 18·1 19·6 20·3 21·0 26·6	25·2 24·3 25·2 21·8 23·3 18·6 20·1 18·9 19·1 26·3	24·7 23·1 26·0 21·8 22·0 18·6 19·7 18·9 19·3 25·4	Croydon C.B. Harrow M.B. Kingston upon Hull C.B. Leeds C.B. Leicester C.B. Liverpool C.B. Liverpool C.B. London Admin, County Islington Met. B. Lambeth Met. B. Lewisham Met. B. Wandsworth Met. B. Manchester C.B. Newcastle on Tyne C.B.	17.9 17.0 24.2 26.0 25.5 27.8 22.6 23.3 25.0 24.4 19.3 25.6 24.9	21·0 15·2 29·6 25·7 20·9 27·6 22·4 22·1 24·9 18·4 19·4 26·4 26·9	20 18 23 22 24 28 21 21 21 19 22 29 26
Birmingham C.B. Bradford C.B. Bristol C.B. Cardiff C.B. Coventry C.B.	24·9 30·3 20·6 25·3 30·2	25·2 30·0 19·6 24·6 26·4	22·8 28·3 19·7 24·6 27·2	Nottingham C.B. Plymouth C.B. Portsmouth C.B. Sheffield C.B. Stoke-on-Trent C.B.	22·1 20·0 22·9 20·9 26·6	20.9 24.1 21.8 21.2 17.0 20.9	23 23 15 19 24

†Provisional figures.

APPENDIX E

Populations, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) in the year 1960

London A.C. and certain cities abroad

	-				Rate 1,000	per living		-	Γ	eaths	from			1	i year
Cities	Population (enumerated or estimated)	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths)	Live Births	Deaths (excluding Still- births)	Typhoid and paratyphoid fevers	Smallpox	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute poliomyelitis	Enteritis and diarrhoea (under 2 yrs.)	Deaths under
LONDON A.C	3,194,480	56,993	1,040	36,521	17.8	11.4	2		3		269	46	2	13	22
AUCKLAND BOMBAY CALCUTTA CHRISTCHURCH	407,500 4,941,000 3,040,000 213,710	9,720 107,383 70,857 4,920	150 3,946 2,424 54	4,091 40,484 33,908 2,083	23·9 21·7 23·3 23·0	10·0 8·2 11·2 9·7	† 278 299 †	907 6 †	† 27 20 †	† 181 384 †	3,155 2,399 †	† 25 46 †	† 69 9 †	† 1,59 9 1,52 9 †	2 3 † † 19
COLOGNE COPENHAGEN GOTHENBURG HAMBURG	791,165 725,200 400,787 1,836,000	12,356 12,577 † 24,252	184 156 † 321	9,314 8,036 3,436 23,380	15·6 17·3 † 13·2	11·8 11·1 8·6 12·7	4	<u>1</u> <u>=</u>	4 5 3		144 66 18 294	9 21 7 82	7 - 17	7 † 4	33 27 † 25
HELSINKI	466,700 473,000 2,115,213 806,449	7,523 6,541 41,423 10,053	112 88 789 130	4,302 4,822 16,882 8,294	16·1 13·8 19·6 12·5	9·2 10·2 8·0 10·3	† 6 1	+ =	† 11 —	† 27 —	114 36 461 99	14 5 10 19	2 † 30 —	1 † 31	15 13 †
WELLINGTON ZURICH	236,340 441,990	5,945 6,085	83 83	2,034 4,034	25·2 13·8	8·6 9·1	†	.+	† —	†	† 32	† 54	†	† 2	18 20

†Figures not available.

© Crown copyright 1961

Printed in Great Britain by Stephenson Newspapers Limited, "The Visiter Press" and published by

HER MAJESTY'S STATIONERY OFFICE

GENERAL REGISTER OFFICE

THE REGISTRAR GENERAL'S

QUARTERLY RETURN FOR

ENGLAND AND WALES

BIRTHS, DEATHS AND MARRIAGES INFECTIOUS DISEASES WEATHER POPULATION ESTIMATES

Quarter ended 30th June 1961





LONDON
HER MAJESTY'S STATIONERY OFFICE
1961

PRICE 2s. 6d. NET

TABLE OF CONTENTS

	P	age
General Not	tes	3
Corrigenda		3
Special Not	tice	3
Non-Quarte	rly Statistics	4
Notes on the	e Quarter	5
Births, Deat	ths, Marriages and Infectious Diseases	
Table I	Marriages, live births, stillbirths and deaths—total numbers registered. Years 1951 to 1961 and each quarter of those years. England and Wales	6
Table II	Persons marrying, live births and deaths—annual rates per 1,000 population. Stillbirths and perinatal mortality—rates per 1,000 total live and still births. Deaths under 1 year and deaths under 4 weeks—rates per 1,000 live births. Years 1951 to 1961 and each quarter of those years. England and Wales	7
Table III	Populations, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) in the last two quarters. London Administrative County and certain cities abroad	8
Table IV	Notifications of certain infectious diseases in the quarter. England and Wales, counties, county boroughs, London A.C., City of London, metropolitan boroughs and port health districts	9
Table IVa	Corrected notifications of certain infectious diseases in the preceding quarter, analysed by sex and age. England and Wales	13
Table V	Infant mortality. Rates by quarters and each completed year, 1958 to 1961. England and Wales and various other countries	14
Table VI	Deaths by cause and sex, 1959 and 1960, and in each of the last nine available quarters, classified according to the International Abbreviated List with certain sub-divisions. England and Wales	14
Table VII	Accidental deaths registered in the quarter, analysed by sex and age, with totals for the corresponding quarter of the previous year. England and Wales	17
Table VIII	Numbers of insured persons absent from work owing to certified sickness or industrial injury (or prescribed disease). England and Wales and standard regions	18
Meteorology		
Table IX	Values of air temperature, rainfall and sunshine for the quarter, expressed as differences from or percentages of the average values. Districts of England and Wales	19

Ap	pendices	Page
A	Years of life lost due to mortality from certain causes	20
В	Abridged life table, 1958-60. Home population. England and Wales	21
C	Causes of death by sex and age-groups, 1960, classified in accordance with the Abridged England and Wales	List. 22
D	Changes in boundaries, names, etc., of counties, boroughs, urban districts and rural districts during the six months ended 30th June, 1961	ricts 24

GENERAL NOTES

1. The figures in this return are provisional until confirmed in the Statistical Reviews. Births and deaths are tabulated from returns furnished to the Registrar General by Registrars of Births and Deaths; marriages from returns furnished by the Clergy, Authorised Persons, Registrars of Marriages and others; and notifications of infectious diseases (Tables IV and IVa) from special quarterly statements furnished to the Registrar General by Medical Officers of Health.

2. Definition of Areas

London A.C.—Administrative County of London which consists of the City of London (including the Inner and Middle Temples) and the metropolitan boroughs.

C.B.—county borough; M.B.—municipal borough; U.D.—urban district; R.D.—rural district.

- 3. The home population comprises the population, of all types, actually in England and Wales, distributed by area according to residence.
 - 4. Non-civilians are included in all figures except where otherwise stated.
- 5. Births and deaths for England and Wales and the parts thereof are those registered within the quarter or period shown. In some non-quarterly statistics (see page 4) they are assigned to the area of residence.
- 6. The notifications of infectious diseases have been corrected for changes in diagnosis by the notifying medical practitioner or the medical superintendent of the infectious diseases hospital.

CORRIGENDA

The Registrar General's Quarterly Return for England and Wales Quarter ended 31st March 1961. No. 449

Page 9 Table IV, Sunderland C.B., Tuberculosis, Other, for 4 read 1

Page 13 Table IV, Merionethshire, Measles, for 2,232 read 232

SPECIAL NOTICE

The printed papers postage rates are being increased from the 1st October 1961; as from that date the price by post of individual copies of the Registrar General's Quarterly Return for England and Wales will be 2s. $8\frac{1}{2}d$.

The annual subscription, including postage, will be 10s. 10d.; the increase in the subscription rate will operate from the 1st January 1962.

NON-QUARTERLY STATISTICS

Certain non-quarterly information is published in the Quarterly Return as stated below:

Half-Yearly

June and December Returns

Lists of the changes in boundaries, names, etc., of local authority areas during the six months ending 30th June and 31st December respectively.

Yearly

March Return

- (1) Estimated home population as at 30th June, marriages, births (distinguishing stillbirths) and deaths (distinguishing deaths of infants under 1 year of age) registered in England and Wales during the preceding year, showing those assigned to each administrative county (with associated county boroughs).
- (2) Estimated home population as at 30th June for the preceding year, births (distinguishing stillbirths), deaths (distinguishing deaths of infants under 1 year of age and deaths from certain causes) registered in England and Wales during the preceding year, showing those assigned to municipal boroughs and urban districts with a resident population of 25,000 and over at the Census, 1951, county boroughs, Greater London, City of London and metropolitan boroughs, with comparative figures for four Scottish and Irish towns.
- (3) Deaths registered during the preceding year and assigned to London Administrative County, analysed by cause and age.
- (4) Infant mortality in England and Wales, standard regions and certain large towns in the preceding three years.
- (5) Populations, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) for the preceding year in London Administrative County and certain cities abroad.
- (6) Births registered in the preceding year by sex and legitimacy and the illegitimacy rate.

June Return

- (1) A presentation of mortality from certain causes in the preceding year in terms of the resulting loss in expected years of life.
- (2) Deaths registered in the preceding year in England and Wales distinguishing 36 causes of death (Registrar General's Abridged List) by sex and age.
- (3) An abridged life table constructed from the estimated home population and deaths in England and Wales for the preceding three years.

September Return

(1) Estimates of the sex and age distribution of the total, home and civilian populations of England and Wales as a whole as at 30th June.

December Return

- (1) A textual summary of the vital statistics of England and Wales for the year then ended.
- (2) A table showing the home population of England and Wales and each standard region and conurbation by sex and age as at 30th June.
- (3) Projections of the total populations for England and Wales by sex and age as at 30th June.
- (4) Home populations of each hospital region in England and Wales by sex and age as at 30th June.
- (5) Estimated population, as at 30th June, of children aged under 1 year, 1-4 years and 5-14 years, in England and Wales and in administrative counties, county boroughs, London Administrative County, City of London and metropolitan boroughs.
- (6) Diagram showing the numbers of live births, marriages and deaths registered during the current and preceding nine years.

NOTES ON THE SECOND QUARTER OF 1961, ENGLAND AND WALES

Live Births

The number of live births registered during this quarter was 207,739, representing a live birth rate, based on the home population of England and Wales for 1960, of 18·2 per thousand. These figures compare with 203,976 live births and a rate of 18·1 for the preceding quarter, 198,764 live births and a rate of 17·5 for the corresponding quarter of 1960, and an average live birth rate for the second quarters of the five years 1955-59, of 16·6.

Stillbirths

The 3,903 stillbirths registered represent 18.4 per 1,000 of the total live and still births. This rate is 2.0 lower than that for the second quarter of 1960.

Deaths

The number of deaths registered was 125,119, representing a death rate, based on the 1960 home population, of $11 \cdot 0$ per 1,000. The rate for the corresponding quarter of 1960 was $10 \cdot 9$, and the average death rate for the second quarters of the five years 1955-59 was $10 \cdot 8$.

The deaths of children under one year of age numbered 4,087, representing an infant mortality rate of 19.7 per 1,000 live births; this was 1.1 per 1,000 lower than that for the second quarter of 1960, and is the lowest recorded for the second quarter of any year. This compares with a rate of 28.6 for the corresponding quarter of 1951.

The death rates from tuberculosis (all forms), pneumonia and acute poliomyelitis per million population, with comparative rates for the preceding five quarters, were as follows:

Quarter	Tuberculosis (all forms)	Pneumonia	Ac poliom	
1000			Corrected	Uncorrected
1960 First Second Third Fourth	86 71 63 80	725 516 357 596	0·7 0·4 0·6 0·4	1·0 0·9 0·6 0·9
1961 First Second	97 71	1,179 544	0·4 not available	0·7 1·5

There were no cases of smallpox notified and no deaths from this cause registered during the quarter.

Natural Increase

The births registered exceeded the deaths by 82,620. Corresponding figures for the second quarters of 1960, 1959 and 1958 were 74,426, 78,238 and 65,697 respectively.

Marriages

The number of persons marrying during the quarter was 151,010, which was 16,206 more than the average for the corresponding quarters of the preceding five years 1956-60.

TABLE I

Marriages, live births, stillbirths, and deaths: total numbers registered

Years 1951 to 1961 and each quarter of those years. England and Wales

	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960(a)	1961(a)
						· EADDEAG	170	,			
Vaan	. 360,624	240.200	244.000	. 2.41 #24		IARRIAC					,
Year		349,308	344,998	341,731	357,918	352,944		339,913	340,126	343,614	
March Qt June ,, September ,, December ,,	r. 109,567 66,382 111,312 73,363	106,629 69,489 103,411 69,779	93,610 77,123 105,614 68,651	95,922 74,364 104,505 66,940	100,696 74,763 106,691 75,768	107,122 68,821 106,923 70,078	110,092 65,804 103,617 67,390	102,629 66,211 101,698 69,375	101,430 63,281 102,591 72,824	88,944 72,895 103,580 78,195	84,448 75,50 5
					L	VE BIRT	CHS		1		
Year ,.	679,689	673,286	681,964	672,635	664,954	698,317	723,274	739,337	750,383	782,221	
March Qt June ,, September ,, December ,,	r. 176,047 181,614 168,033 153,995	173,338 174,159 168,030 157,759	171,649 179,477 172,943 157,895	173,547 175,290 166,938 156,860	169,190 171,234 166,890 157,640	179,151 182,400 173,534 163,232	183,864 185,361 179,978 174,071	190,767 189,866 180,322 178,382	191,860 198,410 186,792 173,321	197,932 198,764 197,560 187,965	203,976 207,739
					ST	ILLBIRT	HS				
Year	16,019	15,647	15,683	16,202	15,815	16,384	16,622	16,309	16,076	15,794	
March Qt. June ,, September ,, December ,,	4,259 4,196 3,752 3,812	4,174 4,004 3,714 3,755	3,975 4,220 3,711 3,777	4,236 4,171 3,939 3,856	4,032 4,023 3,910 3,850	4,311 4,248 3,948 3,877	4,262 4,274 4,117 3,969	4,194 4,092 3,967 4,056	4,239 4,313 3,912 3,612	4,008 4,149 3,894 3,743	3,940 3,903
			r	DEATHS	(excluding	stillbirth:	s): ALL	AGES			
Year	549,380	497,484	503,529	501,896	518,864	521,331	514,870	526,843	527,651	526,268	1
March Qtr June ,, September ,, December ,,	205,878 121,683 100,057 121,762	146,948 115,369 98,613 136,554	171,350 114,644 98,545 118,990	153,120 117,205 104,114 127,457	168,645 124,230 101,677 124,312	170,292 120,059 104,131 126,849	134,557 118,122 110,037 152,154	163,595 124,169 105,629 133,450	176,880 120,172 103,397 127,202	149,037 124,338 112,477 140,416	177,040 125,119
				(dea	INFAN	T MORT	TALITY	'age)			
Year	20,223	18,555	18,324	17,160	16,613	16,554	16,720	16,685	16,629	17,118	
March Qti June " September ", December ",	6,572 5,066 4,003 4,582	5,629 4,332 3,863 4,731	5,709 4,448 3,862 4,305	5,256 4,304 3,543 4,057	4,852 4,155 3,605 4,001	4,939 4,083 3,525 4,007	4,467 4,062 3,873 4,318	4,851 4,090 3,651 4,093	4,810 4,103 3,631 4,085	4,598 4,143 3,850 4,527	4,908 4,087
						TAL MOI					
Year	12,788	12,331	12,088	11,946	11,516	11,779	11,904	11,970	11,881	12,192	
March Qtr June ,, September ,, December ,,	3,627 3,358 2,831 2,972	3,386 3,028 2,857 3,060	3,347 3,146 2,831 2,764	3,352 3,103 2,688 2,803	3,081 2,970 2,760 2,705	3,210 2,981 2,706 2,882	3,028 2,987 2,902 2,987	3,134 3,026 2,853 2,957	3,153 3,034 2,792 2,902	3,156 2,997 2,959 3,080	3,229 (b)
			(sti			CAL MOR			(e)		
Year	26,521	25,845	25,810	26,250	25,565	26,313	26,799	26,523	26,245	26,268	
March Qtr June ,, September ,, December ,,	7,120 6,995 6,102 6,304	6,877 6,552 6,127 6,289	6,687 6,885 6,132 6,106	6,965 6,766 6,260 6,259	6,537 6,536 6,351 6,141	6,947 6,786 6,276 6,304	6,795 6,861 6,624 6,519	6,792 6,667 6,443 6,621	6,864 6,945 6,316 6,120	6,667 6,724 6,477 6,400	6,702 (b)

⁽a) Provisional.

⁽b) Not yet available.

TABLE II

Persons marrying, live births, and deaths: annual rates per 1,000 population Stillbirths, perinatal mortality: rates per 1,000 total live and still births Infant mortality, neonatal mortality: rates per 1,000 live births*

Years 1951 to 1961 and each quarter of those years. England and Wales

	43,815 43,955 44,109 44,274 44,441 44,667 44,907 45,109 45,386 45,755													
Estimated home population in thousands	43,815 (b)	43,955 (b)	44,109 (b)	44,274	44,441	44,667	44,907	45,109	45,386	45,755	(c)			
	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960(a)	1961(a)			
					PERSO	NS MAR	RYING			·	·			
Year	16.5	15.9	15.6	15.4	16.1	15.8	15.4	15.1	15.0	15.0	1			
March Qtr. June September December	20·3 12·2 20·2 13·3	19·5 12·7 18·7 12·6	17·2 14·0 19·0 12·3	17·6 13·5 18·7 12·0	18·4 13·5 19·0 13·5	19·3 12·4 19·0 12·5	19·9 11·8 18·3 11·9	18·5 11·8 17·9 12·2	18·1 11·2 17·9 12·7	15·6 12·8 18·0 13·6	15·0 13·2			
!					LI	VE BIRT	HS							
Year	15.5	15.3	15.5	15 · 2	15.0	15.6	16.1	16.4	16.5	17.1				
March Qtr. June September December ,	16·3 16·6 15·2 13·9	15·9 15·9 15·2 14·3	15·8 16·3 15·6 14·2	15·9 15·9 15·0 14·1	15·4 15·5 14·9 14·1	16·1 16·4 15·5 14·5	16·6 16·6 15·9 15·4	17·2 16·9 15·9 15·7	17·1 17·5 16·3 15·2	17·4 17·5 17·2 16·3	18·1 18·2			
					STI	LLBIRTI	HS							
Year	23.0	22.7	22.5	23.5	23 · 2	22.9	22.5	21 · 6	21.0	19.8				
March Qtr. June ,, September ,, December ,,	23·6 22·6 21·8 24·2	23·5 22·5 21·6 23·2	22·6 23·0 21·0 23·4	23·8 23·2 23·1 24·0	23·3 23·0 23·0 23·8	23·5 22·8 22·2 23·2	22·6 23·1 22·4 22·2	21·5 21·1 21·5 22·2	21·6 21·3 20·5 20·4	19·8 20·4 19·3 19·5	18·9 18·4			
			D	EATHS (excluding	stillbirths	s): ALL A	AGES						
Year	12.5	11.3	11.4	11.3	11.7	11.7	11.5	11.7	11.6	11.5	1			
March Qtr. June " September " December "	19·1 11·1 9·1 11·0	13·4 10·6 8·9 12·4	15·8 10·4 8·9 10·7	14·0 10·6 9·3 11·4	15·4 11·2 9·1 11·1	15·3 10·8 9·3 11·3	12·2 10·6 9·7 13·4	14·7 11·0 9·3 11·7	15·8 10·6 9·0 11·1	13·1 10·9 9·8 12·2	15·7 11·0			
				(deat		T MORT	TALITY 1 year of	age)						
Year	29.7	27.6	26.8	25 · 4	24.9	23 · 7	23 · 1	22.6	22.2	21.9				
March Qtr. June September December ,,	38·4 28·6 23·4 28·5	33·6 25·1 22·8 29·0	34·0 25·2 22·2 26·2	31·0 24·7 21·0 25·1	29·2 24·4 21·6 24·5	28·6 22·9 20·1 23·7	25·2 22·3 21·5 24·8	25·4 21·5 20·2 22·9	25·1 20·7 19·4 23·6	23·2 20·8 19·5 24·1	24·1 19·7			
							RTALITY 4 weeks of							
Year	18.8	18.3	17.7	17.7	17.3	16.8	16.5	16.2	15.8	15.6	1			
March Qtr.	21 · 1	20.0	19.7	19.7	18.5	18 · 2	16.8	16.4	16.4	15.9	15.8			
June September December	18·6 16·6 19·0	17·4 16·9 19·1	17·5 16·2 17·2	17·6 16·0 17·6	17·3 16·6 16·7	16·5 15·4 17·3	16·2 16·1 17·2	15.9 15.8 16.6	15·3 14·9 16·7	15·1 15·0 16·4	(d)			
			(st	_			RTALITY s under 1		ige)					
Year	38 · 1	37.5	37.0	38 · 1	37.6	36.8	36.2	35 · 1	34.2	32.9]			
March Qtr. June "September ", December ",	39·5 37·6 35·5 39·9	38·7 36·8 35·7 38·9	38·1 37·5 34·7 37·8	39·2 37·7 36·6 38·9	37·7 37·3 37·2 38·0	37·9 36·4 35·4 37·7	36·1 36·2 36·0 36·6	34·8 34·4 35·0 36·3	35·0 34·3 33·1 34·6	33·0 33·1 32·2 33·4	32·2 (d)			
		1								,				

^{*}Based on related live births up to and including the September quarter 1957. Rates for subsequent periods (including the year 1957) are based on the live births of the period.

⁽a) Provisional.

⁽b) Population estimates for 1951, 1952 and 1953 have been revised in the light of final data from the 1951 Census, and rates shown for these years may therefore vary slightly from those shown in previous versions of this table.

⁽c) Provisional rates based on 1960 population.

⁽d) Not yet available.

TABLE III

Populations, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) in the first quarter 1961 and, where available, second quarter 1961

London A.C. and certain cities abroad

	or				Rate 1,000	e per living			1	Deaths	from				1 year
Crties	POPULATION (enumerated estimated)	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths)	Live Births	Deaths (excluding Still- births)	Typhoid and paratyphoid fevers	Smallpox	Whooping	Diphtheria	Tuberculosis (all forms)	Influenza	Acute poliomyelitis	Enteritis and diarrhoea (under 2 yrs.)	Deaths under
				Fir	st Qua	rter 19	961		-						
London A.C.,	3,194,480	17,189	307	13,369	21.8	17.0				3	91	229	1	7	27
AUCKLAND CHRISTCHURCH COLOGNE COPENHAGEN	407,500 213,710 794,336 730,200	2,623 1,341 3,266 3,047	39 16 52 31	905 347 2,377 2,023	25·7 26·0 16·7 16·9	8·9 6·5 12·2 11·2	† † -	† † 1	† † _ 2	+	† † 39 13	† † 3 5	† + - 1	† 2	19 17 35 31
GOTHENBURG HAMBURG HELSINKI OSLO	404,738 1,837,700 469,200 478,000	6,415 1,900 1,606	† 92 23 32	823 6,082 1,038 1,277	† 14·2 16·2 13·6	8·2 13·4 8·8 10·8	-		-		6 77 25 11	- 9 2 -		- 2 -	† 25 15 16
ROME STOCKHOLM WELLINGTON	2,131,674 808,022 236,340	10,896 2,673 1,095	213 41 24	4,754 2,029 460	20·7 13·2 27·0	9·0 10·0 7·8	2 †	- +	1 †	2 †	130 28 †	2 - †	8 - †	7 - †	† 9 18
				Second	d Quar	ter 196	51								
LONDON, A.C. COPENHAGEN GOTHENBURG HELSINKI	3,194,480 730,200 404,738 472,100	17,564 2,992 † 2,000	328 45 † 20	9,781 1,960 868 1,110	22·1 16·4 † 16·9	12·3 10·8 8·6 9·4	- - †	+	- +	- - †	62 12 5	2 4 - †	1 1 - †	5 - +	23 28 †
OSLO ROME STOCKHOLM	478,000 2,167,078 808,022	1,783 11,351 2,738	24 180 28	1,272 4,177 1,964	15·0 21·0 13·6	10·7 7·7 9·7	_1	-	- 1 -	- 1 -	6 106 -	 -	4	- 5 -	17 † 14

[†] Figures not available

Notifications of certain infectious diseases in the quarter ended 30th June 1961

England and Wales, counties (distinguishing aggregates of municipal boroughs and urban districts, and rural districts), county boroughs, London A.C., City of London, metropolitan boroughs and port health districts

Note: Total original and corrected notifications are distinguished for England and Wales as a whole. Otherwise the figures refer to corrected notifications only.

(See General Notes on page 3)

sis	Other	1 50 31 88 17 60 1 1 1 1 1 1 1 1 1
Tuberculosis	Meninges and C.N.S.	
Tul	Respiratory	28 22 24 26 26 27 27 27 28 28 27 27 27 27 27 27 27 27 27 27 27 27 27
ฮิน	inosiog booA	0411 V-1-8 400044 W4- 20048 84 4 4
nyelitis		
Acute-oiloc	*	
	Dysentery	25 28 28 33 2 1 1 1 1 2 3 3 3 3 3 3 3 3 3 3 3 3
onia fluenzal)	Acute pneumo ni 10 v'ming)	2 E 2
ever	Paratyphoid f	
J	Typhoid feve	
	Diphtheria	
	Scarlet fever	13
		Cumberland Carlisle C.B. Total M.Bs. & U.Ds. Total R.Ds. Total M.Bs. & U.Ds. Total R.Ds. Devon Total R.Ds. Dorset Total M.Bs. & U.Ds. Total M.Bs. & U.Ds. Total M.Bs. & U.Ds. Total M.Bs. & U.Ds. Total R.Ds. Durham Total R.Ds. Durham Total R.Ds. Couth Shields C.B. South Shields C.B. South Shields C.B. South Shields C.B. South Shields C.B. Total M.Bs. & U.Ds.
8	Other	24
Tuberculosis	Meninges and C.N.S.	55 55
Tul	Respiratory	5,320 5,300 5,300 5,300 100 100 100 100 100 100 100
30	Food poisoning	Original notifications 6,003 146 61 2,891 Corrected Notifications 5,234 120 21 2,420 1
olio- 1yelitis		61 61 61 61 61 61 61 61 61 61 61 61 61 6
eute		Original notifications, 003 146 61 2,89 Corrected Notification 234 120 21 2,42 1
	Dysentery	Original 1 6,003 146 6,003 146 Corrected 5,234 120 1
nia luenzal)	Acute pneumo (prim'y or inf	2,981 15 11 11 11 11 12 13 14 14 14 15 16 17 17 17 17 17 18
	Paratyphoid fe	132 129 120 121 121 101 101
	Typhoid fever	17 17 11 11 11 11 11 11 11 11 11 11 11 1
	Diphtheria	55 56 1 1 1 1 1 1 1 1 1
	Scarlet fever	5,366 5,366 5,366 30 117 120 121 121 133 143 154 155 164 175 170 170 170 170 170 170 170 170
		England and Wales England and Wales Bedfordshire Total M.Bs. & U.Ds. Total R.Ds Cambridge M.B Cheshire Cheshire Cheshire Cheshire Total R.Ds Chester C.B Stockport C.B Total M.Bs. & U.Ds. Total M.Bs. & U.Ds. Total M.Bs. & U.Ds. Total M.Bs. & U.Ds.

	Other	100 100 110	1 2 1 1 2 1	14 8 5 .1	111 6	1,00	vv4 '4	99	44,6	l rod
losis										
Tuberculosis	Meninges and C.N.S.					, 1 , ,	1 1	7		-
I.	Respiratory	135 100 12	26 26 26 26 26 26 26 26 26	76 118 113	L 9 1 4		183 15	657	3006	240
2	Food poisoning	36.	102 104	1001	99	11 ;	26 622	194	15	→ 00 ±
-oil elitis								7	111	
ejn:		181	37 111 28	To a contract of the contract		11		8		distribution of the control of the c
	Dysentery	127 127 88 88 93	272 273 100 110 112 123 360 360 373	\$4.00 \$1.00	-	, 1	31.25	540	131	26
sin (Isznət	Acute pneumon (prim'y or influ	353	/4 ×	217	7119 4		7v2000	207	128	-10
Ver	Paratyphoid fev	231		-11-				∞	de de la constante de la const	
	Typhoid fever]]		e		11
	Diphtheria							=	64/2)
	Scarlet fever	477	300 300 300 300 300	10 4 4 1	18 18	2000	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	368	2004	100
		Lancashire—cont. Bury C.B. Liverpool C.B. Manchester C.B. Oldham C.B.	Rochdale C.B. St. Helens C.B. Salford C.B. Southport C.B. Warrington C.B. Wigan C.B. Total M.Bs. & U.Ds. Total R.Ds.	Leicestershire Leicester C.B Total M.B. & U.Ds. Total R.Ds Lincs. (Parts of	Holland) Total M.B. & U.D. Total R.Ds Lincs. (Parts of Kesteven)	Total M.Bs. & U.Ds. Total R.Ds Lines, (Parts of	Total M.Bs. & U.Ds. Total M.Bs. & U.Ds. Total R.Ds.	London A.C CITY OF LONDON METROPOLITAN ROBOTICES		Chelsea Deptford
Sis	Other	8 30	06 6 6 7 7 4 1 p	23 82	2	2799	11 22	19 4 65	33	÷440
Tuberculosis	Meninges and C.N.S.	7	2 1 1 1 1 1	-		777	111 %	4 6	2	11
To	Respiratory	199 56 119	128 128 138 138 138 138 138 138 138 138 138 13	121 10 33 33	24 14 74 C48	58 43 15	184	142 39 595	412	21 20 20
8	Food poosoning	889	25 21 25 27 × 25 25 × 25 × 25 × 25 × 25 × 25	24.	0 477	37 28	1 19	113	73 62	6
-oilo- yelitis								∞	7 1	+
eute		•					m	1 2 34	24	110
	Dysentery	193 20 5 5	138 35 252 252 76	417	50 17 17 33	26 112 14	162	124 38 992	600	23
nia luenzal)	Moure preumos Ini 10 y'mitg)	135 29 8 8	25 24 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	641	16	33	∞vm 6+	46 32 252	160	2 = 1
ever	Paratyphoid fe	201 11	7 -	0	1		4	53 22	31	
	Typhoid fever					- -				
	Diphtheria						-	- -	1.11	
	Scarlet fever	412 54 54 29 16	314 44 44 44 56 56 57 58 53 33 50 50 50 50 50 50 50 50 50 50 50 50 50	23 623		93	vw4 44	108 36 767	423	22,4
		Essex	G	Hampshire Total C.Bs Bournemouth C.B. Portsmouth C.B Southampton C.B Total M. Rs. & U.Ds.	Total R.Ds Herefordshire Total M.Bs. & U.Ds. Total R.Ds	Hertfordshire Total M.Bs. & U.Ds. Total R.Ds	Huntingdonshire Total M.Bs. & U.Ds. Total R.Ds	Total M.Bs. & U.Ds. Total R.Ds	Barrow-in-Furness C.B. Blackburn C.B.	Bolton C.B Bootle C.B

1 00	25	700	1 -4∞0	3-126		24 6 15 3	21	-		310	0 00		988
					111	1111				4461			
22 122 136 13	201	271	32 33 17 17 17 17 17 17 17 17 17 17 17 17 17	288	15 10 5	203 61 129 13	2022	Acres to	200	313 257 209 48 33	1 3 3	99	30
113	45	121-	2117	88		104 222 53 29	13	4- 0	<u>7</u> √∞	725 709 40 669 669	1 1 10		720
	22	111		1 88			11111						
- -	18		10 0	13	111	400	-	-				_	
33 37 -	249	288	152 152 62	211		28 28 3	×170	40 0	2∞0	170 151 112 39 39	- 4 4		30
33	143	32	30 45 6 2 30	21 7 7 9 9	10	86 111 69 6	444	10 10	0014	131 93 28 32 32	9 2 6		<u>=</u> ~ ~ ~
			-		111	7		"		444	1 111		
- -			The state of the s			- -				N=00			
					111			'	101	1111			
36 12 36	192	1 24 24	82777	27 6 7 14	11 8	170 33 129 8	23 23 1	111	202	244 193 131 62 45	0 00 mm	708	30
Ds.	::		.: Ds. B.	Ds	Ds	. Ds. :	: : : : :	.Ds.	Ds.	. : : :	Ds.	.Ds.:	Ds.
: :: 23 :: :: :: :: :: :: :: :: :: :: :: :: ::	ire	C.B.	vich C pton 6 & U.	ast & U.	Vest & U.	.:. S	ast B.:: C.B.	% U	& C	shire n C.B .B.	land & U	le of . & U nt R.L	& U.Ds.
erset B. A.Bs.	Staffordshire	Trent C.B. nethwick C oke on Tre	romy rham A.Bs.	olk, E h C.B M.Bs.	olk, W M.Bs. R.Ds.	ey On C. M.Bs.	C.Bs. on C. ourne	M.Bs. R.Ds.	M.Bs. R.Ds.	C.Bs. CBs. nghan try C	Westmorland otal M.Bs. & Otal M.Bs. & Otal R.Ds.	ht, Is M.Bs Wigh	tshire M.Bs R.Ds
Somerset Bath C.B. Total M.Bs.	Staffordsh Total C.Bs.	Burton upon Trent C.B Smethwick C.B Stoke on Trent C.B.	Watsall C.B West Bromwich C.B. Wolverhampton C.B. Total M.Bs. & U.Ds. Total R.Ds	Suffolk, East Ipswich C.B Total M.Bs. & U.Ds. Total R.Ds	Suffolk, West Total M.Bs. & U.Ds. Total R.Ds	Surrey Croydon C.B Total M.Bs. & U Total R.Ds	Sussex, East Total C.Bs Brighton C.B Eastbourne C.B Hastings C.B	Total M.Bs. & U. Total R.Ds.	Sussex, west Total M.Bs. & U.I Total R.Ds	Warwickshire Total C.Bs Birmingham C.B Coventry C.B Total M.Bs. & U.Ds	Total R.Ds Westmorland Total M.Bs. & U.Ds. Total R.Ds	Wight, Isle of Total M.Bs. & U.Ds. Isle of Wight R.D.	Wiltshire Total M.Bs. Total R.Ds.
m m m	<u></u>	4 20 20	*	AHH.		OFF	БШПТ			- FAOF			
+UN4-L	non.	441-4	1 6	38	W W	8 2	2 2	lu u	12	19 8 6 5	F446		1
1224-17	111	40-0		38	\ \ \ \ \ \ \ \ \	1 1	12 1 12	()	1 7	19 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	- 4400		111
31 27 19 61 61 77	47 40 	46 14 18 88 13 19 10 10 10 10 10 10 10 10 10 10 10 10 10	125		12 - 3			51 - 3	50 1 7	106 — 19 61 — 8 22 — 6 23 — 6	24 - 1 2 2 19 19 1 3 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		
10 27 - 2 5 19 - 4 34 61 - 7				276					$\begin{bmatrix} 1 & 23 & -1 & 7 \\ -1 & 50 & -1 & 2 \end{bmatrix}$		2 47 1 2 24 - 1 1 1 1 1 1 3 3 3 3 3 3 3 4 5 5 5 5 5 5 5 5 5 5 5 5	111	
			438 199 1122	276	1 2 2 1	207.42	130 110 130 1			106			
			438 199 1122	276	1 2 2 1	207.42	130 110 130 1			106			
100 100 100 100 100 100 100 100 100 100	1 1 2 2 2 2 3 3 3 3 3 3	107	24 2 2 4 2 2 4 2 3 3 3 3 3 3 3 3 3 3 3 3	3 — 51 276 1		3 24	130 110 130 1	74 74 74 74 74 74 74 74 74 74 74 74 74 7		14 106 — 14 61 — 6 22 — 4 23 —			
28 58 1 1 63 63 63 7 10 10 10 10 10 10 10 10 10 10 10 10 10	43 48 1 1 - 7 7 2 - 7	21 18 18 19 10 10 10 10 10 10 10 10 10 10 10 10 10	24 2 2 4 2 2 4 2 3 3 3 3 3 3 3 3 3 3 3 3	3 — 51 276 1	17 43 9 12	33	23	74 74 74 74 74 74 74 74 74 74 74 74 74 7		2 - 14 106 1 - 1 - 6 22 1 - 4 61 1 - 6 23 1 - 1 - 6 23 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6 - 1 - 1 - 1 - 1 - 1	
28 58 1 1 63 63 63 7 10 10 10 10 10 10 10 10 10 10 10 10 10	43 48 1 1 - 7 7 2 - 7	21 18 18 19 10 10 10 10 10 10 10 10 10 10 10 10 10	69	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	63 — 17 43 — 35 — 9 12 —	13 31 — 9 9 9 14 26 25 — 3 24 — 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	23	18 9 9 - 1 1 74 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	18 - 1	347 2 - 14 106 - 176 1 - 4 61 - 130 1 - 6 22 - 41 - - 4 23 -	23 1 - 2 - 2 - 2 - 1 - 2 - 2 - 2 - 2 - 2 -		
28 58 1 1 63 63 63 7 10 10 10 10 10 10 10 10 10 10 10 10 10	8 43 7 7 5 -	21 18 18 19 10 10 10 10 10 10 10 10 10 10 10 10 10	12 9 69 1 6 15 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-13 3 4 24 13 1 1 8 87 93 3 51 276 1	63 — 17 43 — 35 — 9 12 —	13 31 — 9 9 9 14 26 25 — 3 24 — 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	33 43 1 1 31 1 10 1 11 11 11 11 11 11 11 11 11 11 11 1	18 9 9 - 1 1 74 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	15 18 1	347 2 - 14 106 - 176 1 - 4 61 - 130 1 - 6 22 - 41 - - 4 23 -	23 1 - 2 - 2 - 2 - 1 - 2 - 2 - 2 - 2 - 2 -		
28 58 1 1 63 63 63 7 10 10 10 10 10 10 10 10 10 10 10 10 10	8 43 7 7 5 -	21 18 18 19 10 10 10 10 10 10 10 10 10 10 10 10 10	12 9 69 1 6 15 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-13 3 4 24 13 1 1 8 87 93 3 51 276 1	63 — 17 43 — 35 — 9 12 —	13 31 — 9 9 9 14 26 25 — 3 24 — 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	33 43 1 1 31 1 10 1 11 11 11 11 11 11 11 11 11 11 11 1	18 9 9 - 1 1 74 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	15 18 1	- - - 56 347 2 - 14 106 - - - - 34 176 1 - 4 61 - - - - 16 130 1 - 6 22 - - - - 6 41 - 4 23 -			
	8 43 7 7 5 -	14 21 18 10 10 10 10 10 10 1		-13 3 4 24 13 1 1 8 87 93 3 51 276 1	45 63 17 43 9 12		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	18 9 9 - 1 1 74 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	15 18 1	347 2 - 14 106 - 176 1 - 4 61 - 130 1 - 6 22 - 41 - - 4 23 -	23 1 - 2 - 2 - 2 - 1 - 2 - 2 - 2 - 2 - 2 -		3 1
		14 21 18 10 10 10 10 10 10 1		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	84 — — 45 63 — — 17 43 — 25 — — — 9 12 —	21	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	20 - 1 18 9 - 1 74 - 20 - 1 74 - 31 - 31 - 31	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	142 — — 56 347 2 — 14 106 — 42 — — — 34 176 1 — 4 61 — 69 — — — 16 130 1 — 6 22 — 31 — — 6 41 — 4 23 —	29 — 19 28 1 — 2 19 — 8 23 1 — 2 9 — — 11 5 — 1		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3 1 8 43 7 45 1 9 37 1 5 28 2 6 48 3	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30 — — 2 69 — 1 6 15 — — 9 69 — 1 6 15 — — 9 18 — — 34 — 44 15 — 25 43 — — 25 43 — — — 25 43 — — — — — 25 43 — — — — — — — — — — — — — — — — — —	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	84 — — 45 63 — — 17 43 — 25 — — — 9 12 —	21	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	20 - 1 18 9 - 1 74 - 20 - 1 74 - 31 - 31 - 31	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	142 — — 56 347 2 — 14 106 — 42 — — — 34 176 1 — 4 61 — 69 — — — 16 130 1 — 6 22 — 31 — — 6 41 — 4 23 —	29 — 19 28 1 — 2 19 — 8 23 1 — 2 9 — — 11 5 — 1		: : :
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3 - 1 - 8 +3 - 7 	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30 — — 2 69 — 1 6 15 — — 9 69 — 1 6 15 — — 9 18 — — 34 — 44 15 — 25 43 — — 25 43 — — — 25 43 — — — — — 25 43 — — — — — — — — — — — — — — — — — —	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	84 — — 45 63 — — 17 43 — 25 — — — 9 12 —	21	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	20 - 1 18 9 - 1 74 - 20 - 1 74 - 31 - 31 - 31	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	142 — — 56 347 2 — 14 106 — 42 — — — 34 176 1 — 4 61 — 69 — — — 16 130 1 — 6 22 — 31 — — 6 41 — 4 23 —	29 — 19 28 1 — 2 19 — 8 23 1 — 2 9 — — 11 5 — 1		: : :
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3 - 1 - 8 +3 - 7 +5 - 1 - 9 +3 - 7 28 - 2 - 6 +48 - 5	one 16	30 — — 2 69 — 1 6 15 — — 9 69 — 1 6 15 — — 9 18 — — 34 — 44 15 — 25 43 — — 25 43 — — — 25 43 — — — — — 25 43 — — — — — — — — — — — — — — — — — —	" 10 — — — — — — — — — — — — — — — — — —	84 — — 45 63 — — 17 43 — 25 — — — 9 12 —	21 — 2 4 — 9 3 — 9 5 7 — 9 5 7 — 9 5 7 — 9 5 7 — 9 6 7 7 — 9 7 7 — 9 7 7 — 9 7 7 — 9 7 7 — 9 7 7 — 9 7 7 — 9 7 7 — 9 7 7 — 9 7 7 — 9 7 7 — 9 7 7 — 9 7 7 — 9 7 7 — 9 7 7 — 9 7 7 — 9 7 7 — 9 7 7 7 — 9 7 7 7 — 9 7 7 7 — 9 7 7 7 — 9 7 7 7 — 9 7 7 7 — 9 7 7 7 7	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20 - 1 18 9 - 1 74 - 20 - 1 74 - 31 - 31 - 31	&.U.Ds. 21 — — 1 15 18 — — 1 1	142 — — 56 347 2 — 14 106 — 42 — — — 34 176 1 — 4 61 — 69 — — — 16 130 1 — 6 22 — 31 — — 6 41 — 4 23 —		1 1 1	

Sis	Other	4 4	m m	44	±2∞664	1000	100 10 1	4 6			1
Tuberculosis	Meninges and C.N.S.				0	8					
Tul	Respiratory	11 8 8 19 8 19 19 19 19 19 19 19 19 19 19 19 19 19	28 10 18	24	196 98 27 31	70 28 7	32 82 32 3	947	N0 00		41
8	Food poisoning		No.		611464	1 602.	10 79 7	-			7
yelitis			1				4			111	
eute -oile	a a				3 3 6 12	N	1 2014				73
	Dysentery	10 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	17	4-6	288 10	22 - 22	13		44	111	
nia uenzal)	Acute pneumor fini to v'mitg)	~~	040	15 9	102 54 53	35	4 100	9 9	NW4	111	4
Ver	Paratyphoid fer			111	-		- -				7
	Typhoid fever		-					111			2
	Diphtheria				-	-1	1 111			111	
	Scarlet fever	211 7	00 m v	9000	148 60 60 43 12	132	14122	-23	27 20 7		-
		Cardiganshire Total M.Bs. & U.Ds. Total R.Ds Carmarthenshire Total M.Bs. & U.Ds. Total R.Ds	Denbighshire Total M.Bs. & U.Ds. Total R.Ds	Flintshire Total M.B. & U.Ds. Total R.Ds	Glamorganshire Total C.Bs Cardiff C.B Merthyr Tydfil C.B. Swansea C.B.	Total M.Bs. & U.Ds. Total R.Ds	Total R.Ds Monmouthshire Newport C.B Total M.Bs. & U.Ds. Total R.Ds	Montgomeryshire Total M.Bs. & U.Ds. Total R.Ds	Pembrokeshire Total M.Bs. & U.Ds. Total R.Ds	Radnorshire Total U.Ds Total R.Ds	Port Health Districts*
	YATTI O	4 6	A 1							Service and Allerth Decision of the Committee	
Sis	Other		2 2		40	68 42 7 1 1 1 1	-4410	1 000	400		4 W 🖶
berculosis	Meninges and C.N.S.			1	1 1 1	4428	1122411	3 18 8	400		4.6.4
Tuberculosis		15 18 8 8 7 7 9	34 1 26 1 2	1		4-1-1-1	19 24 83 83 65 111 69	3	338	F & 4	20 8 3 3 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Meninges and C.N.S.	1 1				4-1-1-1		3		1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	111
sititis g	Mon- Food poisonin Respiratory and C.N.S.	147 188 199 199 199	34 11		6 - 1 6 - 1 6 - 1	287 287 6 — 1 57 — 1 8 — — 1	24 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	109 3 1		1 4 3 7	111
S	Meninges and C.N.S.	147 188 199 199 199	23 34 1		6 - 1 6 - 1 6 - 1	287 287 6 — 1 57 — 1 8 — — 1	24 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	13 3 — 8 109 — 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	23.30		111
-oifo yelitis 2	Meninges and C.N.S.	147 188 199 199 199			10004 10	1 197 432 4 - 181 287 1 - 5 6 6 - 1 3 8 - 1	2 19 - 59 83 35 65	13 3 105 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	23.30	1 1 1 2 2 4 4 3 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	20 20 112 8
cute olio- yelitis	Paralytic Mon-paralytic mod poisonin Respiratory Respiratory and C.N.S.	1		16 - 1 - 3 3 3	26 — 10 04 1 11 — 6 40 — 1 7 — 2 6 — 6 — 1	6 1 197 432 4 	2 19 - 59 83 35 65	3 1 8 109 3 1 1 8 36 109 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	23.30	2 1 - 1 7 - 1 3 - 1 1 - 1 1 1 1 1 1 1 1 1 1 1 1 1	20 20 12 8 12 12 8 12
nia luenzal) cute olio- yelitis	Dysentery Paralytic Pod Possonin Respiratory Respiratory and C.N.S.	16 1 - 2 15 - 15 - 15 - 15 - 15 - 15 - 15	144 — 1 23 34 1 65 — — 5 26 1 63 — — 5 26 1	8 16 - 1 - 3 3 3 3 3 3 3	20	1091 6 1 197 432 4 750 3 - 181 287 1 14 5 64 57 1 25 3 8 - 1	26 2 — 19 — 14 — 24 — 25 — 25 — 24 — 24 — 144 — 35 — 65 — — 144 — 35 — 65 — — 15 — 15 — 15 — 15 — 15 — 15 —	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	23.30	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
nia luenzal) cute olio-	Typhoid fever Paratyphoid fe Grim'y or infi Dysentery Dysentery Respiratory Respiratory Respiratory Respiratory	16 1 - 2 15 - 15 - 15 - 15 - 15 - 15 - 15	91 144 — 1 23 34 1 78 65 — 5 26 1 5 63 — 18 5	8 16 - 1 - 3	1 26	424 1091 6 1 197 432 4 306 750 3 - 181 287 1 31 14 - - 5 6 - 52 94 - - 64 57 1 2 25 - - 3 8 -	-8 26 2 - 19 16 42 - - 14 - 116 331 - - 24 - 6 25 1 - 2 83 - 71 144 - 35 65 -	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	23.30	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
nia luenzal) cute olio-	Paratyphoid fe (prim'y or infl Dysentery Paralytic Mon- paralytic por paralytic my	- - 50 37 1 - 14 47 - - - - 2 16 1 - 2 18 - - - - - 2 7 - - - - - - 2 7 - - - - 17 5 - - - - 8 16 - - 9 -	- - 1 91 144 - 1 23 34 1 - - - - 1 78 65 - - 5 5 - 1 - - - 1 5 63 - - 18 5 - -	1 - 8 16 - 1 - 3 3 3	1 26	5 424 1091 6 1 197 432 4 2 306 750 3 - 181 287 1 - 31 14 - - 5 6 - - 52 94 - - 64 57 1 - 2 25 - - 3 8 -	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	23.30	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
nia luenzal) cute olio-	Typhoid fever Paratyphoid fe Grim'y or infi Dysentery Dysentery Respiratory Respiratory Respiratory Respiratory	16 1 - 2 15 - 15 - 15 - 15 - 15 - 15 - 15	91 144 — 1 23 34 1 78 65 — 5 26 1 5 63 — 18 5	46 8 16 - 1 - 3 46 - 1 - 3 3 3 3 3 3 3 3 3 3 3	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	- 3 5 424 1091 6 1 197 432 4 - 3 2 306 750 3 - 181 287 1 - 1 - 31 14 - 5 6 - - 1 - 52 94 - 64 57 1 - 2 25 - - 64 57 1	-8 26 2 - 19 16 42 - - 14 - 116 331 - - 24 - 6 25 1 - 2 83 - 71 144 - 35 65 -	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	23.30	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$

Original notifications of Meningococcal infection numbered 232, Whooping cough 7,192, and Measles 320,346. Corrected notifications were Meningococcal infection 149, Whooping cough 7,170 and Measles 319,968, distributed by counties as follows:—

	Meningo- coccal infection	Whooping	Measles		Meningo- coccal infection	Whooping	Measles		Meningo- coccal infection	Whooping	Measles
ifordshire rkshire rkshire ckinghamshire mbridgeshire eshire rnwall mberland rbyshire von rset rham v, Isle of sex oucestershire mpshire refordshire rtfordshire mtingdonshire incashire ficestershire ncs. (Holland)	- 1 1 7 1 - 3 - 7 - 3 2 4 1 3 3 - 2 2 5 2 2 2	33 115 81 137 180 147 29 125 300 62 271 34 299 188 230 114 123 27 308 721 115 52	872 5,089 4,266 936 6,579 3,333 1,384 6,951 5,894 2,706 12,221 647 17,149 11,977 11,785 824 5,276 296 11,972 16,763 4,045 524	Lincs. (Kesteven) Lincs. (Lindsey) London A.C Middlesex Norfolk Northamptonshire Northumberland Nottinghamshire Oxfordshire Peterboro', Soke of Rutland Shropshire Somerset Staffordshire Suffolk, East Suffolk, West Surrey Sussex, East Sussex, East Sussex, West Warwickshire Westmorland Wight, Isle of	116 311143 	58 86 244 165 152 26 74 87 34 1 14 67 194 160 70 149 274 126 62 236 43 25	1,257 5,871 14,482 16,282 2,776 5,808 7,668 3,518 1,484 222 61 1,797 5,949 19,954 1,269 1,422 12,615 3,994 3,554 15,134 451 1,042	Wiltshire Worcestershire Yorks. E. Riding Yorks. N. Riding Yorks. W. Riding (including York C.B.) Anglesey Brecknockshire Caernarvonshire Cardiganshire Carmarthenshire Denbighshire Flintshire Glamorganshire Merionethshire Montgomeryshire Pembrokeshire Radnorshire Port Health Dists.*	2 2 2 4 17	48 79 42 108 474 2 3 39 - 24 46 62 174 2 68 5 16 -	4,464 4,993 3,571 2,807 25,552 289 426 435 165 617 805 351 9,297 183 6,072 131 1,692 19

Other diseases notified:—Ophthalmia neonatorum: Original 239, Corrected 237. Acute encephalitis, Infective: Original 24, Corrected 20. Acute encephalitis, Post infectious: Original 53, Corrected 50. Erysipelas: Original 562, Corrected 556. Puerperal pyrexia: Original 2,055, Corrected 2,064. No cases of Cholera, Plague, Smallpox or Typhus fever were notified.

*Uncorrected figures for 13 weeks ended 1st July 1961 not included in totals for England and Wales.

TABLE IV (a)

Corrected notifications of certain infectious diseases in the quarter ended 31st March 1961, analysed by sex and age

England and Wales

(See General Notes on page 3)

	Dyse	entery		rlet		oping ugh	Dipht	heria	Mea	asles	Menin cocc infect	cal	Para		Non-pa	
Age-group	M.	F.	M.	F.	M.	· F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
and over	3,494 156 252 301 229 205 1,029 415 178 699 30	3,366 145 240 238 205 190 843 299 261 897 48	3,220 14 81 204 278 385 1,645 403 161 43 6	3,224 15 59 175 273 366 1,649 489 133 62 3	5,070 530 519 607 583 539 1,880 319 26 55 12	5,584 478 533 694 671 587 2,137 2,137 333 56 81 14	5 1	18 — 1 — 12 2 1 2	180,297 5,154 15,670 21,501 23,178 24,147 84,614 4,354 765 453 461	171,944 5,092 14,498 19,933 22,549 23,108 80,493 4,414 880 570 407	147 46 31 11 13 4 12 4 12 13 1	113 38 18 7 6 7 14 7 2 14	16 2 2 2 2 2 2 2 1 1 1 1 3	18 1 1 5 - 1 5 - 1 4	5 - - 1 3 - 1	2 1 1

Age-group	Typhoic	i fever	Paratyphoid fever		Erysipelas		Acute end Infective		Post-inf			cute monia	Fo poiso	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	М.	F.
and over	4 1 -2 1 -	1 1 1 1 1 1	13 1 3 3 1 3 2	22 7 6 1 3 1 4	310 4 15 73 142 72 4	387 7 13 92 171 98 6	20 7 6 4 3	12 3 6 3 —	32 5 22 - 4 1	30 7 14 1 7 1	5,782 579 349 968 2,106 1,723 57	5,410 494 283 977 1,511 2,085 60	430 131 89 120 62 25 3	476 101 97 154 77 38

			Tubercul	osis		
Age-group	Respi	ratory	Meni and C		Oth	er
	M.	F.	M.	F.	M.	F.
All Ages 0— 5— 15— 25— 45— 65 and over Unknown	3,328 77 139 393 949 1,350 409 11	1,745 83 143 410 651 355 98 5	20 7 7 4 1 1	22 5 5 3 7 —	275 7 32 56 110 52 17 1	353 13 44 67 151 56 21

TABLE V

Infant mortality: rates by quarters and each completed year, 1958 to 1961

England and Wales and various other countries
(Deaths under 1 year per 1,000 live births)

Country	1958	1959	1960	19	58		19	59			19	60		190	51
Country	1756	1739	1500	Sept.	Dec.	Mar.	June	Sept.	Dec.	Mar.	June	Sept.	Dec.	Mar.	June 1
England and Wales Wales Scotland N. Ireland Irish Republic	23 27 28 28 35	22 26 28 28 32	22 25 27 27 30	20 24 25 23 30	23 27 27 29 32	25 28 33 33 37	21 25 26 26 35	19 25 25 26 25	24 28 29 29 30	23 25 29 28 35	21 25 26 26 27	20 21 24 22 26	24 26 27 30 30	24 26 30 35 35	20 19 4 19 25 26 1
Australia Canada Chile Denmark France	20 30 127 22 32	22 28 120 22 30	20 † 127 22 28	21 28 105 21 27	21 31 124 21 30	22 32 143 22 35	20 26 106 23 30	23 26 103 19 26	21 29 126 25 28	21 † 158 23 31	18 † 127 21 28	22 † 105 18 24	19 † 120 24 28	† † 134 † 28	++++
Italy Netherlands New Zealand Sweden U.S.A.	48 17 19 16 27	45 17 20 16 26	44 17 20 † 26	50 15 22 14 25	46 18 17 17 28	49 20 20 16 28	44 16 19 16 26	44 16 22 15 24	43 16 19 18 27	43 18 17 17 27	46 17 20 17 26	42 15 24 14 23	45 17 18 † 27	44 17 † † 27	† † † 25

[†] Figures not yet available.

TABLE VI

Deaths by cause and sex in 1959 and 1960, and in the last nine available quarters, classified according to the International Abbreviated List (7th Revision, 1955), with certain sub-divisions England and Wales

Causes of Death	1959	1960†		195	59	1		196	50†		1961 †
Causes of Death	1939	1900	March	June	Sept.	Dec.	March	June	Sept.	Dec.	March
ALL CAUSES $\left\{ {\mathop{_{F}}^{M}} \right\}$	269,878 257,773	269,172 257,096	90,251 86,629	61,404 58,768	52,918 50,479	65,305 61,897	76,121 72,916	63,324 61,014	57,799 54,678	71,928 68,488	90,008 87,032
Deaths from non-violent causes Tuberculosis of respiratory system (001-008) Tuberculosis of meninges and C.N.S. (010) Tuberculosis, other forms (011-019) Syphilis and its sequelae (020-029) Typhoid fever (040) Faratyphoid fever (041) M Cholera (043) M F Cholera (043) M F Cholera (050) M Streptococcal sore throat (051) Diphtheria (055) M Meningococcal infections (057) Plague (058) M F Acute poliomyelitis (080) F Acute infectious encephalitis (082) Smallpox (084) M F Typhus and other rickettsial diseases (100-108) M M F Other diseases classified as infective or parasitic (M	256,422 248,394 2,620 854 50 37 140 153 627 331 2 —————————————————————————————————	255,669 247,477 2,342 763 26 35 134 135 623 321 2 — 1 — 15 21 — 10 13 22 3 20 17 46 49 — 19 4 62 62 62 — 13 18 11 18	86,801 83,872 968 283 14 111 47 45 175 116 — — — — — — — — — 6 3 3 — — 7 6 4 4 25 — — 9 8 9 8 9 8 9 9 8 9 9 8 9 9 9 9 9 9	58,133 56,587 574 172 16 9 42 40 165 92 — — — — — — — — — — — — — — — — — —	49,597 48,476 484 184 10 9 27 22 130 60 1 3 1 155 7 16 12 12 9 7 3 17	61,891 59,459 594 215 10 8 24 46 157 63 1 1 6 5 - 1 1 2 1 4 20 11 7 6 10 16 1 2 1	72,675 70,226 671 215 7 12 32 43 169 77 — — 4 3 — 4 6 1 1 1 5 3 13 18 — 7 1 15 8 — 2 4 — — — — — — — — — — — — — — — — —	59,955 58,812 552 188 10 8 30 24 161 72 1 4 9 11 1 8 55 15 12 4 10 19 3 3 3 1	54,489 52,584 489 156 5 6 31 32 147 78 1 — 4 4 4 — 1 2 7 8 6 — 5 2 17 20 — 3 2 1 — 2 —	68,550 65,855 630 204 4 9 41 36 146 94 ——————————————————————————————————	86,431 84,138 749 256 6 8 42 34 156 97
(Rem. of 001-138) F	384	444 426	123 104	108 90	103 96	86 94	103 117	106 89	112 101	123 119	129 125

[†] Provisional.

Course of Doods	1050	1060+		1959 1960† h June Sept. Dec. March June Sept. Dec.					1961†		
Causes of Death	1959	1960†	March	June	Sept.	Dec.	March	June	Sept.	Dec.	March
eaths from non-violent causes—cont.	7.020	7,846	1 001	1.055	1.987	1.997	1.999	1.893	1,988	1,966	1,987
Malignant neoplasm of M stomach (151) F Malignant neoplasm of	7,930 6,146	6,107	1,991 1,510	1,955 1,584	1,490	1,562	1,555	1,429	1,533	1,590	1,505
intestines and rectum M (152-154) M	6,774 8,248	6,758 8,025	1,664 2,020	1,677 2,058	1,733 2,069	1,700 2,101	1,657 1,957	1,695 1,946	1,698 2,091	1,708 2,031	1,686 2,023
Malignant neoplasm of other digestive organs f M (Rem. of 150-159) f	4,456 4,191	4,419 4,308	1,075 1,038	1,122 996	1,067 1,071	1,192 1,086	1,111 1,091	1,065 1,028	1,099 1,109	1,144 1,080	1,079
Malignant neoplasm of trachea, bronchus, lung M (162-163) F		18,882 3,118	4,580 712	4,358 694	4,452	4,791 732	4,715 787	4,536 713	4,742 818	4,889 800	4,882 802
Malignant neoplasm of other respiratory or $\int M$	845	877	252	211	178	204	246	228	194	209	206
gans (Rem. of 160-165) \ F Malignant neoplasm of \ M breast (170) \ F	320 62 8,708	323 63 9,059	91 13 2,253	78 16 2,063	78 19 2,119	73 14 2,273	71 15 2,319	91 14 2,184	76 19 2,245	85 15 2,311	89 21 2,306
Malignant neoplasm of uterus (171-174) F	4,003	4,088	978	984	1,008	1,033	1,008	1,010 390	1,027 353	1,043 377	980 355
Leukaemia and aleukaemia (204) { M Malignant neoplasm of	1,315	1,476 1,218	345 315	320 315	309 287	341 302	356 301	319	321	277	311
other sites (Rem. of M 140-205) F	9,617	12,458 9,763	3,108 2,402	2,906 2,365	3,013 2,360 128	3,193 2,490 138	3,137 2,425 146	3,041 2,399 149	3,096 2,477 157	3,184 2,462 161	3,288 2,443 172
Benign and unspecified M neoplasms (210-239) F Thyrotoxicosis with or M	735	613 768 40	132 184 16	143 182 13	200 14	169 12	217	182	186	183	182 11
without goitre (252) \ F Diabetes mellitus (260) \ M F	296 1,100 2,093	311 1,193 2,366	100 372 653	78 234 450	53 203 450	65 291 540	94 313 662	82 261 553	62 265 495	73 354 656	85 418 752
Pernicious and other hyperchromic M anaemias (290) F		253 517	70 150	42 167	68 128	47 137	75 114	56 149	49 128	73 126	62 161
Anaemias, other (291- \{ M \\ 293 \) \ F		340 549	103 149	86 140	75 109	91 129	84 143	83 151	88 133	85 122	91 164
Vascular lesions affecting the central nervous M system (330-334) F	30,897 44.253	31,006 45,216	9,968 14,054	7,256 10,286	6,185 8,937	7,488 10,976	9,059 12,920	7,243 10,874	6,605 9,516	8,099 11,906	9,564 13,759
Non-meningococcal f M meningitis (340) F	180	209	54 40	31 29	42 28	53 37	64 56	47 32	38	60 39	64 62
Rheumatic fever (400- MF) 402) F Chronic rheumatic heart MF	63	61 64 2.469	19 23 785	21 18 616	9 9 498	14 13 583	19 24 701	16 10 567	18 16 550	8 14 651	24 16 796
disease (410-416) \ F	4,589	4,652	1,516	1,070	879	1,124	1,349	1,072	972	1,259	1,512
sclerotic heart disease M (420)	32,193	56,514 35,447	15,299 10,067	12,523 7,504	10,601 6,469	13,770 8,689	15,562 9,792	13,118 8,282	12,421 7,504	15,413 9,869	16,501 10,769
other myocardial de- \{ M generation (421, 422) \} F	31,495	19,550	7,715	4,565 7,275	3,545 5,720	4,682 7,222	6,054 9,260	4,513 7,281	3,834 6,129	5,149 8,077	6,868
Other diseases of heart M (430-434) F Hypertension with heart M	7.120	6,019 7,479 4,678	2,083 2,618 1,626	1,257 1,618 1,049	980 1,270 872	1,324 1,614 1,109	1,800 2,164 1,366	1,436 1,786 1,102	1,155 1,525 936	1,628 2,004 1,274	2,267 2,813 1,478
disease (440-443) \ F Hypertension without	6,719	6,616	2,385	1,526	1,224	1,584	1,993	1,550	1,268 626	1,805	2,246
mention of heart (444- \ M F Other diseases of circula-	3,269 3,555	3,123 3,407	1,109	753 833	639 677	768 857	922 1,013	774 804	674	916	1,076
tory system (Rem. of \ M 400-468) \ F	9,256	7,830 9,907	2,454 3,118	1,771 2,119	1,415	1,852 2,276	2,185 2,687	1,858 2,394	1,638 2,074	2,149 2,752	2,565 3,327 3,133
Influenza (480-483) \{ M F Pneumonia (except of \} M	3,964	553 545 11,818	3,419 3,483 6,222	331 328 2,497	28 32 1,672	120 121 2,812	242 266 3,830	125 137 2,788	31 20 1,979	155 122 3,221	3,133 3,277 6,242
newborn) (490-493) \ F	13,387	12,525	6,512	2,547	1,631	2,697	4,184	2,913	1,989	3,439	6,832
Pneumonia of newborn S M (763) SF	305	45 l 28 l	165	106	83 65	91	133	98 71	46	68	88
\ \ F	20,193 8,858	18,997 7,488	10,475 5,087	3,386 1,409 726	2,040 736 545	4,292 1,626 798	6,624 2,813 1,028	3,793 1,519 779	2,630 848 597	5,950 2,308 1,061	10,197 4,696 1,412
Other respiratory diseases \ M (Rem. 470-527) \ F Ulcer of stomach and \ M	1,587	3,465 1,564 3,165	1,393 635 1,111	351 690	248 549	353 740	519 972	372 753	248 651	425 789	692 1,009
duodenum (540, 541) F Appendicitis (550-553) M	1,473	1,540	511	328 117	281 97	353 109	473 104 69	332 87	318 79	417 97 66	475 95 77
Intestinal obstruction and M hernia (560, 561, 570) F	271 1,413 1,570	271 1,452 1,599	81 388 464	58 341 374	326 347	68 358 385	388 409	68 351 381	68 344 375	369 434	458 469
Gastritis, duodenitis, en- teritis and colitis, ex-		1,015	235	241	214	261	259	271	232	253	307
cept diarrhoea of the M newborn (543, 571, 572) F	1,381	1,481	365	342	342	332	403	335	344	399	416
Gastro-enteritis and colitis, except ulcer-ative, aged 4 wks2											
yrs., and diarrhoea of newborn (571.0, f M	218	249	68	41	37	72	75	68	41	65	96
764) \F	129	154	43	35	24	27	56	34	24	40	71

TABLE VI (continued)

				195	59			19	60†		1961†
Causes of Death	1959	1960†	March	June	Sept.	Dec.	March	June	Sept.	Dec.	March
Deaths from non-violent											
Cirrhosis of liver (581) M	617 586	685 587	155 143	167 137	137 141	158 165	178 147	174 142	154 146	179 152	181 178
Other diseases of digestive system (Rem. of M	1,247	1,318	346	298	249	354	338	326	333	321	371
530-587) F Nephritis and nephrosis M (590-594) F	1,878 1,923 1,762	1,936 2,005 1,709	486 589 560	447 500 420	474 406 372	471 428 410	487 548 466	495 511 419	454 432 375	500 514 449	500 552 487
Hyperplasia of prostate (610) M		3,259	1,034	836	793	842	924	770	731	834	956
Other diseases of genito- urinary system (Rem. M	1,460	1,557	386	386	314	374	426	37 8	347	406	465
of 590-637) F Sepsis of pregnancy, childbirth and puer- perium; abortion with	1,914	2,016	490	463	454	507	529	519	489	479	525
sepsis (640, 641, 651, 681, 682, 684) F Other complications of pregnancy, childbirth and puerperium includ-	76	68	18	16	22	20	20	21	13	14	22
ing abortion (Rem. 640- 689) F Congenital malforma- tions (750-759) F	214 2,503 2,408	242 2,696 2,426	57 682 656	61 604 625	54 616 515	42 601 612	64 686 614	70 682 613	56 636 584	52 692 615	56 656 686
Birth injuries, postnatal asphyxia and atelect- M asis (760-762) F Infections of the newborn M (763-768) F	2,818 1,743 511 338	2,749 1,753 524 318	717 454 186 130	736 462 120 65	669 419 97 72	696 408 108 71	699 446 152 103	671 388 125 81	699 459 101 57	680 460 146 77	752 457 177 107
Other diseases peculiar to early infancy, and											107
immaturity unqualified M (769-776) F Senility without mention	2,177 1,726	2,425 1,751	561 445	534 444	540 380	542 457	604 451	593 454	573 427	655 419	617 464
of psychosis, ill-defined and unknown causes M (780-795) F All other natural causes M	2,718 5,094 4,716	2,435 4,873 4,745	1,033 1,760 1,489	615 1,227 1,109	472 906 990	598 1,201 1,128	736 1,409 1,309	594 1,189 1,179	478 1,009 1,052	627 1,266 1,205	915 1,671 1,520
(Řem. 001-795) \{F	6,693	6,702	2,065	1,569	1,458	1,601	1,844	1,613	1,473	1,772	2,114
Deaths by violence \{ M \\ F \\ (E810-E835) \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	13,456 9,379 4,414 1,612	13,503 9,619 4,754 1,889	3,450 2,757 966 365	3,271 2,181 990 324	3,321 2,003 1,091 394	3,414 2,438 1,367 529	3,446 2,690 1,180 530	3,369 2,202 1,050 326	3,310 2,094 1,215	3,378 2,633 1,309	3,577 2,894 1,180
Other transport accidents (E800 - E802, E840 - M	584	552	155	125	151	153	140	123	448 158	585	531
È866) (F	92	80	22	17	28	25	22	19	22	17	15
Accidental poisoning (E870-E895) F Accidental falls (E900-E904) F	608 750 2,105 3,538	659 813 1,906 3,559	233 295 636 1,145	139 156 510 816	101 112 464 709	135 187 495 868	212 252 508 994	147 162 494 844	103 133 454 794	197 266 450 927	221 320 547 1,080
Accidents caused by fire or hot substance (E916, \(\) M E917) \(\) F	320 486	275 45 5	123 238	61 112	55 45	81 91	109	70	38	58	149
All other accidents (Rem. M E800-E962) F	2,128 667	2,118 6 60	489	567 141	640 181	432 170	183 458 173	98 609 158	50 578 173	124 473 156	183 520 189
Suicide and self-inflicted injury (E963, E970- { M E979)	3,116 2,091	3,059 2,054	801 487	842 580	778 503	695 521	794 512	831 561	729 449	705 532	775 541
of war (E964, E965, M E980-E999) F	181 143	180 109	47 30	37 35	41 31	56 47	45 24	45 34	35 25	55 26	44 35

[†]Provisional.

TABLE VII

Accidental deaths registered in the quarter ended 30th June 1961 analysed by sex and age, with totals for the corresponding quarter of the previous year England and Wales

(Classified according to the International Classification of Diseases (7th Revision 1955))

		All ages June quarter		0—	1—	5—	10-14	Total under 15	15—	25—	45—	65 & over	Total aged 15 &
		1960	1961										over
me accidents*: Coal gas poisoning (E890)	${M \choose F}$	71 89	65 88		1 1	- 1	2 1	3 3	4 3	5 1	22 15	31 66	62 85
Other poisoning (E870-E888, E891-E895)	${M \choose F}$	46 56	49 47		8 3	_1		9 3	2 3	12 12	21 17	5 12	40 44
Falls (E900-E904)	${M \choose F}$	291 701	266 622	5	1 2			6 2		8 5	37 35	215 580	260 620
Burns and scalds (E916-E917)	${M \choose F}$	54 97	43 79	1	7 7		-1	8 11	3	7 5	8 12	20 48	35 68
Choking and suffocation (E921, E922, E924, E925)	${M \choose F}$	65 42	53 42	28 17	7 4			35 21	6 1	1 6	4 7	7 7	18 21
Other (Remainder of E870-E936)	${M \choose F}$	74 44	57 27	6 3	11 2	5	_6 _	28 6	7 2	6 1	5 7	11 11	29 21
tal home accidents	${M \choose F}$	601 1,029	533 905	40 21	35 19	6	8 2	89 46	19 12	39 30	97 93	289 724	444 859
Motor vehicle road accidents involving injury to: Motor cyclist† (E814, E815, E821)	{M F	338 36	353 30	_1	1			_2	210	84 6	43 5	14	351 30
Pedal cyclist (E813)	${M \choose F}$	108 15	129 14		1	6	21 1	28 2	24	18	31 5	28 2	101 12
Pedestrian (E812)	${M \atop F}$	294 185	326 236		35 28	30 17	10	75 50	17 7	29 15	63 47	142 117	251 186
Occupant of motor vehicle‡ (Remainder of E810- E825)	${M \brace F}$	269 83	285 123	1 2		2	3	6	86	94 25	71	28 27	279 114
Other road accidents involving injury to: Pedal cyclist (E843)	${M \choose F}$	13	16 2		_1	_	1 1	2 1	_2	3 -	_4	_5	14 1
Pedestrian (E840-E842, E844)	$\{^M_F$	6 8	4 3		_	_	_				_1	3	4 3
All other transport accidents including rail, air, water (Remainder of E800-E866)	${M \atop F}$	128 12	159 23			3 2	8	11 5	38 6	50 8	47	13	148 18
tal transport accidents 800-E866)	$\{^M_F$	1,156 342	1,272 431	2 4	38 36	41 20	43	124 67	377 59	278 57	260 98	233 150	1,148 364
her accidents: Poisonings (E870-E895)	${M \choose F}$	26 13	24 22				_		3 1	9 7	8 8	4 6	24 22
Falls (E900-E904)	$\left\{ _{F}^{M}\right.$	191 74	151 68	_		2	5 2	7 4	19 1	29 2	43 6	53 55	144 64
Burns (E916-E917)	$\left\{ _{F}^{M}\right.$	15 3	28 11	SAME PARTY.	- ₁		_1	1	2 6	16	9	-1	27 10
Drowning (E929)	$\{^M_F$	211 37	177 31		17 4	37 6	13	67 11	24 2	25 2	35	26	110 20
Other (Remainder of E870-E936)	${M \choose F}$	215 18	238 22	6 3	6 2	13	12	37 8	46 6	74	62 2	19	201 14
Fotal other accidents E870-E936)	${M \atop F}$	658 145	618 154	6 4	23	52 6	31 5	112 24	94 16	153 17	157 24	102 73	506 130
otal, all accidents ine quarter 1961 (E800-	M		2,423	48	96	99	82	325	490	470	514	624	2,098
E936)	۲	2,415 1,516	1,490	60 30	114 45	108 35	14 84 28	137 366 138	445	104 443 87	551 205	947 610 1,025	1,353 2,049 1,378

ncluding deaths in residential institutions. † Including passengers. ‡ Including a few deaths of other and unspecified persons excluding deaths from therapeutic misadventure, etc., (E940-E959), and late effects of injury and poisoning (E960-E962).

TABLE VIII

Numbers of insured persons absent from work owing to certified sickness or industrial injury (or prescribed disease)

England and Wales; standard regions*
(Supplied by the Ministry of Pensions and National Insurance)
(Figures to nearest hundred)

Area	18th A _J	pril 1961	16th Ma	ay 1961	20th Jur	ne 1961
Alca	Sickness	Injury	Sickness	Injury	Sickness	Injury
England and Wales	788,000	48,900	763,600	52,200	739,500	52,700
Northern	65,400	6,600	63,900	7,400	62,600	7,700
East and West Ridings	79,800	7,100	77,900	7,800	77,300	8,100
North Western	151,000	7,300	149,000	7,600	143,300	7,700
North Midland	54,700	4,700	52,500	5,000	51,100	5,200
Midland	78,400	4,100	76,000	4,500	74,000	4,500
Eastern	45,300	1,900	43,500	2,000	41,800	1,900
London and South Eastern:						
London and Middlesex	85,200	3,300	82,400	3,500	78,000	3,200
Remainder	73,300	3,000	70,300	3,000	67,700	3,000
Southern	34,200	1,500	32,700	1,500	31,600	1,500
South Western	52,700	2,300	50,500	2,300	48,700	2,200
Wales	67,600	7,000	64,900	7,600	63,500	7,700

Notes: (1) The proportion of males in the total England and Wales figures of persons absent from work owing to sickness remains fairly constant at between 65% and 66% except in epidemic periods when it may rise to about 69%. For industrial injury the proportion remains constant throughout the year at about 88%.

- (2) Broadly, the whole of the civilian working population aged 15 and over can now qualify under the National Insurance Act for sickness benefit without limit of income, including not only those employed under contract of service but also the self-employed. Only comparatively small sections of the working population are excluded, the most numerous being those employed married women who elect not to be insured in their own right.
- (3) The National Insurance (Industrial Injuries) Act applies, broadly speaking, to all civilians working for an employer under contract of service or apprenticeship, corresponding closely with the class of "employed persons" under the main scheme.
- (4) It is not practicable to make a straightforward count of the number of persons who are absent from work on a given day owing to sickness or industrial injury. The method followed has accordingly been to take the number of long term certificates then current, and to add to it the number of first and intermediate certificates of incapacity received during the week ended on the given day. (The figure so obtained includes a small proportion of persons whose incapacity in fact ended before that day, and excludes a small proportion of persons whose incapacity in fact began on or before that day. Sample enquiries indicate that these factors do not produce on balance any significant effect on the national and regional totals.)

*The constitution of the standard regions of England and Wales is as follows:

REGION I Northern Cumberland Durham Northumberland Westmorland Yorkshire, North Riding REGION II East and West Ridings Yorkshire, East Riding Yorkshire, West Riding Yorkshire, West Riding Yorkshire, Part of 1 Leicestershire Lincolnshire— Parts of Holland Parts of Kesteven Parts of Lindsey Northamptonshire Nottinghamshire Peterborough, Soke of Rutland	REGION IV Eastern Bedfordshire Cambridgeshire Ely, Isle of Essex, Part of ² Hertfordshire, Part of ³ Huntingdonshire Norfolk Suffolk, East Suffolk, West REGION V London and South Eastern Essex, Part of ⁴ Hertfordshire, Part of ⁵ Kent London Admin. County Middlesex Surrey Sussex, East Sussex, West	REGION VI Southern Berkshire Buckinghamshire Dorset, Part of 6 Hampshire Oxfordshire Wight, Isle of REGION VII South Western Cornwall Devon Dorset, Part of 7 Gloucestershire Somerset Wiltshire REGION VIII Wales I (South East) Brecknockshire Carmarthenshire Glamorganshire Monmouthshire	Wales II (remainder) Anglesey Caernarvonshire Cardiganshire Denbighshire Flintshire Merionethshire Montgomeryshire Pembrokeshire Radnorshire REGION IX Midland Herefordshire Shropshire Staffordshire Warwickshire Warwickshire Worcestershire REGION X North Western Cheshire Derbyshire, Part of 8 Lancashire

1. All except Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D., and Chapel en le Frith R.D.

2. All except East Ham C.B., West Ham C.B., Chingford M.B., Wanstead and Woodford M.B., Leyton M.B., Walthamstow M.B., Ilford M.B., Barking M.B., Dagenham M.B., Waltham Holy Cross U.D., and Chigwell U.D.

3. All except Barnet U.D., Bushey U.D., Cheshunt U.D., East Barnet U.D. and Elstree R.D.

4. All areas stated in 2 above.

5. All areas stated in 3 above.

6. Poole M.B. only.

7. All areas except Poole M.B.

8. All areas stated in 1 above.

TABLE IX

Meteorology: values of air temperature, rainfall and sunshine for the second quarter 1961 expressed as differences from or percentages of the average values*

Districts of England and Wales

(Supplied by the Director General of the Meteorological Office)

		Air Temperatur	re	Rain	Sunshine	
District	Highest	Lowest	Difference from average daily mean	Percentage of average	Number of days difference from average	Percentage of average
	°F.	°F.	°F.	%		%
			APRI	L 1961		
England, N.E England, E Midland Counties England, S.E England, N.W. and N. Wales England, S.W. and S. Wales	66 69 69 69 67 65	20 25 29 31 18 30	+ 2.2 + 3.1 + 3.1 + 3.2 + 3.1 + 3.1	140 95 190 144 156 203	+ 4 + 3 + 5 + 5 + 6 + 9	65 77 56 69 69 61
Mean			+ 3.0	155	+ 6	66
			MA	Y 1961		ł
England, N.E	75 75 75 77 77 75 76	26 20 28 27 23 27	0.2 0.4 0.5 0.5 0.4 0.0	80 70 51 54 86 50	- 4 - 2 - 5 - 4 - 6 - 6	105 113 109 114 106 119
Mean	_		-0.3	65	5	111
			JUNI	E 1961		
England, N.E	85 86 86 88 82 84	32 28 31 35 28 32	+ 1.1 + 1.3 + 0.4 + 0.4 - 0.2 0.0	70 86 74 71 74 53	- 3 - 3 - 4 - 4 - 3 - 4	96 116 114 113 100 116
Mean	_		+ 0.5	71	— 3	109
)	SECOND Q	UARTER 196	1	
England, N.E	85 86 86 88 82 84	20 20 28 27 18 27	+ 1.0 + 1.3 + 1.0 + 1.0 + 0.8 + 1.0	97 84 105 90 105 102	- 3 - 2 - 4 - 3 - 3 - 1	89 102 93 98 92 99
Mean	- Constitution	_	+ 1.0	97	- 3	95

^{*}The averages used for rainfall and raindays are for the period 1916-50, while those for sunshine and temperatures are for 1921-50.

APPENDIX A

Years of life lost due to mortality from certain causes: Numbers of deaths from certain causes, death rates per 10,000 population, mean ages at death, years of "working life" lost and years of "total life" lost per 10,000 population, 1960

England and Wales

The last two columns present figures for years of "working life" lost (taken as ages 15—64) and for years of "total life" lost (to age 85). This may be used as a standard with which local figures, compiled by the method described at the foot of the page, may be compared. The method of calculation has been: (a) to calculate the mean age at death for all causes for each of the age-groups 0-, 5-, 15-, 25-, 45-, 65 and over; (b) to deduct each mean age from 85; alternatively, for the "working life" comparison, to deduct each mean age or 15, whichever is the greater, from 65; (c) to multiply each difference so obtained by the number of deaths from the particular disease in the respective age-group; (d) to total the products, and (e) to divide by the population at all ages to produce the rates shown.

Abridged List No.*	Cause of death				Total	deaths	Mean age at	Years of life lost per 10,000 population	
_					Number	Rate per 10,000 populat'n	death	Ages 15-64	Total to age 85
	All causes	••	M F	* * *	269,172 257,096	122 109	65.5 71.0	743 449	2,380 1,523
1	Tuberculosis of respiratory system	4 6	M F	•••	2,342 763	1 0	61.6 56.0	7 4	23 8
10-15	Cancer (all sites)	4.6	M F	***	52, 7 79 46,009	24 19	65.2 66.1	116 94	445 327
11	Cancer of lung, bronchus		M	***	18,882	9	63.6	41	168
12	Cancer of breast		F		9,059	4	63.6	21	73
17	Vascular lesions of central nervous system	1	M F	• • •	31,006 45,216	14 19	72.6 75.4	29 26	182 179
18	Coronary disease	• •	M F	•••	56,514 35,447	26 15	67.5 73.8	91 21	424 146
19, 20	Other cardiac diseases	• •	M F	• • •	32,716 49,494	15 21	74.6 77.6	28 26	182 183
23, 24	Bronchitis and pneumonia	* *	M F	• • •	31,266 20,294	14 9	66.8 70.9	78 42	262 125
26	Ulcer of stomach and duodenum	••	M F	***	3,165 1,540	1 1	68.2 73.4	5 1	23
33, 34	Accidents	••	M F	• • •	10,264 7,456	5 3	45.6 65.3	96 27	180

^{*} The Registrar General's Abridged List is given on page 22.

The following set of standard weights, based on 1958-60 national mortality experience and designed to allow for any differences in population age-structures, are for use in calculating local figures:

WART COLUMN TO THE COLUMN THE COLUMN TO THE		0—	5—	15—	25—	45	65 and over
Ages 15-64	{ MALES FEMALES	4.045 3.575	8.105 7.210	5.914 5.465	7.587 7.102	1.903 1.980	-
Total (up to 85)	{MALES FEMALES	6.812 6.020	12.206 10.858	8.560 7.921	13.105 12.324	6.977 7.190	0.798 0.854

The method of calculating local rates of years of life lost for each cause and for all causes should be: (a) for each sex and each of the age-groups 0—, 5—, 15—, 25—, 45—, 65 and over, to work the 1960 death rate per 10,000 living†; (b) to multiply each rate by the corresponding sex/age weight (separate weights for "working life" and "total" calculations) and (c) to total the products for each sex.

[†]The General Register Office does not make population estimates by sex and age for local areas. Hence it will be necessary for age death rates to be based on the 1951 census population structure and such rates may be subject to appreciable error where the composition of the population has been changing rapidly.

APPENDIX B

Abridged life table, 1958-1960 (home population)

England and Wales

Ma	ales		Fen	nales
l_X	$\overset{\circ}{e}_{x}$	Age x	l_x	$\overset{\circ}{e}_{x}$
10,000	68 · 1	. 0	10,000	73.9
9,752	68·8	1	9,806	74·3
9,737	67·9	2	9,793	73·4
9,728	67·0	3	9,785	72·5
9,720	66·0	4	9,780	71·5
9,714	65·1	5	9,775	70·6
9,691	60·2	10	9,759	65·7
9,671	55·4	15	9,746	60·8
9,629	50·6	20	9,728	55·9
9,574	45·9	25	9,704	51·0
9,524	41·1	30	9,674	46·1
9,466	36·3	35	9,630	41·3
9,377	31·6	40	9,564	36·6
9,235	$27 \cdot 1$ $22 \cdot 7$ $18 \cdot 7$ $15 \cdot 2$	45	9,458	32·0
8,999		50	9,295	27·5
8,585		55	9,050	23·2
7,879		60	8,684	19·1
6,859	12·1	65	8,113	15·2
5,522	9·4	70	7,237	11·8
3,932	7·1	75	5,937	8·8
2,331	5·3	80	4,192	6·4
990	4.2	85	2,308	4.6

This abridged life table is constructed from the estimated *home* population in 1958, 1959 and 1960 and the total deaths in those years.

The column headed l_x shows, for each sex, the number who would survive to exact age x out of 10,000 born who were subject throughout their lives to the recorded age death rates of the period.

Column \mathcal{E}_x is the "expectation of life", that is, the average future lifetime which would be lived by persons aged exactly x, if likewise subject to those death rates.

APPENDIX C

Causes of death by sex and age-groups, 1960, classified in accordance with the Abridged List

England and Wales

The Abridged List of Causes of Death adopted by the Registrar General in consultation with the Ministry of Health, and its relation to the Detailed International Classification.

No.	Registrar General's Ab	ridged .	List				Sorresponding number in the led International Classification
1.	Tuberculosis, respiratory		• • •	• • •			001-008.
2.	Tuberculosis, other				• • •		010-019.
3.	Syphilitic disease	• • •	• • •		•••	• • •	020-029.
4.	Diphtheria	• • •	• • •		• • •		055.
5.	Whooping cough	• • •		• • •		•••	056.
6.	Meningococcal infections				* * *	4 = 0	057.
7.	Acute poliomyelitis		• • •	• • •		• • •	080.
8.	Measles	* * *		• • •	* * *		085.
9.	Other infective and parasitic diseases		• • •	•••		• • •	030-054, 058-074, 081-084,
10	Malignant naonlasm stomach						086-138.
10.	Malignant neoplasm, stomach	• • •	• • •	• • •	* * *	• • •	151.
11.	Malignant neoplasm, lung, bronchus	• • •	•••	• • •		• • •	162, 163.
12.	Malignant neoplasm, breast	***	* * *	• • •	• • •	* * *	170.
13.	Malignant neoplasm, uterus	1	* * *	• • •	• • •	• • •	171-174.
14.	Other malignant and lymphatic neop	lasms	• • •	• • •	• • •	• • •	140-150, 152-161, 164-165, 175-203, 205.
15.	Leukaemia, aleukaemia			• • •		• • •	204.
16.	Diabetes	• • •	• • •	• • •	* * *	• • •	260.
17.	Vascular lesions of nervous system	•••		* * *	4 + 1	• • •	330-334.
18.	Coronary disease, angina		• • •		• • •		420.
19.	Hypertension with heart disease		• • •	• • •			440-443.
20.	Other heart disease	• • •		* * *	• • •		410-416, 421-434.
21.	Other circulatory disease		***	***	•••	* * 6	444-468.
22.	Influenza	***	•••	• • •		4 9 4	480-483.
23.	Pneumonia	4 1 4	• • •	4 • •	• • •	0 0 0	490-493, 763.
24.	Bronchitis	•••	* * *		• • •		500-502.
25.	Other diseases of respiratory system	•••	• • •			•••	470-475, 510-527.
26.	Ulcer of stomach and duodenum			* * *	***		540, 541.
27.	Gastritis, enteritis and diarrhoea	* * *	***	* * *	4 6 0	• • •	543, 571, 572, 764.
28.	Nephritis and nephrosis	• • •	• • •	* * *	***		590-594.
29.	Hymanulasia of muostata	***	* * *	• • •	* * 6	* * *	610.
30.	Pregnancy, childbirth, abortion	* * 0	* * *		***	• • •	640-689.
31.	Communitat martformassiana			• • •	* * *	• • •	750-759.
32.		•••	• • •	• • •	• • •	• • •	
32.	Other defined and ill-defined diseases	S	9 0 0	• • •	0 4 9	• 6 •	210-254, 270-326, 340-402, 530-539, 542, 544-570, 573-587, 600-609, 611-637, 690-749, 760-762, 765-795.
33.	Motor vehicle accidents						E810-835.
34.	All other accidents	• • •		* * 4	* * *		E800-802, 840-962.
35.	Suicide					* * *	E963, 970-979.
36.	Homicide and operations of war	• • •	• • •		***		E964, 965, 980-999.

APPENDIX C (continued)

				288.		C (CC		7	Years			
(S	Causes of death ee first page of Table)		All ages	Under 4 weeks	4 wks. and under 1 year	1—	5—	15—	25—	45—	65—	75 and over
	All causes	M F	269,172 257,096	7,179 5,012	2,732 2,195	1,362 1,069	1,603 1,012	3,074 1,187	1,0713 7,642	75,259 44,651	74,127 61,347	93,123 132,981
	Tuberculosis, respiratory Tuberculosis, other	M F M F	2,342 763 160 170	= 1	 3 3 3	2 3 6 4	 2 3 6	5 8 7 8	228 203 34 31	1,111 267 55 50	695 161 39 36	301 116 12 32
	Syphilitic disease	M F	623 321	_			1	2	29 13	230 84	230 115	133 107
	Diphtheria	M F	2 3			-1	2 2	mannen magneg	,	_		
5	Whooping cough	M F	20 17	_ 2	14 10	4 4	1	_ 1	_			
5	Meningococcal infections	M F	46 49	- 2	27 18	15 16	1 6	1	- ₁	1 1	1 1	3
7	Acute poliomyelitis	M F	19 4			1 2	1 1	5	_ 7	4	1	
8	Measles	M F	13 18		2 4	10 9	- 4	to right and y	- 1	_ 1		
9	Other infective, etc., diseases Malignant neoplasm: Stomach	M F M F	537 523 7,846 6,107	- 8 - 6	33 31 —	33 31 —	42 26 1	24 22 6 2	77 61 228 148	174 164 3,038 1,406	77 79 2,607 1,975	69 103 1,966 2,576
1	Lung, bronchus	M F	18,882 3,118	_	Special Control of Con	_	- 1	6 3	568 189	9,911 1,342	6,098 949	2,299 634
2	Breast	M F	63 9,059	_		_		- 6	712	18 4,100	23 2,188	20 2,053
3	Uterus	F	4,088	_	<u> </u>		1	5	452	1,764	1,039	827
5	Other malignant and lymphatic neoplasms Leukaemia and aleukaemia	M F M	22,419	manufile substanting	16 20 12 7	76 74 70 63	156 116 128 81	207 121 74 47	1,208 1,123 199 121	7,786 7,115 429 368	7,428 6,476 324 287	7,635 7,374 240 244
6	Diabetes	M F	1,193 2,366	=	3	2 7	6 7	11 13	75 61	298 435	375 816	423 1,026
7	Vascular lesions of nervous system	M F	31,006 45,216	- 1	17 12	10 7	23 15	40 37	473 503	6,155 5,936	9,484 11,633	14,804 27,072
18	Coronary disease, angina Hypertension with heart disease	M F M F	35,447			_ 1 _ =	1 - 1	8 4 1	1,674 210 42 31	20,673 5,699 1,021 739	18,466 12,042 1,579 1,939	15,692 17,491 2,034 3,907
20	Other heart disease	M F	28,038 42,878	4 4	10 9	6 8	26 14	89 55	639 763	3,842 3,825	6,311 7,265	17,111 30,935
21	Other circulatory disease	M F	10,953 13,314	2 2	3 2	2 1	6 9	17 14	305 222	2,241 1,522	2,835 2,786	5,542 8,756
22	Influenza	M F	553 545	2 2	11 11	11 8	4 6	14	47 24	163 91	132 127	169 271
23	Pneumonia	M F		451 281	949 727	210 168	93 56	71 43	265 191	1,791 1,168	2,703 2,270	5,736 7,902
24	Bronchitis	M F		16 12	196 140	63 38	20 11	14	212 93	5,568 1,107	6,587 1,908	6,321 4,172
25	Other diseases of respiratory system	M F		12 9	45 23	42 19	25 13	27 18	132 77	1,183 324	1,102 313	897 768
26 27	Ulcer of stomach and duodenum Gastritis, enteritis and diarrhoea	M F M F	1,540 1,048	2 1 33 14	1 180 120	1 1 58 35	1 11 11	6 3 22 12	140 35 57 66	979 261 220 248	1,009 403 223 370	1,028 834 244 618
28 29 30	Nephritis and nephrosis Hyperplasia of prostat Pregnancy, childbirth, abortion	M F e M	1,709 3,259	2 1	7 8	11 10	41 27 —		1	502 189	401 395 809	478 555 2,260
31 32	Congenital malformations Other defined and ill-defined diseases	M F M F	2,696 2,426 19,289	1,224 1,031 5,365 3,607	628 666 361 222	185 168 209 199	129 128 231 200	68 251	98 888	186 3,406	58 56 3,023 4,102	25 5,555
33 34	Motor vehicle accidents All other accidents	M F M F	4,754 1,889 5,510	- 48	6 4 202	111 71 214 113	291 139 344 115	208	226 900	490 1,365		390 1,368
35 36	Suicide Homicide, operations of war	M F M F	3,059 2,054 1 180	gunganb			11 11	77 23	435	1,001	24	151

23

APPENDIX D

Changes in boundaries, names, etc., of counties, boroughs, urban and rural districts during the six months ended 30th June 1961

(i) Authorities for changes. (The date of operation in each case was 1st April 1961,

Reference	Ministry of Housing and Local Government Order No.	Description of Authority
(a)	H.L.G. 8747	The Lancashire and Salford (Boundaries) Order, 1960 (S.I. 1960 No. 2204)
(b)	H.L.G. 8871	The County of Hertford (Ware Urban District) Confirmation Order, 1961
(c)	H.L.G. 8947	The County of Hertford (Berkhamsted Urban District and Berkhamsted Rural District) Confirmation Order, 1961
(d)	H.L.G. 8963	The County of Huntingdon (Borough of Huntingdon and Godman- chester) Confirmation Order, 1961
(e)	H.L.G. 9009	The Hampshire (Borough of Christchurch and Rural District of Ringwood and Fordingbridge) Confirmation Order, 1961

(ii) Particulars of changes

Acreage (land and inland water) figures, which are given to the nearest acre, have been supplied by the Ordnance Survey Department

Ref. to Auth- ority	Administrative area		Census population 1951	Ref. to Auth- ority	Administrative area		ase or ase (—) Census population 1951
(a) (a) (a) (a) (b)(c) (c) (b) (b)(c) (c) (b) (b)(c)	LANCASHIRE: County Boroughs Salford Administrative County Municipal Boroughs and Urban Districts Eccles M.B. HERTFORD: Municipal Boroughs and Urban Districts Berkhamsted Ware Rural Districts Berkhamsted Ware	under 1 acre under 1 acre -under 1 acre -under 1 acre -under 1 acre 43 -under 1 acre 43 -under 1 acre 43 -43 under 1 acre -43	Nil	(d) (d) (d) (d) (e) (e) (e) (e)	HUNTINGDON: Municipal Boroughs and Urban Districts *Godmanchester M.B. *Huntingdon M.B. *Huntingdon and Godmanmanchester M.B. HAMPSHIRE: Municipal Boroughs and Urban Districts Christchurch M.B. Rural Districts Ringwood and Fordingbridge	—4,907 —2,150 7,057 —6 —6 6	2,502 5,282 7,784 23 23 23

^{*}Godmanchester M.B. and Huntingdon M.B. were abolished and Huntingdon and Godmanchester M.B. created by this Order.

© Crown copyright 1961
Printed in England by Stephenson Newspapers Limited, "The Visitor Press" and published by
HER MAJESTY'S STATIONERY OFFICE

GENERAL REGISTER OFFICE

THE REGISTRAR GENERAL'S

QUARTERLY RETURN FOR

ENGLAND AND WALES

BIRTHS, DEATHS AND MARRIAGES INFECTIOUS DISEASES WEATHER POPULATION ESTIMATES

Quarter ended 30th September 1961



LONDON
HER MAJESTY'S STATIONERY OFFICE
1961

PRICE 2s. 6d. NET

TABLE OF CONTENTS

		Page
General No	tes	3
Non-Quarte	erly Statistics	4
Notes on the	e Quarter	5
Births, Dear	ths, Marriages and Infectious Diseases	
Table I	Marriages, live births, stillbirths and deaths—total numbers registered. Years 1951 to 1961 and each quarter of those years. England and Wales	6
Table II	Persons marrying, live births and deaths—annual rates per 1,000 population. Stillbirths and perinatal mortality—rates per 1,000 total live and still births. Deaths under 1 year and deaths under 4 weeks—rates per 1,000 live births. Years 1951 to 1961 and each quarter of those years. England and Wales	7
Table III	Populations, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) in the last two quarters. London Administrative County and certain cities abroad	8
Table IV	Notifications of certain infectious diseases in the quarter. England and Wales, counties, county boroughs, London A.C., City of London, metropolitan boroughs and port health districts	9
Table IVa	Corrected notifications of certain infectious diseases in the preceding quarter, analysed by sex and age. England and Wales	13
Table V	Infant mortality. Rates by quarters and each completed year, 1958 to 1961. England and Wales and various other countries	14
Table VI	Deaths by cause and sex, 1959 and 1960, and in each of the last nine available quarters, classified according to the International Abbreviated List with certain sub-divisions. England and Wales	14
Table VII	Accidental deaths registered in the quarter, analysed by sex and age, with totals for the corresponding quarter of the previous year. England and Wales	17
Table VIII	Numbers of insured persons absent from work owing to certified sickness or industrial injury (or prescribed disease). England and Wales and standard regions	18
Meteorology		
Table IX	Values of air temperature, rainfall and sunshine for the quarter, expressed as differences from or percentages of the average values. Districts of England and Wales	19

Estimated	popula	ition,	total,	home	and	civilian,	by	age	and	sex,	as	at	30th	June,	1961.	
Engla	nd and	Wale	es													20

GENERAL NOTES

1. The figures in this return are provisional until confirmed in the Statistical Reviews. Births and deaths are tabulated from returns furnished to the Registrar General by Registrars of Births and Deaths; marriages from returns furnished by the Clergy, Authorised Persons, Registrars of Marriages and others; and notifications of infectious diseases (Tables IV and IVa) from special quarterly statements furnished to the Registrar General by Medical Officers of Health.

2. Definition of Areas

London A.C.—Administrative County of London which consists of the City of London (including the Inner and Middle Temples) and the metropolitan boroughs.

C.B.—county borough; M.B.—municipal borough; U.D.—urban district; R.D.—rural district.

- 3. The home population comprises the population, of all types, actually in England and Wales, distributed by area according to residence.
 - 4. Non-civilians are included in all figures except where otherwise stated.
- 5. Births and deaths for England and Wales and the parts thereof are those registered within the quarter or period shown. In some non-quarterly statistics (see page 4) they are assigned to the area of residence.
- 6. The notifications of infectious diseases have been corrected for changes in diagnosis by the notifying medical practitioner or the medical superintendent of the infectious diseases hospital.

NON-QUARTERLY STATISTICS

Certain non-quarterly information is published in the Quarterly Return as stated below:

Half-Yearly

June and December Returns

Lists of the changes in boundaries, names, etc., of local authority areas during the six months ending 30th June and 31st December respectively.

Yearly

March Return

- (1) Estimated home population as at 30th June, marriages, births (distinguishing stillbirths) and deaths (distinguishing deaths of infants under 1 year of age) registered in England and Wales during the preceding year, showing those assigned to each administrative county (with associated county boroughs).
- (2) Estimated home population as at 30th June for the preceding year, births (distinguishing stillbirths), deaths (distinguishing deaths of infants under 1 year of age and deaths from certain causes) registered in England and Wales during the preceding year, showing those assigned to municipal boroughs and urban districts with a resident population of 25,000 and over at the preceding Census, county boroughs, Greater London, City of London and metropolitan boroughs, with comparative figures for four Scottish and Irish towns.
- (3) Deaths registered during the preceding year and assigned to London Administrative County, analysed by cause and age.
- (4) Infant mortality in England and Wales, standard regions and certain large towns in the preceding three years.
- (5) Populations, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) for the preceding year in London Administrative County and certain cities abroad.
- (6) Births registered in the preceding year by sex and legitimacy and the illegitimacy rate.

June Return

- (1) A presentation of mortality from certain causes in the preceding year in terms of the resulting loss in expected years of life.
- (2) Deaths registered in the preceding year in England and Wales distinguishing 36 causes of death (Registrar General's Abridged List) by sex and age.
- (3) An abridged life table constructed from the estimated home population and deaths in England and Wales for the preceding three years.

September Return

(1) Estimates of the sex and age distribution of the total, home and civilian populations of England and Wales as a whole as at 30th June.

December Return

- (1) A textual summary of the vital statistics of England and Wales for the year then ended.
- (2) A table showing the home population of England and Wales and each standard region and conurbation by sex and age as at 30th June.
- (3) Projections of the total populations for England and Wales by sex and age as at 30th June.
- (4) Home populations of each hospital region in England and Wales by sex and age as at 30th June.
- (5) Estimated population, as at 30th June, of children aged under 1 year, 1-4 years and 5-14 years, in England and Wales and in administrative counties, county boroughs, London Administrative County, City of London and metropolitan boroughs.
- (6) Diagram showing the numbers of live births, marriages and deaths registered during the current and preceding nine years.

NOTES ON THE THIRD QUARTER OF 1961, ENGLAND AND WALES

Live Births

The number of live births registered during this quarter was 204,797, representing a live birth rate, based on the home population of England and Wales for 1961, of 17.6 per thousand. These figures compare with 207,702 live births and a rate of 18.0 for the preceding quarter, 197,560 live births and a rate of 17.2 for the corresponding quarter of 1960, and an average live birth rate for the third quarters of the five years 1955-59, of 15.7.

Stillbirths

The 3,817 stillbirths registered represent $18 \cdot 3$ per 1,000 of the total live and still births. This rate is $1 \cdot 0$ lower than that for the third quarter of 1960.

Deaths

The number of deaths registered was 110,732, representing a death rate, based on the 1961 home population, of 9.5 per 1,000. The rate for the corresponding quarter of 1960 was 9.8, and the average death rate for the third quarters of the five years 1955-59 was 9.3.

The deaths of children under one year of age numbered 3,701, representing an infant mortality rate of 18·1 per 1,000 live births; this was 1·4 per 1,000 lower than that for the third quarter of 1960, and is the lowest recorded for any quarter of any year. This compares with a rate of 23·4 for the corresponding quarter of 1951.

The death rates from tuberculosis (all forms), pneumonia and acute poliomyelitis per million population, with comparative rates for the preceding five quarters, were as follows:

Quarter	Tuberculosis (all forms)	Pneumonia	Ac poliom	
			Corrected	Uncorrected
1960 Second Third Fourth	71	516	0·4	0·9
	63	357	0·6	0·6
	80	596	0·3	0·9
1961 First Second Third	96	1,169	0·4	0·7
	69	475	1·3	1·5
	57	419	not available	1·4

There were no cases of smallpox notified and no deaths from this cause registered during the quarter.

Natural Increase

The births registered exceeded the deaths by 94,065. Corresponding figures for the third quarters of 1960, 1959 and 1958 were 85,083, 83,395 and 74,693 respectively.

Marriages

The number of persons marrying during the quarter was 221,854 which was 7,246 more than the average for the corresponding quarters of the preceding five years 1956-60.

TABLE I

Marriages, live births, stillbirths, and deaths: total numbers registered

Years 1951 to 1961 and each quarter of those years. England and Wales

		1	-								-
	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960(a)	1961(a)
					М	ARRIAG	ES				
Year	360,624	349,308	344,998	341,731	357,918	352,944	346,903	339,913	340,126	343,614	
March Qtr. June ,, September ,, December ,,	109,567 66,382 111,312 73,363	106,629 69,489 103,411 69,779	93,610 77,123 105,614 68,651	95,922 74,364 104,505 66,940	100,696 74,763 106,691 75,768	107,122 68,821 106,923 70,078	110,092 65,804 103,617 67,390	102,629 66,211 101,698 69,375	101,430 63,281 102,591 72,824	88,944 72,895 103,580 78,195	84,448 75,505 110,927
					LI	VE BIRT	HS				
Year	679,689	673,286	681,964	672,635	664,954	698,317	723,274	739,337	750,383	782,221	
March Qtr. June September December	176,047 181,614 168,033 153,995	173,338 174,159 168,030 157,759	171,649 179,477 172,943 157,895	173,547 175,290 166,938 156,860	169,190 171,234 166,890 157,640	179,151 182,400 173,534 163,232	183,864 185,361 179,978 174,071	190,767 189,866 180,322 178,382	191,860 198,410 186,792 173,321	197,932 198,764 197,560 187,965	203,976 207,702 204,797
					ST	ILLBIRT	HS				
Year	16,019	15,647	15,683	16,202	15,815	16,384	16,622	16,309	16,076	15,795)
March Qtr. June ,, September ,, December ,,	4,259 4,196 3,752 3,812	4,174 4,004 3,714 3,755	3,975 4,220 3,711 3,777	4,236 4,171 3,939 3,856	4,032 4,023 3,910 3,850	4,311 4,248 3,948 3,877	4,262 4,274 4,117 3,969	4,194 4,092 3,967 4,056	4,239 4,313 3,912 3,612	4,008 4,149 3,895 3,743	3,940 3,903 3,817
			Ι	DEATHS	(excluding	g stillbirth:	s): ALL	AGES			
Year	549,380	497,484	503,529	501,896	518,864	521,331	514,870	526,843	527,651	526,268	1
March Qtr. June ,, September ,, December ,,	205,878 121,683 100,057 121,762	146,948 115,369 98,613 136,554	171,350 114,644 98,545 118,990	153,120 117,205 104,114 127,457	168,645 124,230 101,677 124,312	170,292 120,059 104,131 126,849	134,557 118,122 110,037 152,154	163,595 124,169 105,629 133,450	176,880 120,172 103,397 127,202	149,037 124,338 112,477 140,416	177,040 125,198 110,732
				(dea		T MORT		(ane			
Year	20,223	18,555	18,324	17,160	16,613	16,554	16,720	16,685	16,629	17,118	1
March Qtr. June September December	6,572 5,066 4,003 4,582	5,629 4,332 3,863 4,731	5,709 4,448 3,862 4,305	5,256 4,304 3,543 4,057	4,852 4,155 3,605 4,001	4,939 4,083 3,525 4,007	4,467 4,062 3.873 4,318	4,851 4,090 3,651 4,093	4,810 4,103 3,631 4,085	4,598 4,143 3,850 4,527	4,908 4,244 3,701
						ΓAL MOI					
Year	12,788	12,331	12,088	11,946	11,516	11,779	11,904	11,970	11,881	12,192	
March Qtr. June ,, September ,, December ,,	3,627 3,358 2,831 2,972	3,386 3,028 2,857 3,060	3,347 3,146 2,831 2,764	3,352 3,103 2,688 2,803	3,081 2,970 2,760 2,705	3,210 2,981 2,706 2,882	3,028 2,987 2,902 2,987	3,134 3,026 2,853 2,957	3,153 3,034 2,792 2,902	3,156 2,997 2,959 3,080	3,229 3,140 (b)
			(st			FAL MOI of infants			ge)		
Year	26,521	25,845	25,810	26,250	25,565	26,313	26,799	26,523	26,245	26,268	
March Qtr.	7,120	6,877	6,687	6,965	6,537	6,947	6,795	6,792	6,864	6,667	6,702

⁽a) Provisional.

b) Not yet available.

TABLE II

Persons marrying, live births, and deaths: annual rates per 1,000 population Stillbirths, perinatal mortality: rates per 1,000 total live and still births
Infant mortality, neonatal mortality: rates per 1,000 live births*

Years 1951 to 1961 and each quarter of those years. England and Wales

September 15-5 15-3 15-5 15-2 15-6 16-1 16-6 17-2 17-6 17-5 13-9 13								1			1	
Year 16:5 15:9 15:6 15:4 16:1 15:8 15:4 15:1 15:0 15:0	population				44,274	44,441	44,667	44,907	45,109	45,386	45,755	46,166
Year 16:5 15:9 15:6 15:4 16:1 15:8 15:4 15:1 15:0 15:0		1951	1952	1953	1954	1955	1956	1957	1958	1959	1960(a)	1961(a)
March Qtr. 20-3 19-5 17-2 17-6 18-4 19-3 19-9 18-5 18-1 15-6 14-8			······································		'	PERSO	NS MAR	RYING			Topological Committee Comm	
September 13.2 12.2 12.7 14.6 13.5 13.5 12.4 11.8 11.8 11.2 12.8 13.1	Year	16.5	15.9	15.6	15.4	16.1	15.8	15.4	15.1	15.0	15.0	
Year 15.5 15.3 15.5 15.2 15.0 15.6 16.1 16.4 16.5 17.1	June September ,,	12·2 20·2	12·7 18·7	14·0 19·0	13·5 18·7	13·5 19·0	12·4 19·0	11·8 18·3	11·8 17·9	11·2 17·9	12·8 18·0	13 - 1
March Qtr. 16-3 15-9 15-8 15-9 15-4 16-1 16-6 17-2 17-1 17-4 17-9						LI	VE BIRT	HS				
Saptember 15.6 15.9 16.3 15.5 16.4 16.6 16.9 17.5 17.5 18.0	Year	15.5	15.3	15.5	15.2	15.0	15.6	16.1	16.4	16.5	17.1	
Year 23·0 22·7 22·5 23·5 23·2 22·9 22·5 21·6 21·0 19·8	June ,, September ,,	16·6 15·2	15·9 15·2	16·3 15·6	15·9 15·0	15·5 14·9	16·4 15·5	16·6 15·9	16·9 15·9	17·5 16·3	17·5 17·2	18.0
March Qtr. 23.6 23.5 22.6 23.8 23.3 23.5 22.6 21.5 21.6 19.8 18.9						ST	LLBIRT	HS				
September 12.5	Year	23.0	22.7	22.5	23.5	23 · 2	22.9	22.5	21 · 6	21.0	19 · 8	
Year 12·5 11·3 11·4 11·3 11·7 11·5 11·7 11·6 11·5 March Qtr. 19·1 13·4 15·8 14·0 15·4 15·3 12·2 14·7 15·8 13·1 15·6 11·1 10·6 10·4 10·6 11·2 10·8 10·6 11·0 10·6 10·9 10·9 10·9 September " 9·1 8·9 8·9 9·3 9·1 9·3 9·7 9·3 9·0 9·8 9·5 9·5 11·0 12·4 10·7 11·4 11·1 11·3 13·4 11·7 11·1 12·2	June " September "	22·6 21·8	22·5 21·6	23·0 21·0	23·2 23·1	23·0 23·0	22·8 22·2	23·1 22·4	21·1 21·5	21·3 20·5	20·4 19·3	18.4
March Qtr. 19-1 13-4 15-8 14-0 15-4 15-3 12-2 14-7 15-8 13-1 15-6 10-9 10-9 10-9 10-9 10-9 10-9 10-9 10-9				D	EATHS (excluding	stillbirth	s): ALL	AGES			
March Qtr. 19·1 13·4 15·8 14·0 15·4 15·3 12·2 14·7 15·8 13·1 15·6 June "	Year	12.5	11.3	11.4	11.3	11.7	11.7	11.5	11.7	11.6	11.5	
TINFANT MORTALITY (deaths of infants under 1 year of age) Year 29·7 27·6 26·8 25·4 24·9 23·7 23·1 22·6 22·2 21·9 March Qtr. 38·4 33·6 34·0 31·0 29·2 28·6 25·2 25·4 25·1 23·2 24·1 June "28·6 25·1 25·2 24·7 24·4 22·9 22·3 21·5 20·7 20·8 20·4 September "23·4 22·8 22·2 21·0 21·6 20·1 21·5 20·2 19·4 19·5 18·1 December "28·5 29·0 26·2 25·1 24·5 23·7 24·8 22·9 23·6 24·1 NEONATAL MORTALITY (deaths of infants under 4 weeks of age) Year "18·8 18·3 17·7 17·7 17·3 16·8 16·5 16·2 15·8 15·6 March Qtr. 21·1 20·0 19·7 19·7 18·5 18·2 16·8 16·4 16·4 15·9 15·8 September "18·6 17·4 17·5 17·6 17·3 16·5 16·2 15·8 14·9 15·0 September "19·0 19·1 17·2 17·6 16·7 17·3 17·2 16·6 16·7 16·4 PERINATAL MORTALITY (stillbirths and deaths of infants under 1 week of age) Year "39·5 38·7 38·1 39·2 37·7 37·9 36·1 34·8 35·0 33·0 32·2 March Qtr. 39·5 38·7 38·1 39·2 37·7 37·9 36·1 34·8 35·0 33·1 31·4 September "37·6 37·6 37·7 37·7 37·3 36·4 36·2 34·4 34·3 33·1 31·4 September "37·6 37·7 37·7 37·3 36·4 36·2 34·4 34·3 33·1 31·4 September "37·5 35·7 34·7 36·6 37·2 35·4 36·0 35·0 33·1 32·2 (c)	March Qtr. June ,, September ,,	11·1 9·1	10·6 8·9	10·4 8·9	10·6 9·3	11·2 9·1	10·8 9·3	10.6	11·0 9·3	10·6 9·0	10·9 9·8	10.9
March Qtr. June					(deat	INFAN	T MORT	TALITY 1 year of	age)			
Vear 18.8 18.3 17.7 17.7 17.3 16.8 16.5 16.2 15.8 15.6	Year	29 · 7	27.6	26.8	25 · 4	24.9	23.7	23 · 1	22.6	22.2	21.9	
Year 18.8 18.3 17.7 17.7 17.3 16.8 16.5 16.2 15.8 15.6	June September	28·6 23·4	25·1 22·8	25·2 22·2	24·7 21·0	24·4 21·6	22·9 20·1	22·3 21·5	21·5 20·2	20·7 19·4	20·8 19·5	20.4
Year 18·8 18·3 17·7 17·7 17·3 16·8 16·5 16·2 15·8 15·6 March Qtr. June 21·1 20·0 19·7 19·7 18·5 18·2 16·8 16·4 16·4 15·9 15·8 June " 18·6 17·4 17·5 17·6 17·3 16·5 16·2 15·9 15·3 15·1 15·1 September " 16·6 16·9 16·2 16·0 16·6 15·4 16·1 15·8 14·9 15·0 (c) PERINATAL MORTALITY (stillbirths and deaths of infants under 1 week of age) The property of the proper												
March Qtr. June "16.6 17.4 17.5 17.6 17.3 16.5 16.2 15.9 15.3 15.1 15.1 September "19.0 19.1 17.2 17.6 16.7 17.3 17.2 16.6 16.7 16.4 16.4 15.9 15.0 (c) PERINATAL MORTALITY (stillbirths and deaths of infants under 1 week of age) Year 38.1 37.5 37.0 38.1 37.6 36.8 37.5 37.7 37.9 36.1 34.8 35.0 33.0 32.2 June "37.6 36.8 37.5 37.7 37.3 36.4 36.2 34.4 34.3 33.1 31.4 September "35.5 35.7 34.7 36.6 37.2 35.4 36.0 35.0 33.1 32.2 (c)	Vaan	10.0	19.2	17.7	(15.8	15.6	1
Natch												15.8
(stillbirths and deaths of infants under 1 week of age) Year 38·1 37·5 37·0 38·1 37·6 36·8 36·2 35·1 34·2 32·9 March Qtr. June 39·5 38·7 38·1 39·2 37·7 37·9 36·1 34·8 35·0 33·0 32·2 June 37·6 36·8 37·5 37·7 37·3 36·4 36·2 34·4 34·3 33·1 31·4 September 35·5 35·7 34·7 36·6 37·2 35·4 36·0 35·0 33·1 32·2 (c)	June September	18·6 16·6	17·4 16·9	17·5 16·2	17·6 16·0	17·3 16·6	16·5 15·4	16·2 16·1	15.9 15.8	15·3 14·9	15·1 15·0	15.1
March Qtr. 39·5 38·7 38·1 39·2 37·7 37·9 36·1 34·8 35·0 33·0 32·2 June 37·6 36·8 37·5 37·7 37·3 36·4 36·2 34·4 34·3 33·1 31·4 September 35·5 35·7 34·7 36·6 37·2 35·4 36·0 35·0 33·1 32·2 (c)				(s	tillbirths a	PERINATind deaths	TAL MO	RTALITY ts under 1	week of a	ige)		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Year	38 · 1	37.5	37.0	38.1	37.6	36.8	36.2	35.1	34.2	32.9	
	March Qtr. June September	37·6 35·5	36·8 35·7	37·5 34·7	37·7 36·6	37·3 37·2	36·4 35·4	36·2 36·0	34·4 35·0	34·3 33·1	33·1 32·2	31.4

^{*}Based on related live births up to and including the September quarter 1957. Rates for subsequent periods (including the year 1957) are based on the live births of the period.

⁽a) Provisional.

⁽b) Population estimates for 1951, 1952 and 1953 have been revised in the light of final data from the 1951 Census, and rates shown for these years may therefore vary slightly from those shown in previous versions of this table.

⁽c) Not yet available.

TABLE III

Populations, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) in the second quarter 1961 and, where available, third quarter 1961

London A.C. and certain cities abroad

or				Rate 1,000	e per living]	Death	s from	_1	,		1 year Births
POPULATION (enumerated estimated)	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths)	Live Births	Deaths (excluding Still- births)	Typhoid and paratyphoid fevers	Smallpox	Whooping	Diphtheria	Tuberculosis (all forms)	Influenza	Acute poliomyelitis	Enteritis and diarrhoea (under 2 yrs.)	Deaths under per 1,000 Live
			Secon	d Quai	rter 19									
3,194,480	17,564	328	9,781	22 · 1	12.3		_	-	_	62	2	1	5	23
428,832 4,185,000 2,934,000 218,898	2,474 26,928 14,581 1,184	27 1,045 599 16	1,054 10,380 7,954 603	23·1 25·7 19·9 21·6	9·8 9·9 10·8 11·0	† 37 89 †	† 595 25 †	† 4 2 †	† 29 57 †	† 753 555 †	† 6 2 †	† 7 10 †	† 354 425 †	23 95 127 18
794,336 730,200 404,738 472,100	3,252 2,992 † 2,000	43 45 † 20	2,167 1,960 868 1,110	16·4 16·4 † 16·9	10·9 10·8 8·6 9·4	- - †	1 - +	1 - †	- - †	24 12 5 †	1 4 - †	- 1 - †	2 † - †	33 28 †
478,000 2,167,078 808,022 243,749 444,930	1,783 11,351 2,738 1,488 1,601	24 180 28 21 24	1,272 4,177 1,964 556 964	15·0 21·0 13·6 24·4 14·4	10·7 7·7 9·7 9·1 8·7	- 1 - †	- + -	- 1 †	- 1 + 2	6 106 14 † 13	- - †	4 - † 1	†5 - †	17 † 14 31 17
			Thi	rd Qu	arter 1	961								
3,194,480 428,832 4,185,000 2,934,000 218,898	17,645 2,536 30,091 19,089 1,255	285 39 1,232 703 27	8,871 1,206 9,790 8,144 705	21.9 23.7 28.8 26.0 22.9	11.0 11.2 9.4 11.1 12.9	- † 25 96 †	- † 28 9 †	1 † 4 2 †	- † 33 203 †	56 † 737 509 †	3 † 7 8 †	- † 16 9 †	8 † 426 405 †	24 22 90 112 26
730,200 404,738 478,000 808,022 243,749	2,920 † 1,575 2,489 1,493	43 † 41 19 26	1,891 840 1,141 1,912 632	15.9 † 13.1 12.3 24.5	10.3 8.2 9.5 9.5 10.4	_ _ 1	- - +	1 +	+	14 7 4 20 †		†	† † †	28 † 14 18 27
	3,194,480 428,832 4,185,000 2,934,000 218,898 794,336 730,200 404,738 472,100 478,000 2,167,078 808,022 243,749 444,930 3,194,480 428,832 4,185,000 2,934,000 218,898 730,200 404,738 478,000 808,022	3,194,480 17,564 428,832 2,474 4,185,000 26,928 2,934,000 14,581 218,898 1,184 794,336 3,252 730,200 2,992 404,738 472,100 2,000 478,000 1,783 2,167,078 11,351 808,022 2,738 243,749 1,488 444,930 1,601 3,194,480 17,645 428,832 2,738 4185,000 2,934,000 2,934,000 19,089 218,898 1,255 730,200 2,920 404,738 478,000 1,575 808,022 2,489	3,194,480	Secon Seco	1,000 1,00	Second Quarter 19 Seco	Second Quarter 1961 Second Quarter 1961	Second Quarter 1961 Second Quarter 1961	1,000 living 1,000 living 1,000 living 1,000 living 2,000 2,920 43 1,898 1,255 2,7 730,200 2,934,000 1,000 2,920 43 1,891 1,59 10,38 1,255 2,218,898 1,255 2,218,898 1,255 2,218,998 1,601 24 964 14.44 8.7	Second Quarter 1961 Second Quarter 1961 Live Still-births Live Still-births Still-	1,000 1/10	Second Quarter 1961 Second Quarter 1961	Second Quarter 1961 Second Quarter 1961	Third Quarter 1961 Third Q

† Figures not available

Notifications of certain infectious diseases in the quarter ended 30th September 1961

A TITAL

England and Wales, counties (distinguishing aggregates of municipal boroughs and urban districts, and rural districts), county boroughs, London A.C., City of London, metropolitan boroughs and port health districts Note: Total original and corrected notifications are distinguished for England and Wales as a whole. Otherwise the figures refer to corrected notifications only.

(See General Notes on page 3)

Sis	Отрес	8-46 06628 506465 48 -10 47 -11	
Tuberculosis	Meninges and C.N.S.		
T	Respiratory	288 117 22 20 128 30 129 4 422 118 20 118 32 20 118 32 118 119 119 119 119 119 119 119 119 119	
8u	Food poisoni	1 4 % & 21 - 1 & 4 & 2 & 2 & 2 & 2 2	
olio- nyelitis	TADIL		
fcute.		1 1	
	Dysentery	98.4. 21 89 88. 212. 1-1 8. 1-11.	
nia fluenzal)	Acute pneumo ani 10 y'mi19)	E1-01 80E0 824-800 100 884-21 80 50E	
ever	Paratyphoid f		
1	Typhoid feve		
	Diphtheria		
	Scarlet fever	12 8 7 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
		Cumberland Carlisle C.B. Total M.Bs. & U.Ds. Total M.B. & U.Ds. Total M.B. & U.Ds. Total M.B. & U.Ds. Total C.B. Exeter C.B. Plymouth C.B. Total M.Bs. & U.Ds.	
sis	Other	619 E 4EL 4 22 0 4 2 1 1 4 9 8 4 2 8 2 1 1 1	
Tuberculosis	Meninges and C.N.S.	23	
Tu	Respiratory	4,636 4,	
สิน	Food poisoni	Original notifications 1,151 238 72 3,779 Corrected Notifications 3,452 211 50 2,115 1 1 6 1 1 1 26 1 1 1 26 1 1 1 2 3 1 1 2 3 1 1 2 3 1 1 2 3 4 1 3 3 4 1 4 4 1 2 2 2 2 2 2 2 5 1 4 4 1 2 2 2 2 2 2 2 2 2 2 2 3 3 1 4 1 2 2 2 2 2 2 2 3 3 4 4 4 4 4 4 4 4 4 4 5 1 7 2 6 1 2 2 5 1 <	
olio- nyelitis		otifica 72 72 72 50	
rente		238 238 211 211 1 1 1 1 1 1 1 1 2 2 2 2 2 2 2	
	Dysentery	Original notifications 4,151 238 72 3,779 Corrected Notifications 3,452 211 50 2,115 1 1 6 1 1 1 26 1 1 1 2 8 1 1 2 8 1 1 2 8 1 1 2 8 1 1 2 3 6 - - 1 6 - - 1 6 - - 1 1 1 2 3 1 1 1 2 5 - 1 1 1 1 1 4 1 1 1 4 1 1 1 4 1 1 1 4 1 1 1 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 <t< th=""><th></th></t<>	
sinc ([sznəuf	Acute pneumo (prim'y or in	1,572 1,532	
ever	Paratyphoid fo	50 44 44 11 11 11 11 11 11 11 11 11 11 11	
	Typhoid fever	33 36	
	Diphtheria	9	
	Scarlet fever	3,012 2,985 1,12 1,12 1,13 1,14 1,15	
		England and Wales England and Wales Bedfordshire Total M.Bs. & U.Ds. Total R.Ds Cambridgeshire Cambridge M.B Cheskire Cheskire Cheskire Cheskire Cheskire Total R.Ds Stockport C.B Total M.Bs. & U.Ds.	

Other

osis							1 1	91	1	1
Tuberculosis	Meninges and C.N.S.	[8]		0110	and had			4		
Tu	Respiratory	110 93 17 20 20 20 20 20 20	25 163 22	150		90-	22.1 13.8 13.8 13.8	522	40040	12
	Food poisoning	1 4 4 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	30	60 94	∞ ∞		15 2 2 4 1 1 0 1 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1	318	188	21
sitile		124	111191					4		
1	Paralytic Acu	10 1 10 10 10 10 10 10 10 10 10 10 10 10	76-17-7		111			10	11111	11
	Dysentery	22,887.4	268322 1 45	91 2		- -	25 1 1 2 5 7 4 5 6 7 4 5 6 7 4 5 6 7 4 6 7 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9	452	22112	10
s enzal)	Acute pneumoni (prim'y or influ	- 245 - 26 v	012 40	5000	r.w4	4 W =	2 201	99	w == w	~ €
Te	Paratyphoid fevo		1 -				0 0	0		
	Typhoid fever					111	7	71	1111	
	Diphtheria							w		
	Scarlet fever	12882	34624	73	∞44	F00	284 134 134 134 134 134 134 134 134 134 13	208	9250-	25
		-cont.		Ds	D.:		Ds.	: :	:::::	::
		C.B. C.B. C.B. C.B. C.B. C.B. C.B. C.B.	C.B. 1 C.B.	Shire B & U	arts of (d)	en) en) ex U	y) B 8 & U	NDON TAN	y	
		Lancashire—C Bury C.B Liverpool C.B. Manchester C.B. Oldham C.B Preston C.B Rochdale C.B	Salford C.B Southport C.B. Warrington C.B. Wigan C.B Total M.Bs. & U. Total R.Ds	Leicestershire sicester C.B vtal M.B. & U	Lincs. (Parts of Holland) otal M.B. & U.L otal R.Ds	Lincs. (Parts of Kesteven) otal M.Bs. & U.I otal R.Ds Lincs. (Parts of	Lindsey) C.Bs. Sby C.B. Sln C.B. M.Bs. &	London A.C. TY OF LONDC ETROPOLITAN	Boroughs ttersea rmondsey tthnal Gree imberwell	ord
		Lancash Bury C.B. Liverpool Manchest Oldham Preston C Rochdale St. Helens	Salford C.B. Southport C. Warrington C.B. Wigan C.B. Total M.Bs. Total R.Ds.	Leicestershire Total M.B. & U.Ds. Total R.Ds	Lincs. (Parts of Holland) Total M.B. & U.D. Total R.Ds	Lincs, (Parts of Kesteven) Total M.Bs. & U.Ds. Total R.Ds Lincs, (Parts of	Lindsey) Total C.Bs Grimsby C.B Lincoln C.B Tctal M.Bs. & U	London A.C. CITY OF LONDON METROPOLITAN	Boroughs Battersea Bermondsey Bethnal Green Camberwell Chelsea	Deptford Finsbury
v)	Other	33 34 118	4601 -	17	9 2	111 7 7 7	477 ×	3 4 5	1 2 a 23	E
Tuberculosis	Meninges and C.N.S.		999		-	-	111 2	-m	∞ 4	
Tube	Respiratory	184 45 18 113 17	36 14 15	99 99 99 99	230 21 4	1 1 20 20 20 20 20 20 20 20 20 20 20 20 20	145	37 37	362	14
	Food poisoning		<u></u>				*		4,61,	
		10 10	271 70 10 88	255	· · · · · · · · · · · · · · · · · · ·	13 4 2				26
	iloq				-					
əjt	Paralytic Act	-		7		1 1 1			67	40
	Dysentery	101 00 8 1 8 8 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	3362	52874	224 0	9 21 25 8	104	13 90	385	1 1
ia enzal)	Acute pneumoni	83528 39228 39228	177 177 179 199 199 199 199 199 199 199	20400	7000	9 411 c	4 4 4 36	27	256	00m;
er	Paratyphoid fev				-	-			-	
	Typhoid fever	77 174							w- -	-
	Diphtheria									
	Scarlet fever	197 197 111 121 121	242	28 23 38		74 948	78	22	263	23
		a	e			J.Ds.	re Ds.	.Ds.	· · · · · · · · · · · · · · · · · · ·	
		C.B. On-Sec C.B. C.B.	s. & U. s. & U. s. & U. s.	ire h C.B.	S. & U.	S. & L Shire S. & U	lonshi s. & U	. & C.B.	Furne C.B.	
		Essex East Ham C.B	Gloucestershire Total C.Bs Bristol C.B Gloucester C.B Total M.Bs. & U.Ds. Total R.Ds	Hampshire Total C.Bs Bournemouth C.B. Portsmouth C.B.	outnampton Cotal M.Bs. & Uotal R.Ds Herefordshire	Total M.Bs. & U.Ds. Total R.Ds Hertfordshire Total M.Bs. & U.Ds. Total R.Ds	Huntingdonshire Total M.Bs. & U.Ds. Total R.Ds	M.Bs R.Ds	Lancashire Total C.Bs Barrow.in-Furness C.B Blackbourn C.B	e C. I
		Essex ' Total C.Bs East Ham C.B. Southend-on-Se C.B West Ham C.B. Total M.Bs. & U	Global Total Global Total Total	Ha Total Bour Ports	Southampton C.B Total M.Bs. & U.Ds. Total R.Ds	Total Total Total	Hunti Total M Total R Kent	Canterbury C.B Total M.Bs. & U.Ds. Total R.Ds	Total Barro C.E Black Black	Bootle C.B. Burnley C.B.
		1								

グーーで	30.	ww40	110	Ø87−	w0-	00 00 00 00 00 00 00 00 00 00 00 00 00	00- -		7,000	n	yeard speed	r-w4
	21		quared whereigh						22			111
56 27 22 22	229	4 17 17 20 20	100	26	040	186 46 130 10	200	8 27 6	253 218 26 192 186	× 4 4	44	202
	81	15 28	186	0400	7-19	38 8 9 4	288	7- 082	50 25 16 55	4	46	040
1111	4-		m			- -						
	∞40		<u> </u>						444		2 2	23.5.8
01 02 % %	203	1-4-1	1 118 23			73			127 1119 97 222			
12222	77 39	1641	10,80	r=04	4.0-	22 - 24	100	-0 m m	04×1			m-0
	N 4	- 2 -			_	4 4	88 8		1 200			
			·	-								
882288	110	2533	0649	rww-	22.6	98 37 58	32 16 15	10 6	164 130 110 20 26	∞ ⊣ ⊣	nn	13 6
 7.Ds.			ston C.B. & U.Ds.	J.Ds.	J.Ds.	U.Ds.		U.Ds. U.Ds.	B	U.Ds.	C.D.S.	& U.Ds.
st 88. 0.0 38. 8. U	dshire	C.B	umpton Bs. & U	East Bs. & U	r, West Bs. & U	C.B Bs. & U	East Bs.: I C.B.:: The C.B.: C.B.::	Ds. & l C, West Bs. & l Ds	Warwickshire otal C.Bs rmingham C.J oventry C.B. otal M.Bs. & U	westmorland wal R.Ds Westmorland otal M.Bs. & latal R.Ds	Bs. & /ight R	Bs. & Ds.
Somerset Bath C.B. Total M.Bs. 7	Staffordshire Total C.Bs	Burton upon Trent C.B Smethwick C.B Stoke on Trent C.B Walsall C.B	Wolverhampton C.B. Total M.Bs. & U.Ds. Total R.Ds	Suffolk, East Ipswich C.B Total M.Bs. & U.I	Suffolk, West Total M.Bs. & U.J.	Surrey Croydon C.B Total M.Bs. & U. Total R.Ds.	Sussex, East Total C.Bs Brighton C.B Eastbourne C.B. Hastings C.B	Total M.Bs. & U.I. Total R.Ds Sussex, West Total M.Bs. & U.I. Total R.Ds	Warwickshire Total C.Bs Birmingham C.B. Coventry C.B. Total M.Bs. & U	Total R.Ds Westmorland Total M.Bs. & U. Total R.Ds	Wight, Isle of Total M.Bs. & U.Ds. Isle of Wight R.D.	Wiltshire Total M.Bs. Total R.Ds.
Da To	ToT	B. S.	¥≱ĕĕ ———	AHE	Ă ĂĂ	OFF	НМШ	Feet Feet Feet Feet	FROF		FA	FF
1440 10	~ ni ~											
	322	4 - 0	on−v	10, %	0, 6	1 - 2	23	10 10 12 1	3666	- -		
	2-1	4 1 0	=		1 3	- 0	1 1 23		115	- -		
	01-		26 3 111 1 37 5					' -	78 15 338 6 527 6 13 3	21	99	
	36 29 1 28	33.999	256 111 37	116	0 -			37 44 44 44 11 11 11 11 11 11 11 11 11 11			9 9 1	
252-1188.25	36 29 1 28	33.999	256 111 37	2 17	57 1 14 —	277	6 28 3 174 1 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	29 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	23788	1 12 21 — — — — — — — — — — — — — — — —	991	
13 2 3 13 13 13 13 13 13 13 13 13 13 13 13 1	2 - 20 36 2 - 7 29 1 - 19 28 -	252 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20		10 16 2 17	1	11 3 - 47 11 3 - 5 16 - 1		2 - 2 47 2 - 2 47 1 - 1 10 - 1 1 - 18 44 1 - 1 10 - 1	1 1 27 78 10 38 3 13	1 12 21 — — — — — — — — — — — — — — — —	991	
113 25 1 1 1 1 2 2 2 2 3 1 1 3 4 5 6 1 1 1 2 2 5 1 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3	2 - 20 36 2 - 7 29 1 - 19 28 -	252 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	18 26 — 3 111 — 31 37 1	10 16 2 17	1 77 220 5 - 92 57 1 - 58 14 -	50 — 11 3 — 25 27 1	2	6 1 - 9 47 - 1 13 1 - 18 37 - 1 10 -	144 1 1 27 78 38 1 1 10 38 78 1 14 27 28 3 13	18 1 12 21		
13 2 3 13 13 13 13 13 13 13 13 13 13 13 13 1	16 2 - 20 36 2 26 - 7 29 1 31 1 19 28 -	111 25 29 64 1 1 1 3 3 6 64 1 1 1 1 25 1 1 1 1 1 1 1 1 1 1 1 1 1 1		6 1 4 10 16 2 17 17 17 17 17 17 17 17 17 17 17 17 17 17 17 17	30 81 1 - 92 57 1 5 56 - 58 14 -	11 3 - 47 11 3 - 5 16 - 1	2 2 2 2 2 2 3 14 14 100 1 1 100 1 1 1 1 1 1 1 1 1 1 1	2 - 2 47 2 - 2 47 1 - 1 10 - 1 1 - 18 44 1 - 1 10 - 1	144 1 1 27 78 38 1 1 10 38 78 1 14 27 28 3 13	1 12 21 — — — — — — — — — — — — — — — —	11	
8	2 16 2 — 20 36 2 5 26 — 7 29 1 1 19 28 —	111 25 29 64 1 1 1 3 3 6 64 1 1 1 1 25 1 1 1 1 1 1 1 1 1 1 1 1 1 1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	6 1 1 10 16 17 17 17 17 17 17 17 17 17 17 17 17 17	74 4 1 77 220 5 81 1 92 57 1 56 - - 58 14 -	50 — 11 3 — 25 27 1	2	6 1 - 9 47 - 1 13 1 - 18 37 - 1 10 -	144 1 1 27 78 38 1 1 10 38 78 1 14 27 28 3 13	18 1 12 21		
7 6 — — — — — — — — — — — — — — — — — —	2 16 2 — 20 36 2 5 26 — 7 29 1 1 19 28 —	111 25 29 64 1 1 1 3 3 6 64 1 1 1 1 25 1 1 1 1 1 1 1 1 1 1 1 1 1 1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	6 1 1 10 16 17 17 17 17 17 17 17 17 17 17 17 17 17	2 41 74 4 1 77 220 5 - 30 81 1 - 92 57 1 - 5 56 - 58 14 -	50 — 11 3 — 25 27 1	2	1 7 6 1 8 37	144 1 1 27 78 38 1 1 10 38 78 1 14 27 28 3 13	18 1 12 21		
7 6 — — — — — — — — — — — — — — — — — —		1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	6 1 6 10 16 2 17	2 41 74 4 1 77 220 5 - 30 81 1 - 92 57 1 - 5 56 - 58 14 -	50 — 11 3 — 25 27 1		1 7 6 1 8 37		18 1 12 21		
16 — </th <th>2 16 2 2 36 2 1 14 — 1 — 5 26 — 7 29 1 13 — 1 19 28 —</th> <th> 1</th> <th>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</th> <th> 83 10 10 10 10 10 10 17 1</th> <th>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</th> <th>$\begin{array}{c ccccccccccccccccccccccccccccccccccc$</th> <th>32 18 4 6 28 100 1 - 100</th> <th> 7 - 1 1 7 6 2 - 9 47 7 - 1 1 7 6 1 - 8 37 Ds. 5 - 1 - 8 13 1 - 18 444 1</th> <th> 50 — 1 — 17 144 1 17 78 — </th> <th>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</th> <th>27</th> <th>: :::</th>	2 16 2 2 36 2 1 14 — 1 — 5 26 — 7 29 1 13 — 1 19 28 —	1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	83 10 10 10 10 10 10 17 1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	32 18 4 6 28 100 1 - 100	7 - 1 1 7 6 2 - 9 47 7 - 1 1 7 6 1 - 8 37 Ds. 5 - 1 - 8 13 1 - 18 444 1	50 — 1 — 17 144 1 17 78 —	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	27	: :::
iith 3 - 1 1 7 6 - 13 25 - 13 18 18 18 18 - 11 1 1 2 16 - 2 13 18 18 18 - 11 1 1 1 1 1 1 1 1 1 1 1 1 1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10 10 10 10 10 10 10 10 10 10 10 10 10 1	9 — — 11 113 — 7 15 — 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8	& U.Ds. 109 — 5 2 41 74 4 1 77 220 5 5 5 5 5 6 — 58 14 — 58 14 — 58	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	32 18 4 6 28 100 1 - 100	7 - 1 1 7 6 2 - 9 47 7 - 1 1 7 6 1 - 8 37 Ds. 5 - 1 - 8 13 1 - 18 444 1	50 — 1 — 17 144 1 17 78 —	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	27	: :::
16 — 1 1 7 6 — 13 25 — 13 25 — 13 25 — 13 25 — 14 2 16 — 18 18 — 18 18 — 18 18 — 29 — 1 1 4 4 42 1 1 — 32 45 — 20 — 20 — 10 — 20 — 20 — 20 — 20 — 20	on 5 2 16 2 - 20 36 2	10	9 — — 11 113 — 7 15 — 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	83 10 10 10 10 10 10 17 1	.Ds. $109 - 5 2 41 74 4 1 77 220 5$ $66 - 6 - 30 81 1 - 92 57 1$ $18 - 55 - 6 - 58 14 - 6$	- - 1 6 - - 11 3 - - 4 50 - - 47 11 - - 1 5 - - 47 11 - - 1 5 - - - - - - 24 20 1 - - - - 29 27 1	32 18 4 6 28 100 1 - 100	id 14 — 1 1 1 7 6 2 — 2 47 — 7 — 1 1 1 7 6 1 — 8 37 — 7 — 1 1 1 0 — 1 1 1 1 1 1 1 1 1 1 1 1 1 1	50 — 1 — 17 144 1 17 78 —	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		

Sis	Other	1 1 0014 4 w 1 1 1 000 1 w w) = 0 + = 0 = =	1
Tuberculosis	Meninges and C.N.S.			-
To	Respiratory	2 2 EE 0 201 24 4 4 5 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	000 8000 01-1 904 mm	the second
	Food poisoning		1 \$5%	}
-oi eiitis				1
otu	Paralytic Ac		- - 4-\overline	
	Dysentery	1		· · · · ·
ia (laznai)	Acute pneumon. (prim'y or influ			4
.er.	Paratyphoid fev			-
	Diphtheria Typhoid fever			
	Scarlet fever		122 1 1 2 2 2 2 2 2 2	-
				1
		Cardiganshire Total M.Bs. & U.Ds. Total R.Ds. Flintshire Total R.Ds. Glamorganshire Total R.Ds. Gardiff C.B. Cardiff C.B. Merthyr Tydfil C.B. Swansea C.B. Total M.Bs. & U.Ds. Total M.Bs. & U.Ds.	Monmouthshire Newport C.B Total M.Bs. & U.Ds.	ealth
Sis	Other	4 12- 0 12-10 12	0 4 2 4 2 6	-
Tuberculosis	Meninges and C.N.S.		- - 2	111,
Tu	Respiratory	62 113 128 133 135 135 136 137 137 137 137 137 137 137 137 137 137	1-2/2/24-864 4-16 22	16
	Food poisoning	71 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 7 1 2 2 2 3	116
-oi eitifə				
ətu		2	0	111
	Dysentery	7 827	2079-174 E	==
ia (laznal)	Acute pneumon (prim'y or influ	38 111 100 100 200 100 100 100 100 100 100	1 1 8 8 8 1 1 1 1 1	4 € =
19.	Paratyphoid fev	1		
	Typhoid fever		- - \omega	
	Diphtheria			
	Scarlet fever	24 2 2 4 4 1 1 1 1 1 1 2 2 2 2 4 1 2 2 2 2	010 100 100 100 100 100 100 100	w=0
		Worcestershire Total C.Bs. Dudley C.B. Worcester C.B. Total M.Bs. & U.Ds. Total M.Bs. & U.Ds. Kingston-upon-Hull C.B. Total M.Bs. & U.Ds.	Dewsbury C.B. Doncaster C.B. Halifax C.B. Leeds C.B. Rotherham C.B. Sheffield C.B. Vork C.B. Total M.Bs. & U.Ds. Total M.B. & U.Ds. Total M.B. & U.Ds. Total M.B. & U.Ds. Total M.B. & U.Ds.	Caernarvonshire Total M.Bs. & U.Ds. Total R.Ds

Original notifications of Meningococcal infection numbered 211, Whooping cough 4,284, corrected notifications were Meningococcal infection 116, Whooping cough 4,268 and Measles 76,492 s follows: and Measles 76,547. distributed by counties

	Meningo- coccal infection	Whooping	Measles		Meningo- coccal infection	Whooping	Measles		Meningo- coccal infection	Whooping	Measles
ordshire thire inghamshire bridgeshire hire wall berland lyshire ham lsle of cestershire pshire fordshire tingdonshire ashire estershire s. (Holland)	1 1 2 - 11 1 2 3 1 - - - 5 15 1	35 26 22 96 149 99 33 65 145 54 196 13 194 154 123 30 84 14 191 355 45	187 1,048 625 733 1,297 1,962 544 943 3,449 1,885 1,810 82 2,452 3,344 1,987 219 925 17 2,219 5,648 1,674 202	Lincs. (Kesteven) Lincs. (Lindsey) London A.C. Middlesex Norfolk Northamptonshire Northumberland Nottinghamshire Oxfordshire Peterboro', Soke of Rutland Shropshire Somerset Staffordshire Suffolk, East Suffolk, West Surrey Sussex, East] Sussex, West Warwickshire Westmorland Wight, Isle of	1 - 13 5 2 - 3 1 5 1 1 1 1 1 - 5	35 42 220 84 75 13 49 30 2 11 35 147 103 31 54 95 89 39 180 3 3	445 1,588 1,601 1,250 1,223 929 1,272 824 359 13 31 1,356 3,645 2,860 610 224 3,007 1,240 1,150 1,643 26 183	Wiltshire	2415111111	20 42 55 54 377 - 3 17 1 15 13 5 53 - 33 17 9 -	2,060 1,335 411 2,036 6,425 63 95 651 241 123 231 72 1,456 240 1,600 277 412 33

Other diseases notified:—Ophthalmia neonatorum: Original 249, Corrected 245. Acute encephalitis, Infective: Original 35, Corrected 30. Acute encephalitis, Post infectious: Original 23, Corrected 27. Erysipelas: Original 481, Corrected 481. Puerperal pyrexia: Original 2,130, Corrected 2,131. No cases of Cholera, Plague, Smallpox or Typhus fever were notified. *Uncorrected figures for 13 weeks ended 30th Sept., 1961 not included in totals for England and Wales.

TABLE IV (a)

Corrected notifications of certain infectious diseases in the quarter ended 30th June 1961, analysed by sex and age England and Wales

(See General Notes on page 3)

	Dyse	entery		rlet ver		oping ugh	Dipht	theria	Mea	as les	Menir cocc infect	al	Acı Paral		iomyelit Non-par	
ge-group	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	М.	F.	M.	F.	M.	F.
Ages	2,534 129 218 265 213 219 628 239 129 473 21	2,700 115 197 229 180 156 532 219 263 784 25	2,650 15 50 167 246 330 1,349 302 141 43 7	2,666 13 54 165 241 330 1,379 328 108 44 4	3,460 369 369 377 362 380 1,289 225 30 41 18	3,710 343 347 413 416 405 1,376 244 50 92 24	10 1 5 1 2 1	5 - 1 1 2 1	162,564 5,604 16,938 21,690 22,801 22,874 66,019 4,493 1,081 588 476	157,404 5,720 15,836 21,177 22,374 21,652 63,429 4,798 1,217 718 483	14 2 4	66 9 4 5 6 4 12 9 8 9	65 3 10 7 5 3 14 1 5 17	55 5 4 9 11 6 9 4 2 5	10 	11 - 2 1 1 4 - 1 2

Age-group	Typhoic	i fever	Paraty fev		Erysi	pelas	Infec		Post-inf		1	cute monia	1 .	ood soning
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Ages and over known	14 4 8 2 —	3 - 1 1 1	56 10 19 17 7 3	71 10 21 32 5 2	231 4 8 32 128 56 3	325 5 9 67 145 93 6	9 4 2 1 2	11 3 3 5 —	24 8 13 2 — 1	26 9 9 6 2 —	1,658 263 235 352 496 304 8	1,266 197 201 253 267 333 15	1,403 143 580 486 118 46 30	1,022 137 344 340 120 58 23

			Tuberculo	sis		
Age-group	Respi	ratory	Menin and C		Oth	er
	M.	F.	M.	F.	M.	F.
All Ages 0—	3,385 98 134 417 1,019 1,261 447 9	1,915 88 169 425 719 357 151 6	25 2 8 2 12 1 —	30 6 9 9 4 2 —	328 17 53 54 128 60 15	401 11 25 70 177 69 47 2

TABLE V

Infant mortality: rates by quarters and each completed year, 1958 to 1961

England and Wales and various other countries

(Deaths under 1 year per 1,000 live births)

Country	1958	1959	1960	1958		19	59			19	60			1961	
Country	1930	1939	1900	Dec.	Mar.	June	Sept.	Dec.	Mar.	June	Sept.	Dec.	Mar.	June	Sept.
England and Wales Wales Scotland N. Ireland Irish Republic	23 27 28 28 35	22 26 28 28 32	22 25 27 27 30	23 27 27 29 32	25 28 33 33 37	21 25 26 26 35	19 25 25 26 25	24 28 29 29 30	23 26 29 28 35	21 25 26 26 27	20 23 24 22 26	24 27 27 30 30	24 26 30 35 35	20 19 25 26 29	18 21 23 †
Australia Canada Chile Denmark France	20 30 127 22 32	22 28 120 22 30	20 27 127 22 27	21 31 124 21 30	22 32 143 22 35	20 26 106 23 30	23 26 103 19 26	21 29 126 25 27	21 30 158 23 31	18 26 127 21 28	22 23 105 18 24	19 30 120 24 27	18 † 134 24 30	† 101 19 26	+
Italy Netherlands New Zealand Sweden U.S.A	48 17 19 16 27	45 17 20 17 26	44 17 20 16 26	46 18 17 17 28	49 20 20 16 28	44 16 19 16 26	44 16 22 15 24	43 16 19 18 27	43 18 17 17 27	46 17 20 17 26	42 15 24 14 23	45 17 18 17 27	44 17 16 16 27	39 15 20 15 25	† † † 23

[†] Figures not yet available.

TABLE VI

Deaths by cause and sex in 1959 and 1960, and in the last nine available quarters, classified according to the International Abbreviated List (7th Revision, 1955), with certain sub-divisions

England and Wales

	1050	10(0)		1959			196	50†		196	1 †
Causes of Death	1959	1960†	June	Sept.	Dec.	March	June	Sept.	Dec.	March	June
ALL CAUSES $\left\{ {\mathop{_{F}}^{M}} \right\}$	269,878 257,773	269,172 257,096	61,404 58,768	52,918 50,479	65,305 61,897	76,121 72,916	63,324 61,014	57,799 54,678	71,928 68,488	90,008 87,032	63,673
Deaths from non-violent causes Tuberculosis of respiratory system (001-008) Tuberculosis of meninges and C.N.S. (010) Tuberculosis, other forms (011-019) Syphilis and its sequelae (020-029) Typhoid fever (040) Paratyphoid fever (041) Cholera (043) Scarlet fever (050) Streptococcal sore throat (051) Diphtheria (055) Whooping cough (056) Meningococcal infections (057) Plague (058) Acute poliomyelitis (080) Acute infectious encephalitis (082) Smallpox (084) Measles (085) Malaria (110-117) Other diseases classified	248,394 2,620 854 50 37 140 153 627 331 2 1 12 8 15 11 12 8 11 14 97 62 41 25 555 53 49 49 1 2	255,669 247,477 2,342 2763 35 134 135 623 321 2 — 1 — 15 21 — 10 13 2 3 20 17 46 49 — 19 4 62 62 — 13 18 1 — 3 — 1	58,133 56,587 574 172 16 9 42 40 165 92 — — — — — — — 4 3 — — — — — — — — — — — — —	49,597 48,476 484 184 100 9 27 22 130 60 1 — — 3 1 155 7 — 16 112 12 9 — 7 3 — — 103	61,891 59,459 594 213 10 8 24 46 157 63 1 1 ———————————————————————————————	72,675 70,226 671 215 7 12 32 43 169 77 — — — 4 3 — — 4 6 1 1 15 8 — — 2 4 — — — — — — — — — — — — — — — —	59,955 58,812 188 100 8 30 24 161 722 1	54,489 52,584 489 156 5 6 31 32 147 78 1 — 4 4 4 4 — 1 2 7 7 8 6 6 — — — — — — — — — — — — — — — — —	68,550 65,855 630 204 4 9 41 36 146 94 ——————————————————————————————————	16 21 ——————————————————————————————————	69,218 59,344 537 157 16 9 34 37 133 70 1 1 1 1 1 1 1 1 1 1 1 1 1
as infective or parasitic \ M (Rem. of 001-138) \ \ \ F	420 384	444 426	108	103 96	86 94	103 117	106 89	112	123		10:

[†] Provisional.

TABLE VI (continued)

		1			11			1.		100	4
Causes of Death	1959	1960†		1959	D	March	1960	Sept.	Dec.	March	June
			June	Sept.	Dec.	March	June	Sept.	Dec.	March	June
ths from non-violent causes—cont. Ialignant neoplasm of f M	7,930	7,846	1,955	1,987	1,997	1,999	1,893	1,988	1,966	1,987	1,953
stomach (151) \ F	6,146	6,107	1,584	1,490	1,562	1,555	1,429	1,533	1,590	1,505 1,686	1,532
intestines and rectum M (152-154) F Aalignant neoplasm of	6,774 8,248	6,758 8,025	1,677 2,058	1,733 2,069	2,101	1,957	1,946	2,091	2,031	2,023	1,997
other digestive organs { M (Rem. of 150-159) } F	4,456 4,191	4,419 4,308	1,122 996	1,067 1,071	1,192 1,086	1,111 1,091	1,065 1,028	1,09 9 1,109	1,144 1,080	1,079 1,081	1,201 1,085
Malignant neoplasm of trachea, bronchus, lung M (162-163) F	18,181 2,882	18,882 3,118	4,358 694	4,452 744	4,791 732	4,715 787	4,536 713	4,742 818	4,889 800	4,882 802	4,725 754
Malignant neoplasm of other respiratory or- M gans (Rem. of 160-165) F Malignant neoplasm of M breast (170) F	320 62	877 323 63 9,059	211 78 16 2,063	178 78 19 2,119	204 73 14 2,273	246 71 15 2,319	228 91 14 2,184	194 76 19 2,245	209 85 15 2,311	206 89 21 2,306	218 75 27 2,276
Malignant neoplasm of uterus (171-174) F Leukaemia and	4,003	4,088 1,476 1,218	984 320 315	1,008 309 287	1,033 341 302	1,008 356 301	1,010 390 319	1,027 353 321	1,043 377 277	980 355 311	1,008 346 291
Malignant neoplasm of other sites (Rem. of M. 140-205) FBenign and unspecified M. neoplasms (210-239) FThyrotoxicosis with or M. without goitre (252) FDiabetes mellitus (260) F	9,617 541 735 55 296 1,100	12,458 9,763 613 768 40 311 1,193 2,366	2,906 2,365 143 182 13 78 234 450	3,013 2,360 128 200 14 53 203 450	3,193 2,490 138 169 12 65 291 540	3,137 2,425 146 217 9 94 313 662	3,041 2,399 149 182 14 82 261 553	3,096 2,477 157 186 10 62 265 495	3,184 2,462 161 183 7 73 354 656	3,288 2,443 172 182 11 85 418 752	3,000 2,440 141 193 12 74 297 615
Pernicious and other h y p e r c h r o m i c { M anaemias (290) } Anaemias, other (291- { M 293) }	227 582 355	253 517 340 549	42 167 86 140	68 123 75 109	47 137 91 129	75 114 84 143	56 149 83 151	49 128 88 133	73 126 85 122	62 161 91 164	65 132 77 149
Vascular lesions affecting the central nervous system (330-334) F Non-meningococcal meningitis (340) F Rheumatic fever (400- M 402) F Chronic rheumatic heart	30,897 44,253 180 134 63 63 2,482	31,006 45,216 209 160 61 64 2,469	7,256 10,286 31 29 21 18 616	6,185 8,937 42 28 9 9 498	7,488 10,976 53 37 14 13 583 1,124	9,059 12,920 64 56 19 24 701 1,349	7,243 10,874 47 32 16 10 567 1,072	6,605 9,516 38 33 18 16 550 972	8,099 11,906 60 39 8 14 651 1,259	9,564 13,759 64 62 24 16 796 1,512	7,347 11,051 50 40 10 10 602 1,158
disease (410-416) F Coronary and arterio- sclerotic heart disease M (420) F	1 52,193	4,652 56,514 35,447	1,070 12,523 7,504	10,601 6,469			13,118 8,282	,		16,501 10,769	13,883 8,566
Chronic endocarditis and other myocardial degeneration (421, 422) FO ther diseases of heart (430-434) Hypertension with heart disease (440-443) F	20,507 31,495 4,656 7,120 4,656	19,550 30,747 6,019 7,479 4,678 6,616	4,565 7,275 1,257 1,618 1,049 1,526	3,545 5,720 980 1,270 872 1,224	4,682 7,222 1,324 1,614 1,109 1,584	1,366	1,436 1,786 1,102	3,834 6,129 1,155 1,525 936 1,268	5,149 8,077 1,628 2,004 1,274 1,805	6,868 10,849 2,267 2,813 1,478 2,246	4,239 6,917 1,429 1,834 1,035 1,577
Hypertension without mention of heart (444- § § 447)	A 3,269	3,123 3,407	753 833		768 857			626 674	801 916	866 1,076	
Other diseases of circulatory system (Rem. of Market 1998) Influenza (480-483) Pneumonia (except of Market 1998) newborn (490-493)	9,256 M 3,898 3,964 M 13,203	553 545 11,818	1,771 2,119 331 328 2,497 2,547	28 32 1,672	1,852 2,276 120 121 2,812 2,697	2,687 242 266 3,830	2,394 125 137 2,788	31 20 1,979	2,149 2,752 155 122 3,221 3,439	3,327 3,133 3,277 6,242	
Pneumonia of newborn [1]	M 445		106		91 63			92 46			
Bronchitis (500-502) { I Other respiratory diseases { I (Rem. 470-527) { I Ulcer of stomach and { I duodenum (540, 541) { I Appendicitis (550-553) { I Intestinal obstruction and { I hernia (560, 561, 570)	20,193 8,858 M 3,462 1,587 M 3,090 1,473 M 430 271 M 1,413	7,488 3,465 1,564 3,165 1,540 367 271 1,452	3,386 1,409 726 351 690 328 117 58 341 374	736 545 248 549 281 97 64 326	1,626 798 353 740 353 109 68 358	2,813 1,028 519 972 473 104 69 388	1,519 779 372 753 332 87 68 351	848 597 248 651 318 79 68 344	2,308 1,061 425 789 417 97 66 369	4,696 1,412 692 1,009 475 95 77 458	1,352 703 364 640 339 79 62 346
Gastritis, duodenitis, enteritis and colitis, except diarrhoea of the [1] newborn (543, 571, 572)	M 951 F 1,381	1 - 100	241 342								
Gastro-enteritis and colitis, except ulcer-ative, aged 4 wks2 yrs., and diarrhoea of newborn (571.0, {1764}	M 218		41								

TABLE VI (continued)

	40.50	40.501		1959			19	60†		196	1†
Causes of Death	1959	1960†	June	Sept.	Dec.	March	June	Sept.	Dec.	March	June
Deaths from non-violent causes—cont.											
Cirrhosis of liver (581) { M F	617 586	685 587	167 137	137 141	158 165	178 147	. 174 142	154 146	179 152	181 178	175 156
Other diseases of digestive system (Rem. of M	1,247	1,318	298	249	354	338	326	333	321	371	290
530-587) }F Nephritis and nephrosis M	1,878 1,923	1,936 2,005	447 500	474 406	471 428	487 548	4 95 5 11	454 432	500 514	500 552	472 42 2
(590-594) F Hyperplasia of prostate	1,762	1,709	420	372	410	466	419	375	449	487	404
Other diseases of genito-	3,505	3,259	836 386	793 314	842 374	924	770	731	834	956	695
urinary system (Rem. M of 590-637) F Sepsis of pregnancy,	1,460 1,914	1,55 7 2,016	463	454	507	426 529	378 519	347 489	406 479	465 525	379 538
childbirth and puer- perium; abortion with											
sepsis (640, 641, 651, 681, 682, 684) F	76	68	16	22	20	20	21	13	14	22	15
Other complications of pregnancy, childbirth				-							
and puerperium includ- ing abortion (Rem. 640-											
689) F Congenital malforma-∫M	214 2,503	242 2,696	61 604	54 616	601	64 686	70 682	56 636	52 692	56 656	59 631
tions (750-759) F Birth injuries, postnatal	2,408	2,426	625	515 669	612	614	613	584	615	686	630
asphyxia and atelect- M asis (760-762) F Infections of the newborn M	2,818 1,743 511	2,749 1,753 524	736 462 120	419 97	408 108	699 446 152	671 388 125	699 459 101	680 460 146	752 456	723 438 107
(763-768) F	338	318	65	72	71	103	81	57	77	177 107	77
to early infancy, and immaturity unqualified \(\) M	2,177	2,425	534	540	542	604	593	573	655	617	643
(769-776) [F] Senility without mention	1,726	1,751	444	380	457	451	454	427	419	464	480
of psychosis, ill-defined and unknown causes $\int M$	2,718	2,435	615	472	598	736	594	478	627	915	570
(780-795) F All other natural causes M		4,873 4,745	1,227	906 990	1,201 1,128	1,409 1,309	1,189 1,179	1,009 1,052	1,266	1,671 1,520	1,199 1,152
(Rem. 001-795) \{F	6,693	6,702	1,569	1,458	1,601	1,844	1,613	1,473	1,772	2,114	1,646
Deaths by violence $\dots \left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	13,456 9,379	13,503 9,619	3,271 2,181	3,321 2,003	3,414 2,438	3,446 2,690	3,369 2,202	3,310 2,094	3,378 2,633	3,577	3,455 2,181
Motor vehicle accidents M (E810-E835) F	4,414 1,612	4,754 1,889	990	1,091	1,367 529	1,180 530	1,050 326	1,215 448	1,309 585	2,894 1,180 531	1,132
Other transport accidents (E800 - E802, E840 - \int M	584	552	125	151	153	140	123	158	131	141	150
È866) \F	92	80	17	28	25	22	19	22	17	15	26
Accidental poisoning \(\int \text{M} \)	608	659	139	101	135	212	147	103	197	221	139
(E870-E895) F Accidental falls	750 2,105	1,906	156 510	112 464	187 495	252 508	162 494	133 454	266 450	320 547	157 433
(E900-E904) \ F Accidents caused by fire	3,538	3,559 275	816	709 55	868	994	844	794	927	1,080	753
or hot substance (E916, \int M E917) \int F All other accidents (Rem. \int M	486 2,128	455 2,118	112 567	45 640	91 432	109 183 458	70 98 609	38 50 578	58 124 473	149 183	75 90 575
E800-E962) F	667	660	141	181	170	173	158	173	156	520 189	164
Suicide and self-inflicted											
injury (E963, E970-{M E979) F	3,116 2,091	3,059 2,054	842 580	778 503	695 521	794 512	831 5 61	729 449	705 532	775 541	898 555
Homicide and operations of war (E964, E965, ∫ M	181	180	37	41	56	45	45	35	55	44	53
E980-E999) \F	143	109	35	31	47	24	34	25	26	35	24

[†]Provisional.

TABLE VII

Accidental deaths registered in the quarter ended 30th September 1961 analysed by sex and age, with totals for the corresponding quarter of the previous year

England and Wales

(Classified according to the International Classification of Diseases (7th Revision 1955))

		All a Septer	mber	0	1—	5	10-14	Total under 15	15—	25—	45—	65 & over	Total aged 15 &
		1960	1961										over
me accidents*: Coal gas poisoning (E890)	${M \choose F}$	61 73	48 73	1	1				3 2	6 5	13 12	26 52	48 71
Other poisoning (E870-E888, E891-E895)	${M \choose F}$	22 43	38 42	1	1 2	1 1	1	4 3	2 2	11 8	15 21	6 8	34 39
Falls (E900-E904)	$\{^M_F$	239 667	241 607	2 2	6 8	1 2		9 12	2	11	35 26	184 565	232 595
Burns and scalds (E916-E917)	$\{^M_F$	24 36	35 42	1 1	7 6	2 2	_1	11 9	2	2 4	2 8	18 21	24 33
Choking and suffocation (E921, E922, E924, E925)	$\{^M_F$	55 42	49 38	31 19	2 3	_ 1	_1	34 23	2	4	7 4	2 9	15 15
Other (Remainder of E870-E936)	${ M \brace F}$	64 27	52 37	5 3	7 3	4	-7	23 6	6 2	6 5	13 8	4 16	29 31
tal home accidents 870–E936)	${M \brace F}$	465 888	463 839	40 26	23 23	8 6	10	81 55	17 8	40 26	85 79	240 671	382 784
ansport accidents: Motor vehicle road accidents involving injury to: Motor cyclist† (E814, E815, E821)	${M \choose F}$	480 54	354 34		1	1 1	1 6	3 7	214 10	89 11	41	7	351 27
Pedal cyclist (E813)	${ M \brace F}$	101 29	110 21	_	1 2	6	33 6	40 9	10 5	11	22 5	27 2	70 12
Pedestrian (E812)	${M \choose F}$	324 235	313 218	_ 1	41 35	38 13	8 6	87 55	26 4	35 11	55 35	110 113	226 163
Occupant of motor vehicle‡ (Remainder of E810- E825)	${M \brace F}$	292 122	289 120		4 2	- 1	3	7 6	92 30	94 29	67 29	29 26	282 114
Other road accidents involving injury to: Pedal cyclist (E843)	${M \atop F}$	33 5	20 5	_		_1	2 1	3 1	2	2	9 2	4	17 4
Pedestrian (E840-E842, E844)	${ M \atop F}$	5 7	8 8	differentia.							4	4 6	8 6
All other transport accidents including rail, air, water (Remainder of E800-E866)	${M \choose F}$	140 12	138 19		4 1	6 2	3 1	13 4	27 2	41 2	45	12 3	125 15
otal transport accidents 2800-E866)	${M \atop F}$	1,375 464	1,232 425	3	51 40	52 20	50 21	153 84	371 52	272 54	243 85	193 150	1,079
ther accidents: Poisonings (E870-E895)	${M \atop F}$	26 14	35 15	and the second s	_	1	_1	2	2	14 5	13 5	4 4	33 15
Falls (E900-E904)	${M \choose F}$	181 71	156 77	1 _1	6	9 3	8	24 4	9 2	34	54 6	35 63	132 73
Burns (E916-E917)	${M \atop F}$	14 12	17	distribution of the same of th	_	_	_1	_1	1 _1	10	4	_1	16
Drowning (E929)	${M \choose F}$	183 47	250 53		19 8	34	33 9	86 23	49 7	50 6	37	28 8	164 30
Other (Remainder of E870-E936)	${M \atop F}$	232 15	214 20		6 3	6	10	22 5	44 4	71	64 4	13 6	192 15
Total other accidents (E870-E936)	${ M \atop F}$	636 159	672 165	1 1	31 12	50 9	53 10	135 32	105 14	179 14	172 24	81 81	537 133
Cotal, all accidents September quarter 1961 (E800-	M		2,367 1,429	41 30	105 75	110 35	113 31	369 171	493 74	491 94	500 188	514 902	1,998 1,258
Fotal, all accidents September quarter 1960 (E800-E936)	7	2,476 1,511	1,429	37 32	93	112 36	105	347 160	525 83	507 82	545 240	552 946	1,258 2,129 1,351

Including deaths in residential institutions. † Including passengers. ‡ Including a few deaths of other and unspecified persons Excluding deaths from therapeutic misadventure, etc., (E940-E959), and late effects of injury and poisoning (E960-E962).

TABLE VIII

Numbers of insured persons absent from work owing to certified sickness or industrial injury (or prescribed disease)

England and Wales; standard regions*
(Supplied by the Ministry of Pensions and National Insurance)
(Figures to nearest hundred)

Area	18th Jul	y 1961	15th Aug	ust 1961	19th Septe	mber 1961
Area	Sickness	Injury	Sickness	Injury	Sickness	Injury
England and Wales	711,000	52,900	724,300	53,600	729,800	53,600
Northern	59,600	7,000	61,500	7,400	61,400	7,500
East and West Ridings	74,600	8,000	76,300	8,400	76,900	8,100
North Western	140,600	7,600	144,000	7,800	144,800	7,800
North Midland	49,000	5,100	48,700	5,100	50,000	5,100
Midland	69,800	4,400	69,600	4,200	71,800	4,500
Eastern	39,800	2,000	39,300	1,900	40,100	2,100
London and South Eastern:						
London and Middlesex	73,100	3,200	74,800	3,100	75,700	3,300
Remainder	64,700	3,200	64,900	2,900	65,900	3,300
Southern	30,700	1,400	30,700	1,400	31,000	1,600
South Western	47,200	2,300	47,400	2,200	47,900	2,300
Wales	61,800	8,600	67,300	9,200	64,200	8,100

Notes: (1) Periodical checks of the proportion of males included in the total figures of persons absent from work have shown a fairly constant level of about 68 or 69 per cent for absence caused by sickness and about 87 per cent for absence caused by industrial injury.

- (2) Broadly, the whole of the civilian working population aged 15 and over can now qualify under the National Insurance Act for sickness benefit without limit of income, including not only those employed under contract of service but also the self-employed. There are, however, about 3 million employed persons who do not qualify, including about 2½ million married women who elect not to be insured in their own right.
- (3) The National Insurance (Industrial Injuries) Act applies, generally speaking, to all civilians working for an employer under contract of service or apprenticeship, corresponding closely with the class of "employed persons" under the main scheme.
- (4) It is not practicable to make a straightforward count of the number of persons who are absent from work on a given day owing to sickness or industrial injury. The method followed has accordingly been to take the number of long-term certificates then current, and to add to it the number of first and intermediate certificates of incapacity received during the week ended on the given day. (The figure so obtained includes a small proportion of persons whose incapacity in fact ended before that day, and excludes a small proportion of persons whose incapacity in fact began on or before that day. Sample enquiries indicate that these factors do not produce on balance any significant effect on the national and regional totals.)

*The constitution of the standard regions of England and Wales is as follows:

REGION I Northern Cumberland Durham Northumberland Westmorland Yorkshire, North Riding REGION II East and West Ridings Yorkshire, East Riding Yorkshire, West Riding Yorkshire, Part of 1 Leicestershire Lincolnshire— Parts of Holland Parts of Kesteven Parts of Lindsey Northamptonshire Nottinghamshire Peterborough, Soke of Rutland	REGION IV Eastern Bedfordshire Cambridgeshire Ely, Isle of Essex, Part of a Hertfordshire, Part of a Huntingdonshire Norfolk Suffolk, East Suffolk, West REGION V London and South Eastern Essex, Part of a Hertfordshire, Part of a Hertfordshire, Part of a Kent London Admin. County Middlesex Surrey Sussex, East Sussex, West	REGION VI Southern Berkshire Buckinghamshire Dorset, Part of 6 Hampshire Oxfordshire Wight, Isle of REGION VII South Western Cornwall Devon Dorset, Part of 7 Gloucestershire Somerset Wiltshire REGION VIII Wales I (South East) Brecknockshire Carmarthenshire Glamorganshire Monmouthshire	Wales II (remainder) Anglesey Caernarvonshire Cardiganshire Denbighshire Flintshire Merionethshire Montgomeryshire Pembrokeshire Radnorshire REGION IX Midland Herefordshire Staffordshire Warwickshire Warwickshire Worcestershire REGION X North Western Cheshire Derbyshire, Part of 8 Lancashire

1. All except Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D., and Chapel en le Frith R.D.

2. All except East Ham C.B., West Ham C.B., Chingford M.B., Wanstead and Woodford M.B., Leyton M.B., Walthamstow M.B., Ilford M.B., Barking M.B., Dagenham M.B., Waltham Holy Cross U.D., and Chigwell U.D.

3. All except Barnet U.D., Bushey U.D., Cheshunt U.D., East Barnet U.D. and Elstree R.D.

4. All areas stated in 2 above.

5. All areas stated in 3 above.

6. Poole M.B. only.

7. All areas except Poole M.B.

8. All areas stated in 1 above.

TABLE IX

Meteorology: values of air temperature, rainfall and sunshine for the third quarter 1961 expressed as differences from, or percentages of, the average values†

Districts of England and Wales

(Supplied by the Director General of the Meteorological Office)

District		Т	Air emperature	1	Rainf	all 2	Sunshine 1
Bengland, N.E.	District	Highest	Lowest	from average		of days difference from	
England, N.E.	(4) (2)	°F.	°F.	°F.	%		%
England, N.E.				JULY	1961		
England, N.E.	England, E	92 86 93 79	30 38 37 31	-1.3 -2.0 -0.7 -2.7	57 101 61 115	- 2 - 3 - 4 - 2	91 94 99 81
England, N.E.	Mean			1.7	85	— 3	77
England, E		The second secon		AUGU	UST 1961		
England, N.E	England, E	88 89 8 9 86	34 37 39 30	-0.4 0.5 0.0 1.4	122 100 63 128	+ 4 + 3 0 + 1	100 103 89 113
England, N.E. 86 32 +2.5 99 0 100 England, E. 84 34 +2.3 131 +2 86 Midland Counties 87 32 +2.3 99 0 103 England, S.E. 89 35 +3.1 118 +2 89 England, N.W. and N. Wales 86 29 +2.7 89 0 113 England, S.W. and S. Wales 88 33 +1.8 99 0 92 Mean - - +2.5 106 +1 97 THIRD QUARTER 1961 THIRD QUARTER 1961 THIRD QUARTER 1961 THIRD QUARTER 1961 THIRD QUARTER 1961 THIRD QUARTER 1961 THIRD QUARTER 1961	Mean			- 0.6	102	+ 2	103
England, E			;	SEPTEM	BER 1961		
THIRD QUARTER 1961 England, N.E	England, E	84 87 89 86	34 32 35 29	+ 2.3 + 2.3 + 3.1 + 2.7	131 99 118 89	+ 2 0 + 2 0	86 103 89 113
England, N.E. 86 32 -0.2 104 -1 98 England, E. 92 30 +0.2 103 +4 92 Midland Counties 89 32 -0.1 100 0 100 England, S.E. 93 35 +0.8 81 -2 92 England, N.W. and N. Wales 86 29 -0.5 111 -1 102 England, S.W. and S. Wales 88 33 +0.1 87 -3 99	Mean		_	+ 2.5	106	+ 1	97
England, N.E			·;	THIRD QU	ARTER 1961	,	
Mean +0.1 98 -1 95	England, E	92 89 93 86	30 32 35 29	+ 0.2 - 0.1 + 0.8 - 0.5	103 100 81 111	+ 4 0 - 2 - 1	92 100 92 102
	Mean			+ 0.1	98	- 1	95

[†] The averages used for rainfall and raindays are for the period 1916-50, while those for sunshine and temperatures are for 1921-50.

APPENDIX

Estimated population, total, home and civilian, by sex and age, as at 30th June, 1961

England and Wales

(Figures in thousands)

Note: The estimates of population described as "home" and "total" have the following content: Home population—the population, of all types, actually in England and Wales.

Total population—the home population plus members of H.M. Forces belonging to England and Wales and serving overseas but minus the Forces of other countries temporarily in England and Wales.

	Tot	al populat	ion	Hor	ne popula	tion	Civil	ian popul	ation
Age	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
0 1 2 3 4	785 743 733 714 690	403 382 376 366 354	382 361 357 348 336	785 743 733 714 690	403 382 376 366 354	382 361 357 348 336	785 743 733 714 690	403 382 376 366 354	382 361 357 348 336
0-4	3,665	1,881	1,784	3,665	1,881/	1,784	3,665	1,881	1,784
5 6 7 8 9	665 643 656 652 639	342 329 336 334 326	323 314 320 318 313	665 643 656 652 639	3/2 329 336 334 326	323 314 320 318 313	665 643 656 652 639	342 329 336 334 326	323 314 320 318 313
5-9	3,255	1,667	1,588	3,255	1,667	1,588	3,255	1,667	1,588
10 11 12 13 14	656 678 710 766 856	336 346 364 391 438	320 332 346 375 418	656 678 710 766 856	336 346 364 391 438	320 332 346 375 418	656 678 710 766 856	336 346 364 391 438	320 332 346 375 418
10-14	3,666	1,875	1,791	3,666	1,875	1,791	3,666	1,875	1,791
15 16 17 18 19	665, 659 669 637 587	339 337 341 323 295	326 322 328 314 292	665 659 669 636 580	339 337 341 321 288	326 322 328 315 292	662 652 657 617 563	336 330 330 305 273	326 322 327 312 290
15-19	3,217	1,635	1,582	3,209	1,626	1,583	3,151	1,574	1,577
20	547	275	27/2	537	266	271	522	252	270
All ages under 21	14,350	7,333	7,017	14,332	7,315	7,017	14,259	7,249	7,010
20-24	2,933	1,484	/1,449	2,879	1,431	1,448	2,752	1,308	1,444
25-29 30-34 35-39 40-44 45-49	2,857 2,976 3,226 3,076 3,237	1,449 1,491 1,598 1,517 1,593	1,408 1,485 1,628 1,559 1,644	2,840 2,966 3,219 3,072 3,235	1,432 1,481 1,592 1,513 1,591	1,408 1,485 1,627 1,559 1,644	2,794 2,938 3,197 3,053 3,225	1,387 1,454 1,570 1,494 1,581	1,407 1,484 1,627 1,559 1,644
50-54 55-59 60-64 65-69 70-74	3,211 2,963 2,466 1,996 1,540	1,570 1,414 1,100 829 600	1,641 1,549 1,366 1,167 940	3,210 2,963 2,466 1,996 1,540	1,569 1,414 1,100 829 600	1,641 1,549 1,366 1,167 940	3,206 2,963 2,466 1,996 1,540	1,565 1,414 1,100 829 600	1,641 1,549 1,366 1,167 940
75-79 80-84 85 and over	1,087 601 297	397 200 92	690 401 205	1,087 601 297	397 200 92	690 401 205	1,087 601 297	397 200 92	690 401 205
All Ages	46,269	22,392	23,877	46,166	22,290	23,876	45,852	21,988	23,864

Crown copyright 1961
Printed in England by Stephenson Newspapers Limited, "The Visiter Press" and published by
HER MAJESTY'S STATIONERY OFFICE



TABLE OF CONTENTS

Como	mal Mia	A	Pag
		tes	
Non-	Quarte	erly Statistics	3
Note	s on th	e Quarter	4
Note	s on th	e Year 1961	
Birth	s, Dea	ths, Marriages and Infectious Diseases	
Table	e I	Marriages, live births, stillbirths and deaths—total numbers registered. Years 1951 to 1961 and each quarter of those years. England and Wales	(
Table	e II	Persons marrying, live births and deaths—annual rates per 1,000 population. Stillbirths and perinatal mortality—rates per 1,000 total live and still births. Deaths under 1 year and deaths under 4 weeks—rates per 1,000 live births. Years 1951 to 1961 and each quarter of those years. England and Wales	
Table	e III	Population, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) in the last two quarters. London Administrative County and certain cities abroad	
Table	e IV	Notifications of certain infectious diseases in the quarter. England and Wales, counties, county boroughs, London A.C., City of London, metropolitan boroughs and port health districts	
Table	: IVa	Corrected notifications of certain infectious diseases in the preceding quarter, analysed by sex and age. England and Wales	13
Table	V	Infant mortality. Rates by quarters and each completed year, 1959 to 1961. England and Wales and various other countries	14
Table	e VI	Deaths by cause and sex, 1959 and 1960, and in each of the last nine available quarters, classified according to the International Abbreviated List with certain sub-divisions. England and Wales	14
Table	VII	Accidental deaths registered in the quarter, analysed by sex and age, with totals for the corresponding quarter of the previous year. England and Wales	17
Table	VIII	Numbers of insured persons absent from work owing to certified sickness or industrial injury (or prescribed disease). England and Wales and standard regions	18
Mete	orology		
Table	IX	Values of air temperature, rainfall and sunshine for the quarter, expressed as differences from or percentages of the average values. Districts of England and Wales	19
Apper	ndices		
A	5-14	ated population as at 30th June 1961 of children aged under 1 year, 1-4 years and years, in England and Wales and in administrative counties, county boroughs, on Administrative County, City of London and metropolitan boroughs	20
В	Estim	ated home population by sex and age as at 30th June 1961, England and Wales, ard regions and conurbations	22
C	Estim hospit	ated home population by sex and age as at 30th June 1961, England and Wales, tal regions	23
D	Total	population, projections from mid-1961, by sex and age, England and Wales	24
E	Births and V	, deaths and marriages. Numbers registered in the ten years 1952 to 1961, England Vales (diagram)	25

Changes in boundaries, names, etc., of counties, boroughs, urban districts and a districts during the six months ended 31st December 1961	ural 25
Correction—(See below)	26

GENERAL NOTES

1. The figures in this return are provisional until confirmed in the Statistical Reviews. Births and deaths are tabulated from returns furnished to the Registrar General by Registrars of Births and Deaths; marriages from returns furnished by the Clergy, Authorised Persons, Registrars of Marriages and others; and notifications of infectious diseases (Tables IV and IVa) from special quarterly statements furnished to the Registrar General by Medical Officers of Health.

2. Definition of Areas

London A.C.—Administrative County of London which consists of the City of London (including the Inner and Middle Temples) and the metropolitan boroughs.

Greater London—London A.C. plus the remaining administrative areas falling entirely within the area of the Metropolitan Police District as defined in the Police Act, 1946 (an area of approximately 15 miles radius from Charing Cross).

C.B.—county borough; M.B.—municipal borough; U.D.—urban district; R.D.—rural district.

- 3. The home population comprises the population, of all types, actually in England and Wales, distributed by area according to residence.
 - 4. Non-civilians are included in all figures except where otherwise stated.
- 5. Births and deaths for England and Wales and the parts thereof are those registered within the quarter or period shown. In some non-quarterly statistics (see page 4) they are assigned to the area of residence.
- 6. The notifications of infectious diseases have been corrected for changes in diagnosis by the notifying medical practitioner or the medical superintendent of the infectious diseases hospital.

CORRECTION

The Registrar General's Quarterly Return for England and Wales Ouarter ended 30th September, 1961. No. 451

- Page 5. Marriages, for 7,246 read 14,492.
- Page 20. The appendix giving estimates of the sex and age distribution of the total, home and civilian population of England and Wales as a whole as at 30th June, 1961, has been revised. The revised appendix is published on page 26 of this Return.

NON-QUARTERLY STATISTICS

Certain non-quarterly information is published in the Quarterly Return as stated below:

Half-Yearly

June and December Returns

Lists of the changes in boundaries, names, etc., of local authority areas during the six months ending 30th June and 31st December respectively.

NON-QUARTERLY STATISTICS (continued)

Yearly

March Return

- (1) Estimated home population as at 30th June, marriages, births (distinguishing stillbirths) and deaths (distinguishing deaths of infants under 1 year of age) registered in England and Wales during the preceding year, showing those assigned to each administrative county (with associated county boroughs).
- (2) Estimated home population as at 30th June for the preceding year, births (distinguishing stillbirths), deaths (distinguishing deaths of infants under 1 year of age and deaths from certain causes) registered in England and Wales during the preceding year, showing those assigned to municipal boroughs and urban districts with a resident population of 25,000 and over at the preceding Census, county boroughs, Greater London, City of London and metropolitan boroughs, with comparative figures for four Scottish and Irish towns.
- (3) Deaths registered during the preceding year and assigned to London Administrative County, analysed by cause and age.
- (4) Infant mortality in England and Wales, standard regions and certain large towns in the preceding three years.
- (5) Populations, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) for the preceding year in London Administrative County and certain cities abroad.

June Return

- (1) A presentation of mortality from certain causes in the preceding year in terms of the resulting loss in expected years of life.
- (2) Deaths registered in the preceding year in England and Wales distinguishing 36 causes of death (Registrar General's Abridged List) by sex and age.
- (3) An abridged life table constructed from the estimated home population and deaths in England and Wales for the preceding three years.

September Return

(1) Estimates of the sex and age distribution of the total, home and civilian populations of England and Wales as a whole as at 30th June.

December Return

- (1) A textual summary of the vital statistics of England and Wales for the year then ended.
- (2) A table showing the home population of England and Wales and each standard region and conurbation by sex and age as at 30th June.
- (3) Projections of the total populations for England and Wales by sex and age as at 30th June.
- (4) Home populations of each hospital region in England and Wales by sex and age as at 30th June.
- (5) Estimated population, as at 30th June, of children aged under 1 year, 1-4 years and 5-14 years, in England and Wales and in administrative counties, county boroughs, London Administrative County, City of London and metropolitan boroughs.
- (6) Diagram showing the numbers of live births, marriages and deaths registered during the current and preceding nine years.

NOTES ON THE FOURTH QUARTER OF 1961, ENGLAND AND WALES

Live Births

The number of live births registered during this quarter was 187,734, representing a live birth rate, based on the home population of England and Wales for 1961, of 16·1 per thousand. These figures compare with 204,701 live births and a rate of 17·6 for the preceding quarter, 187,965 live births and a rate of 16·3 for the corresponding quarter of 1960, and an average live birth rate for the fourth quarter of the five years 1955-59, of 15·0.

Stillbirths

The 3,683 stillbirths registered represent 19·2 per 1,000 of the total live and still births. This rate is 0·3 lower than that for the fourth quarter of 1960.

NOTES ON THE FOURTH QUARTER OF 1961, ENGLAND AND WALES (continued)

Deaths

The number of deaths registered was 138,799, representing a death rate, based on the 1961 home population, of 11.9 per 1,000; it compares with 12.2 for the corresponding quarter of 1960, and an average death rate for the fourth quarters of the five years 1955-59 of 11.7.

The deaths of children under one year of age numbered 4,207, representing an infant mortality rate of 22.4 per 1,000 live births; this was 1.7 per 1,000 lower than that for the fourth quarter of 1960. This compares with a rate of 28.5 for the corresponding quarter of 1951.

The death rates from tuberculosis (all forms), pneumonia and influenza per million population, with comparative rates for the preceding five quarters, were as follows:—

Quarter	Tuberculosis (all forms)	Pneumonia	Influenza
1960 Third Fourth	63	357	4
	80	596	24
First Second Third Fourth	96	1,169	563
	69	475	13
	55	354	4
	69	702	41

There were no deaths from smallpox registered during the quarter, but there was 1 case notified in London A.C., St. Pancras.

Natural Increase

The births registered exceeded the deaths by 48,935. Corresponding figures for the fourth quarters of 1960, 1959 and 1958 were 47,549, 46,119 and 44,932 respectively.

Marriages

The number of persons marrying during the quarter was 153,816, which was 10,671 more than the average for the corresponding quarters of the preceding five years 1956-1960.

NOTES ON THE YEAR 1961, ENGLAND AND WALES

Live Births

The provisional live birth rate per 1,000 home population as at 30th June 1961 was 17.4. This was 0.3 higher than that for 1960, and the highest since 1948.

Stillbirths

The provisional stillbirth rate was 18.7 per 1,000 total live and still births compared with 19.8 for 1960.

Deaths

The death rate was 12.0 per 1,000 home population. This was 0.5 higher than that for 1960. Infant mortality was 21.4 per 1,000 live births and was the lowest ever recorded in this country. It was 0.5 per 1,000 below that for 1960, the previous lowest.

Natural Increase

The live births registered exceeded the deaths by 252,337. The corresponding increase for the preceding year was 255,953 and the average for 1955-59 was 193,341.

Marriages

The marriage rate of 15.1 was 0.1 more than that for 1960.

Population Estimates

The estimated total population, as at 30th June, was 46,269,000, which was 407,000 greater than the estimate for 1960. The estimated home population for 1961 was 46,166,000.

TABLE I

Marriages, live births, stillbirths, and deaths: total numbers registered Years 1951 to 1961 and each quarter of those years. England and Wales

		,									
	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961(a)
					М	ARRIAG	ES	'			,
Year	360,624	349,308	344,998	341,731	357,918	352,944	346,903	339,913	340,126	343,614	348,452
March Qtr. June "September "December ",	109,567 66,382 111,312 73,363	106,629 69,489 103,411 69,779	93,610 77,123 105,614 68,651	95,922 74,364 104,505 66,940	100,696 74,763 106,691 75,768	107,122 68,821 106,923 70,078	110,092 65,804 103,617 67,390	102,629 66,211 101,698 69,375	101,430 63,281 102,591 72,824	88,944 72,895 103,580 78,195	84,448 76,169 110,927 76,908
					LI	VE BIRT	HS				ŕ
Year	679,689	673,286	681,964	672,635	664,954	698,317	723,274	739,337	750,383	782,221	804,120
March Qtr. June September December ,	176,047 181,614 168,033 153,995	173,338 174,159 168,030 157,759	171,649 179,477 172,943 157,895	173,547 175,290 166,938 156,860	169,190 171,234 166,890 157,640	179,151 182,400 173,534 163,232	183,864 185,361 179,978 174,071	190,767 189,866 180,322 178,382	191,860 198,410 186,792 173,321	197,932 198,764 197,560 187,965	203,983 207,702 204,701 187,734
					ST	LLBIRT	HS				
Year	16,019	15,647	15,683	16,202	15,815	16,384	16,622	16,309	16,076	15,795	15,343
March Qtr. June September December ,,	4,259 4,196 3,752 3,812	4,174 4,004 3,714 3,755	3,975 4,220 3,711 3,777	4,236 4,171 3,939 3,856	4,032 4,023 3,910 3,850	4,311 4,248 3,948 3,877	4,262 4,274 4,117 3,969	4,194 4,092 3,967 4,056	4,239 4,313 3,912 3,612	4,008 4,149 3,895 3,743	3,940 3,903 3,817 3,683
				DEAT	THS (exclu	iding stilll	births): A	LL AGE	S		
Year	549,380	497,484	503,529	501,896	518,864	521,331	514,870	526,843	527,651	526,268	551,783
March Qtr. June September December ,,	205,878 121,683 100,057 121,762	146,948 115,369 98,613 136,554	171,350 114,644 98,545 118,990	153,120 117,205 104,114 127,457	168,645 124,230 101,677 124,312	170,292 120,059 104,131 126,849	134,557 118,122 110,037 152,154	163,595 124,169 105,629 133,450	175,880 120,172 103,397 127,202	149,037 124,338 112,477 140,416	177,040 125,198 110,746 138,799
				(dea		T MORT	ΓALITY 1 year of	age)			
Year	20,223	18,555	18,324	17,160	16,613	16,554	16,720	16,685	16,629	17,118	17,211
March Qtr. June September December	6,572 5,066 4,003 4,582	5,629 4,332 3,863 4,731	5,709 4,448 3,862 4,305	5,256 4,304 3,543 4,057	4,852 4,155 3,605 4,001	4,939 4,083 3,525 4,007	4,467 4,062 3,873 4,318	4,851 4,090 3,651 4,093	4,810 4,103 3,631 4,085	4,598 4,143 3,850 4,527	4,908 4,244 3,852 4,207
							RTALITY 4 weeks o				
Year	12,788	12,331	12,088	11,946	11,516	11,779	11,904	11,970	11,881	12,192]
March Qtr. June September ,,	3,627 3,358 2,831 2,972	3,386 3,028 2,857 3,060	3,347 3,146 2,831 2,764	3,352 3,103 2,688 2,803	3,081 2,970 2,760 2,705	3,210 2,981 2,706 2,882	3,028 2,987 2,902 2,987	3,134 3,026 2,853 2,957	3,153 3,034 2,792 2,902	3,156 2,997 2,959 3,080	3,229 3,140 2,974 (b)
			(st	illbirths a			RTALITY under 1 v		ge)		
Year	26,521	25,845	25,810	26,250	25,565	26,313	26,799	26,523	26,245	26,268	
March Qtr. June September December ,	7,120 6,995 6,102 6,304	6,877 6,552 6,127 6,289	6,687 6,885 6,132 6,106	6,965 6,766 6,260 6,259	6,537 6,536 6,351 6,141	6,947 6,786 6,276 6,304	6,795 6,861 6,624 6,519	6,792 6,667 6,443 6,621	6,864 6,945 6,316 6,120	6,667 6,724 6,477 6,400	6,702 6,6 52 6,396 (b)

⁽a) Provisional.

⁽b) Not yet available.

TABLE II

Persons marrying, live births, and deaths: annual rates per 1,000 population Stillbirths, perinatal mortality: rates per 1,000 total live and still births Infant mortality, neonatal mortality: rates per 1,000 live births*

Years 1951 to 1961 and each quarter of those years. England and Wales

	<u> </u>					-		24 - A		L. Correction in the	THE RESERVE TO STREET
Estimated home population in thousands	43,815 (b)	43,955 (b)	44,109 (b)	44,274	44,441	44,667	44,907	45,109	45,386	45,755	46,166
	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961(a)
				·	PERSO	NS MAR	RYING				
Year	16.5	15.9	15.6	15.4	16.1	15.8	15 · 4	15.1	15.0	15.0	15.1
March Qtr. June September December	20·3 12·2 20·2 13·3	19·5 12·7 18·7 12·6	17·2 14·0 19·0 12·3	17·6 13·5 18·7 12·0	18·4 13·5 19·0 13·5	19·3 12·4 19·0 12·5	19·9 11·8 18·3 11·9	18·5 11·8 17·9 12·2	18·1 11·2 17·9 12·7	15·6 12·8 18·0 13·6	14·8 13·2 19·1 13·2
					LI	VE BIRT	HS				
Year	15.5	15.3	15.5	15.2	15.0	15.6	16.1	16.4	16.5	17 · 1	17.4
March Qtr. June September December	16·3 16·6 15·2 13·9	15·9 15·9 15·2 14·3	15·8 16·3 15·6 14·2	15·9 15·9 15·0 14·1	15·4 15·5 14·9 14·1	16·1 16·4 15·5 14·5	16·6 16·6 15·9 15·4	17·2 16·9 15·9 15·7	17·1 17·5 16·3 15·2	17·4 17·5 17·2 16·3	17·9 18·0 17·6 16·1
					STI	LLBIRTE	HS				
Year	23.0	22.7	22.5	23.5	23 · 2	22.9	22.5	21 · 6	21.0	19 · 8	18.7
March Qtr. June " September " December "	23·6 22·6 21·8 24·2	23·5 22·5 21·6 23·2	22·6 23·0 21·0 23·4	23·8 23·2 23·1 24·0	23·3 23·0 23·0 23·8	23·5 22·8 22·2 23·2	22·6 23·1 22·4 22·2	21·5 21·1 21·5 22·2	21·6 21·3 20·5 20·4	19·8 20·4 19·3 19·5	18·9 18·4 18·3 19·2
			D	EATHS (excluding	stillbirths): ALL A	GES			
Year	12.5	11.3	11.4	11.3	11.7	11.7	11.5	11.7	11.6	11.5	12.0
March Qtr. June September December	19·1 11·1 9·1 11·0	13·4 10·6 8·9 12·4	15·8 10·4 8·9 10·7	14·0 10·6 9·3 11·4	15·4 11·2 9·1 11·1	15·3 10·8 9·3 11·3	12·2 10·6 9·7 13·4	14·7 11·0 9·3 11·7	15·8 10·6 9·0 11·1	13·1 10·9 9·8 12·2	15·6 10·9 9·5 11·9
				(deat		T MORT	ALITY 1 year of	age)			
Year	29 · 7	27.6	26.8	25.4	24.9	23.7	23 · 1	22.6	22.2	21.9	21 · 4
March Qtr. June September December	38·4 28·6 23·4 28·5	33·6 25·1 22·8 29·0	34·0 25·2 22·2 26·2	31·0 24·7 21·0 25·1	29·2 24·4 21·6 24·5	28·6 22·9 20·1 23·7	25·2 22·3 21·5 24·8	25·4 21·5 20·2 22·9	25·1 20·7 19·4 23·6	23·2 20·8 19·5 24·1	24·1 20·4 18·8 22·4
							RTALITY 4 weeks of				
Year	18.8	18.3	17.7	•	17.3	16.8	16.5	16.2	15.8	15.6	(
March Qtr. June ,, September ,, December ,,	21·1 18·6 16·6 19·0	20·0 17·4 16·9 19·1	19·7 17·5 16·2 17·2	19·7 17·6 16·0 17·6	18·5 17·3 16·6 16·7	18·2 16·5 15·4 17·3	16·8 16·2 16·1 17·2	16·4 15·9 15·8 16·6	16·4 15·3 14·9 16·7	15·9 15·1 15·0 16·4	15·8 15·1 14·5 (c)
			(st	tillbirths a	PERINAT	AL MO	RTALITY s under 1	week of a	ge)		
Year	38 · 1	37.5	37.0	38.1	37.6	36.8	36.2	35 · 1	34.2	32.9	
March Qtr. June September December	39·5 37·6 35·5 39·9	38·7 36·8 35·7 38·9	38·1 37·5 34·7 37·8	39·2 37·7 36·6 38·9	37·7 37·3 37·2 38·0	37·9 36·4 35·4 37·7	36·1 36·2 36·0 36·6	34·8 34·4 35·0 36·3	35·0 34·3 33·1 34·6	33·0 33·1 32·2 33·4	32·2 31·4 30·7 (c)
				Carrocau Con				The state of the s	No. of Contract of the last Co	D. LONGISTER WAS AT \$ 007/2 COMPANY	COLUMN TO SERVICE STREET, STRE

^{*}Based on related live births up to and including the September quarter 1957. Rates for subsequent periods (including the year 1957) are based on the live births of the period.

⁽a) Provisional.

⁽b) Population estimates for 1951, 1952 and 1953 have been revised in the light of final data from the 1951 Census, and rates shown for these years may therefore vary slightly from those shown in previous versions of this table.

⁽c) Not yet available.

TABLE III

Populations, births (distinguishing stillbirths) and deaths (distinguishing deaths from certain causes) in the third quarter 1961 and, where available, fourth quarter 1961

London A.C. and certain cities abroad

)	11													
	l or					e per living			:	Death	s from	1			1 year Births
Crties	POPULATION (enumerated estimated)	LIVE BIRTHS	STILLBIRTHS	DEATHS (excluding Stillbirths)	Live Births	Deaths (excluding Still- births)	atypho	Smallpox	Whooping	Diphtheria	Tuberculosis (all forms)	Influenza	Acute poliomyelitis	Enteritis and diarrhoea (under 2 yrs.)	Deaths under per 1,000 Live
				Thi	ird Qu	arter 1									
LONDON	3,179,980	17,645	285	8,871	22.0	11.0		_	1	-	56	3	one-	8	24
AUCKLAND BOMBAY BRISBANE CALCUTTA CAPETOWN CHRISTCHURCH	428,832 4,185,000 622,000 2,934,000 188,700 218,898	2,536 30,091 3,474 19,089 1,310 1,255	39 1,232 38 703 18 27	1,206 9,790 1,705 8,184 731 705	23.7 28.8 22.4 26.0 27.5 22.9	11.2 9.4 11.0 11.2 15.4 12.9	† 25 - 96 - †	† 28 - 9 - †	† 4 – 2 – †	† 33 203 - †	† 737 6 509 †	† 7 2 3 - †	† 16 - 9 †	† 426 - 405 - †	22 90 15 112 29 26
COLOGNE COPENHAGEN DURBAN GOTHENBURG HELSINKI	794,336 730,200 164,500 404,738 474,200	3,244 2,920 1,068 † 1,900	45 43 8 † 22	2,078 1,891 538 840 1,089	16.1 15.9 25.8 † 16.0	10.3 10.3 13.0 8.2 9.2		1 +	1 1 - +	-	30 14 † 7 †	2 -1 - †	1 † - +	2 † - - +	26 28 23 †
OSLO ROME STOCKHOLM WELLINGTON ZURICH	478,000 2,223,786 808,022 243,749 445,710	1,575 11,902 2,489 1,493 1,486	41 210 19 26 16	1,141 3,732 1,912 632 933	13.1 21.2 12.3 24.5 13.3	9.5 6.7 9.5 10.4 8.4	- 1 †		- 6 † -	- 1 + -	102 20 †	- +	- 4 + 1	† 3 + +	14 † 18 27 21
				Fou	rth Qu	ıarter	1961		, , , , , , , , , , , , , , , , , , ,		Į				
LONDON A.C. AUCKLAND BOMBAY CALCUTTA CHRISTCHURCH COPENHAGEN	3,179,980 428,832 4,185,000 2,934,000 218,898 725,300	16,221 2,763 37,148 21,576 1,351 2,692	321 40 1,097 760 22 38	11,066 992 9,407 8,802 497 2,085	20.2 25.8 35.5 29.4 24.7 14 7	13.8 9.3 9.0 12.0 9.1 11.4	- † 24 46 †	- † 2 1 †	- † 5 5 † -	- † 39 109 †	65 † 813 559 †	22 † 2 21 †	1 1 8 4 †	4 † 296 240 †	25 17 64 113 21 33
GOTHENBURG OSLO ROME STOCKHOLM WELLINGTON	404,738 478,000 2,170,386 808,022 243,749	† 1,554 10,941 2,472 1,535	† 27 244 27 18	824 1,273 4,637 2,170 541	† 12.9 20.0 12.2 25.2	8.1 10.6 8.5 10.7 8.9	- - - †	-	- - 3 +	- 1 +	3 11 117 28 †	-	- - 4 - †	- † 5 - †	† 16 † 17 18
				4 301						-	-		-		

[†] Figures not available

Notifications of certain infectious diseases in the quarter ended 31st December 1961

IABLEIV

England and Wales, counties (distinguishing aggregates of municipal boroughs and urban districts, and rural districts), county boroughs, London A.C., City of London, metropolitan boroughs and port health districts

Note: Total original and corrected notifications are distinguished for England and Wales as a whole. Otherwise the figures refer to corrected notifications only.

(See General Notes on page 3)

ĺ	ſ									1
Sis	Other	- -	10	04 0	0000 0	- -	21 10	145 24	44	
Tuberculosis	Meninges and C.N.S.		-	111		-			11	1
H.	Respiratory	27 7 10 10	65	32 30	36 99 10 10 10 10 10 10 10 10 10 10 10 10 10	138	171 86 7	25 22 23 25 25	10	71
8 0	Food poisoni	44	9	40 0	4444 00	21 18 3	32	00 1 1 1 1 1 1 1 1 1 1	-1	
oolio- myelitis							-	-		1
Acute		m m	2	-4 m	m m	111	13	144 124		1
	Dysentery	28 28 13	23	21 22	1211 1721 1721 1721 1721 1731 1731 1731	111	5000	1060 60		
onia fluenzal)	Acute pneumani vor in	w∞ ∪	49	15 15 49	1027	640	160	25 21 18 18 15	27 %	4
GVer	Paratyphoid t		-	-		Communication of the Communica	-	11111-		
I.	Typhoid feve			-		111	2		11	1
	Diphtheria			-	1111	111			11	
	Scarlet fever	27 9 9	109	55	26 17 9	. 4 € −	39	20 20 29 29	13	7
		Cumberland Carlisle C.B Total M.Bs. & U.Ds. Total R. Ds.	Derbyshire	Total M.Bs. & U.Ds. Total R.Ds	Total C.B. Plymouth C.B. Total M.Bs. & U.Ds.	Dorset	Durham Total C.Bs	Gateshead C.B South Shields C.B Sunderland C.B West Hartlepool C.B. Total M.Bs. & U.Ds. Total R.Ds	Ely, Isle of Totai M.Bs. & U.Ds.	Total R.Ds
Sis	TəhiO	565	576	156	r=04	∞ m vn		91 11	m (1	988
Tuberculosis	Meninges and C.N.S.	36	33					-		
Į	Respiratory	4,252	4,226	30 12 12	39 20 15	34	11 7 4	22 28 21 8 8 14 15	52	26
3 u	Food poisoning	Original notifications 5,527 473 119 2,895	2,388	077	26	45	010	16	E = .	111
olio- nyelitis		otifica 119	101	111		111		40 0	7	
ejnor		nal mal mal mal mal mal mal mal mal mal m	405	111		441	111	1 3261	9	-
	Dysentery	Original n 5,527 473	4,866	rr	128 8 104	171	122	753800	11	4 0 4
nia (lsznəuf	Acute pneumo (prim'y or inf	2,886	2,804	047	31 111 7 13	111 2	4-m	28,83	13	30
Teve	Paratyphoid fo	26	45						11	111
	Typhoid fever	39	35		1111		111	11111		
	Diphtheria	10	9	111					11	
	Scarlet fever	5,268	5,240	207	47 111 7 29	30 15 15	32	173 173 25 5 5	31	27 23
		England and Wales	England and Wales	Bedfordshire Total M.Bs. & U.Ds. Total R.Ds	Berkshire Reading C.B Total M.Bs. & U.Ds. Total R.Ds	Buckinghamshire Total M.Bs. & U.Ds. Total R.Ds	Cambridgeshire Cambridge M.B Total R.Ds	Cheshire	Total M.Bs. & U.Ds. Total R.Ds.	Cornwall Total M.Bs. & U.Ds. Total R.Ds

Other

erculosis

000-114- 61

1 10000

So				~																	
Tuberculos	ninges C.N.S.	»Me bas	1	-		11	m	2-		1		Ţ		quest (11		2				
T	Spiratory	Kes	က	93	461	167	145	61	11	7	12	00	7	45	22	340	520	1	10	33.0	470
	gninosiog bo	ьон	⊢	178	7 -		46	12	10		m 4	1	11	13		04	116		41	-4	110
	alytic mye	No	7	4	7	11	6		-	1	11		il	7	— —	-	50			11	111
l l	nalytic Acui		71	041-		200	3024	96	7	71			11	7	11	2	13		-	11.	-
and the same of th	sentery	DA	∞ (2882	77	20	664	62		1	11	4	m	101	64 7 7	35	306	4	٥٥٥	750	1670
(lazn	sinomuənu əuhni 10 y'mi	noA ing)	7	35	0	67 %	2 62	20	10	12	O W	13	2	19	7	10	189		r 01 -	- 9	∞ ∞
I	eryphoid feve	Par	1			111	7	11		1					[]					1 1	
	rever biodd	TYT		[7]	111			~ ~				1	11				13				
	phtheria	Dil		111		111				· ·	11	1	11	1							
	arlet fever	Sca	L 6	3837	75.20	24,	306	31	12	21	16	24	5	300	V W 4	17	361	(757	40	25.
			-cont.			* *	J.Ds.	0 0	\cap	: :	. :		.Ds.	::	::	Ds.	•		::	: :	: : :
				C.B. F.C.B.	C.B.	C.B.	. & C	shire B.	\$ C ::	arts of	ર્ઝ : ે	en)	⊃ : ≈ :	arts o	E P	. & U	C.C.	TAN	: : :	:: ::	: : ;
			Lancashire—Bury C.B.	Manchester C.B.	Rochdale C.B. St. Helens C.B.	Salford C.B. Southport C.B.	Wigan C.B Total M.Bs. & U Total R.Ds.	Leicestershire	M.B.	Lincs. (Parts of Holland)	Total R.Ds.	Lincs. (Parts of Kesteven)	Total M.Bs. & U.Ds. Total R.Ds	Lincs. (Parts of Lindsey)	Grimsby C.B	M.B.	London A.C. CITY OF LONDON	METROPOLITAN BOROUGHS	Bermondsey	Camberwell	ord
			Bury	Man Oldh Prest	Rock H	Salfo Sout	Wiga Tota Tota	Leice	Total M.B. & U.I Total R.Ds	ָרָיִבְּיִבְּיִבְּיִבְּיִבְּיִבְּיִבְּיִבְּ	Total	֡֓֞֜֓֓֓֓֓֓֟֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	Total Total	Lin	Grim	Total M.Bs. & U.] Total R.Ds.	CITY	METR	Berm	Camb	Deptford Finsbury
is	per	10	174-		16	1-2		2 5	97	400	o 4	e =	10	- (144	40	¥=-	53	1	1 0	14=
Tuberculosis	eninges	M an	·		-	44	4	-	-				1	[]			111	in c	۱ ۱		
Tub	espiratory	Я	167	13	112	91	38	28	200	2225) w	m 17	81	29	, m M	144	119	463	3 6	23.51	128
	gninosiog boo	D-I			89	85	46		916	2000	00	7.00	000	2 7							-
	aralytic	ed	1 105			~ 4	4 10	4 2				101 W L	98	22 22 22	27	103	35,	124			10
-oi elitis	lod -no	N_	8		8	7		7 4	4 1 1	4	3	3					Years	3 30			6
9111	<u> </u>						1 1 1					1	11		11	T		78		<u>س</u> ا	
	ysentery		147	27	77	107	4 85	51		2064		9	17	7 0	7	69	36	977		84	36
is (isznət	cute pneumon	∀ d)	108	7	88	39	3000	1 42	71-50	232	00 0	210	25	, 4	77	100	35	267		6	280
19/	aratyphoid fe	3d	-	11	-	11				-		-		1 1			11	7	1		11
	yphoid fever	T	-		-				-	-11	-				11		11	40	1	11	1
)iphtheria	D		11						111	1		11	1	11	11	11	-1	1	11	111
	rearlet fever	S	391	238	284	387	2 7 7 7 7	245	100	133	. 15	- 00	256	1	-	146	36	849	00	447	24 28 88
			Essex Total C.Bs. East Ham C.B	C.B West Ham C.B	Total R.Ds	Gloucestershire Total C.Bs.	Gloucester C.B. Total M.Bs. & U.Ds.	Hampshire Total C.Bs.	Bournemouth C.B.	Southampton C.B Total M.Bs. & U.Ds. Total R.Ds	Herefordshire	Total R.Ds	Hertfordshire Total M.Bs. & U.Ds. Total R.Ds.	Huntingdonshire	Total R.Ds. & U.Ds.	Kent Canterbury C.B	Total M.Bs. & U.Ds. Total R.Ds	Lancashire	Barrow-in-Furness C.B.	Blackbool C.B.	Bootle C.B.

37.22.			1 1 1	10 et = 1	44 4	1116	010	000000	1-	1 ! !	∞44
	1 200 000	4 -6		21 4 111				253			
							1	0 0			
45 8 118 140 89	200 110 110 110 110 110 110 110	29	4 4	170 40 115 15	50 28 15 6	.EQ :	272	203 163 139 254 153	2 7 1 1	094	21 16 5
44 10 10 10 10 10 10 10 10 10 10 10 10 10	1-09 1529	760	040	48 19 24 5	221	204	V 4 -	25 25 26 27 26 27	111		L40
w w 40	2 11	1111		1111		11				111	- -
2 50	14 11		111	w w						111	4 4
31 2 2 23 105 23	1 13 1 1 2 2 2 2 2 2 2 2	9 44		911	L 2 4		m 04 –	507 443 1128 315 19	. r4e	111	33
45 26 128 128	27,7 1,7 1,7 1,7 1,7 1,7 1,7 1,7 1,7 1,7	13	14	388	29 15		∞ m v	113 90 71 19		111	0014
4 %				7				drawl decad			66
1 1.											
45 15 10 20 182 72	22 22 28 28 28 21 28 21	10 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	16 5 11	184 76 88 20	25 25 10 10	111	26 17 14	253 187 129 58 54 54	11 10 10 10 10 10 10 10 10 10 10 10 10 1	===	36 20 16
J.Ds.	C.B. C.B. C.B.	Suffolk, East Ipswich C.B Total M.Bs. & U.Ds. Total R.Ds	U.Ds.	U.Ds.	: : : :	U.Ds.	U.Ds.		Westmorland Total M.Bs. & U.Ds. Total R.Ds	Wight, Isle of Total M.Bs. & U.Ds. Isle of Wight R.D.	Wiltshire Total M.Bs. & U.Ds. Total R.Ds
ss. & U. s. shire	Burton upon Trent C.B Smethwick C.B Stoke on Trent C.B Walsall C.B West Bromwich C.B. Wolverhampton C.B. Total M.Bs. & U.Ds. Total R.Ds	East B Bs. & l	Suffolk, West Total M.Bs. & U.Ds. Total R.Ds	Surrey Croydon C.B Total M.Bs. & U.I Total R.Ds.	Sussex, East Total C.Bs Brighton C.B Eastbourne C.B.	Total M.Bs. & U. Total R.Ds	Sussex, West Total M.Bs. & U.J Total R.Ds	Warwickshire Total C.Bs Birmingham C.B. Coventry C.B.	Westmorland of all M.Bs. & lotal M.Bs. & lotal R.Ds	Isle of Bs. & ight R	Bs. &
Somerset Bath C.B. Total M.Bs. & Total R.Ds Staffordshire Total C.Bs	Burton upon Trent C.B Smethwick C.B. Stoke on Trent Walsall C.B West Bromwich Wolverhampton Total M.Bs. & I Total R.Ds	iffolk, zich C u M.E	al M.F	Surrey Croydon C.B Total M.Bs. & Total R.Ds.	Sussex, East Total C.Bs Brighton C.B Eastbourne C.I.	al M.F	ussex, al M.I al R.E	Warwickshi Total C.Bs. Birmingham (Coventry C.B	Vestmo al M.J al R.I	Vight, al M.] of Wj	Viltshi al M. al R.I
So Bath Tota Tota St Tota	Sme Stok Stok Wal Wes Wool Tota	St. Ipsw Tota Tota	Tot: Tot:	Cro	S Tota Brig East Has	HOT TO TO	Tot	Hot Co.	Tot V	V Tot Isle	Tot
1110 4mm-	w- \alpha - \alph - \alpha -	1 2		1 1 8 7	V-10- 0	√∞ 4	460	LL/04	0.00	1 1 1	
8		1 (0)	-	1		-		7,04			'
1		w	-						- -		
22 23 23 23 23 23 24 25 25 25 25 25 25 25 25 25 27 27 27 27 27 27 27 27 27 27 27 27 27	30 20 20 20 30 30 30 30 30 30 30 30 30 30 30 30 30	"		2802 				•	15		7 0
22 23 23 25 25 25 25 25 25 25 25 25 25 25 25 25		16 — 194 3	41 10	28687	86 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		152	724 67 7 7 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 1 1) t	22	2 2
4 6 1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		"	41 10	7862	86 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	49	152	724 47 71 131 151 151 151 151 151 151 151 151 15	15	77	
221 222 223 223 223 223	10 10 10 10 10 10 10 10 10 10 10 10 10 1	16 — 194 3	41 10	28687	2 1 18 1 2 5 2 6 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	49	2 12 12 15 15 15 15 15 15 15 15 15 15 15 15 15	1	15	77	
1	2, 13, 10, 10, 10, 11, 11, 11, 11, 12, 13, 14, 14, 14, 14, 14, 14, 14, 14, 14, 14			3 22	18 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19	- 12 113 - 6 49 - 6 37 - 6	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 1 2 41 1 2 41 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
19	2 2 2 2 13 13 13 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1	15 — — 1 12 — — — — — 16 — 73 2 — 43 194 3	1 - 24 41 - 10	1 1 3 2 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 18 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19	6 - 12 113 - 6 49 - 6 37 - 6 37 - 6	29	195 4 1 7 87 — 12 1 — 2 41 — 153 2 1 4 31 — 30 1 — 1 15 —	1		
19	2 2 2 2 13 13 13 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1	15 — — 1 12 — — — — — 16 — 73 2 — 43 194 3	39 1 — 24 41 — 13 1 — 21 10 —	6	3 18 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19	46 6 - 12 113 - 10 6 - 6 49 - 10 5 - 6 37 -	29	195 4 1 7 87	2 3 4 7 7 7 7 1 16	111	1123
19 1 1 6 24 19 - 1 1 4 13 2 - 1 1 1 12 49 - 1 14 61 6 4 1 7 40 13 8 - 23	2 2 2 2 13 13 13 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- 15 - - 1 12 - 14 - - - 16 - 149 73 2 - 43 194 3	. 27 13 1 — 24 41 — 27 10 —	6	3 18 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19	46 6 - 12 113 - 10 6 - 6 49 - 10 5 - 6 37 -	29	195 4 1 7 87	2 3 4 7 7 7 7 1 16	111	1123
19	13 13 14 15 15 17 17 18 19 19 19 19 19 19 19	- - - 15 - - 1 12 - - 14 - - - - 16 - 2 149 73 2 - 43 194 3	27	6	3 18 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19	46 6 - 12 113 - 10 6 - 6 49 - 10 5 - 6 37 -	29	195 4 1 7 87	2 3 4 7 7 7 7 1 16	111	1123
	13 13 14 15 15 17 17 18 19 19 19 19 19 19 19	- 1 - 1 15 - - 1 12 - - - 14 - - - 16 - - 3 2 149 73 2 - 43 194 3	27	6	- 1 - 23 7 - 3 18 1 6 1 6 1 6 6 1 7 8 1 7 8 1 7 8 1 7 8 8 1 7 8 8 1 7 8 8 1 7 8 8 1 7 8 8 1 7 8 8 8 1 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	29	- - 42 195 4 1 7 87 - - - 19 12 1 2 41 - - - 19 153 2 1 4 31 - - - 4 30 1 - 1 15 -	2 3 4 7 7 7 7 1 16	111	1123
34	15	$\begin{bmatrix} -4 & -1 & -1 & -1 & 15 & -1 & 112 & -1 \\ 8 & -1 & -1 & 14 & -1 & -1 & 16 & -1 \\ 233 & -3 & 2 & 149 & 73 & 2 & -43 & 194 & 3 \end{bmatrix}$		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	43 — — — 3 — — 3 — — 3 — </td <td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td> <td>11</td> <td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td> <td>22</td> <td> </td> <td></td>	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	11	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	22		
34 4 7 1 6 24 11 6 19 1 1 4 13 10 10 10 10 10 10 10 11 10 10 10 10 10 10 10 10 10 11 10	15	8. U.Ds. 233 — 3 2 149 73 2 — 43 194 3		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	43 — — — 3 — — 3 — — 3 — </td <td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td> <td>11</td> <td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td> <td>22</td> <td> </td> <td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td>	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	11	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	22		$\begin{array}{cccccccccccccccccccccccccccccccccccc$
th 34	15	8. U.Ds. 233 — 3 2 149 73 2 — 43 194 3		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	43 — — — 3 — — 3 — — 3 — </td <td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td> <td>11</td> <td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td> <td>22</td> <td> </td> <td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td>	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	11	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	22		$\begin{array}{cccccccccccccccccccccccccccccccccccc$
nith 134 4 7 1 - 6 24 d 10 4 2 - 1 1 12 d 10 4 1 1 12 140 - 2 2 6 4 1 7 n 25 1 1 - 16 38 n 15 13 1 - 6 22	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{4}{8}$ — $\frac{1}{-}$ — $\frac{1}{14}$ — $\frac{15}{-}$ — $\frac{1}{-}$ — $\frac{1}{16}$ — $\frac{1}{$	127 — 1 68 39 1 — 24 41 — 53 — 10 — 10 — 10 — 10 — 10 — 10 — 10 — 1	50 — — 24 7 1 — 18 8 — — — 50 — — 7 1 — 18 8 — — — 51 — 7 1 — 18 8 — — — 52 — — 52 — — 52 — — 52 — — 52 — — 53 — 52 — — 53 — 54 — 55 — — 54 — 55 — — 55	43 — — — 3 — — 3 — </td <td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td> <td></td> <td>$\begin{array}{cccccccccccccccccccccccccccccccccccc$</td> <td>22</td> <td> </td> <td>D 1 15 - 3 - 2 3</td>	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	22		D 1 15 - 3 - 2 3

sis	Other	== w=0 = = v=4 0x4=wv0 = = v == v0
Tuberculosis	Meninges and C.N.S.	
Į.	Respiratory	0 m 0 m 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	Food poisoning	
oi eitile	Non- paralytic my	
 ətu	Paralytic Act	
	Dysentery	4 4 6 6 6 6 6 7 7 7 7 7
ia (Isznə	Acute pneumoni (prim'y or influ	11 12 18 18 18 18 18 18
.T9	Paratyphoid fev	
	Typhoid fever	111 111 111 111 1111 111 111 111 111 111
	Diphtheria	
	Scarlet fever	2 2 624 8-1
		Cardiganshire Total M.Bs. & U.Ds. Total M.B. & U.Ds. Total M.B. & U.Ds. Total M.B. & U.Ds. Total M.Bs. & U.Ds.
sis	Other	w11 y 4
Tuberculosis	Meninges and C.N.S.	2111 1 111 1111 -111111111111
T.	Respiratory	0414204 08 820 4440 08 1118 08 08 1118 08 08 11 0 0 0 0 0
1	Food poisoning	2 2 2 2 2 2 4 5 1 1 4 6 6 6 6 6 6 6 6 6
elitis		1 1 1 1 1 1 1 1 1 1
ətu -oil	loa	1
	Dysentery	222 221 1130 1140 1150 1150 1150 1150 1150 1150 115
lia lenzal)	Acute paeumon offini 10 y'mi1q)	745 24 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
ver	Paratyphoid fer	
	Typhoid fever	
	Diphtheria	
	Scarlet fever	55 11 180 11 180 11 180 11 180 190 190 190 190 190 190 190 19
		Worcestershire Total C.Bs. Dudley C.B. Worcester C.B. Total M.Bs. & U.Ds. Total R.Ds. West Riding Middlesbrough C.B. Total R.Ds. Total R.Ds. Yorkshire, West Riding Total R.Ds. Total R.Ds. Total R.Ds. West Riding Total R.Ds. Total R.Ds. Total R.Ds. Bradford C.B. Bradford C.B. Bradford C.B. Ceeds C.B. Huddersfield C.B. Leeds C.B. Huddersfield C.B. Sheffield C.B. Total M.Bs. & U.Ds. Total R.Ds.
		12

Original notifications of Meningococcal infection numbered 186, Whooping cough 2,402, Corrected notifications were Meningococcal infection 126, Whooping cough 2,377 and Measles 14,764. and Measles 14,793. distributed by counties

	Meningo- coccal infection	Whooping	Measies		Meningo- coccal infection	Whooping	Measles		Meningo- coccal infection	Whooping cough	Measles
Bedfordshire Berkshire Buckinghamshire Cambridgeshire Cheshire Cornwall Cumberland Derbyshire Devon Dorset Durham Ely, Isle of Essex Gloucestershire Herefordshire Hertfordshire Huntingdonshire Kent Lancashire Leicestershire Lincs. (Holland)	-1 -2 -7 -1 -2 -3 -10 -4 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1 -1	29 32 17 6 79 22 8 38 66 16 102 2 128 42 42 42 48 29 2 68 222 30 15	47 294 171 19 184 194 58 170 659 140 431 2 423 380 318 43 262 20 967 1,893 476 5	Lincs. (Kesteven) Lincs. (Lindsey) London A.C. Middlesex Norfolk Northamptonshire Northumberland Nottinghamshire Oxfordshire Peterboro', Soke of Rutland Shropshire Somerset Staffordshire Suffolk, East Suffolk, West Surrey Sussex, East' Sussex, West Warwickshire Westmorland Wight, Isle of		-43 193 80 50 27 29 23 28 - 15 58 39 39 19 83 46 29 146 2	6 155 459 107 87 23 45 147 58 323 407 147 221 131 517 204 15 251 63	Wiltshire Worcestershire Yorks. E. Riding Yorks. N. Riding Yorks. W. Riding (including York C.B.) Anglesey Breconshire Caernarvonshire Cardiganshire Carmarthenshire Denbighshire Flintshire Glamorgan Merionethshire Monmouthshire Montgomeryshire Pembrokeshire Radnorshire Port Health Dists.*	5 2 2 1 1 16 — — — — — — — — — — — — — — — —	8 28 37 31 2222 7 18 -3 3 3 -3 12 12 15 1	291 57 90 297 2,519 4 2 69 1 5 13 57 179 161 177 149 32 86

Other diseases notified:—Ophthalmia neonatorum: Original 206, Corrected 205. Acute encephalitis, Infective: Original 32, Corrected 36. Acute encephalitis, Post infectious: Original 16, Corrected 19. Erysipelas: Original 506, Corrected 503. Anthrax: Original 3, Corrected 3. Puerperal pyrexia: Original 1,966, Corrected 1,978. Smallpox. Original 1, Corrected 1. Typhus fever: Original 1, Corrected 1. No cases of Cholera or Plague were notified.
*Uncorrected figures for 13 weeks ended 30th December, 1961, not included in totals for England and Wales.

TABLE IV (a)

Corrected notifications of certain infectious diseases in the quarter ended 30th September 1961. analysed by sex and age England and Wales

(See General Notes on page 3)

Age-group	Dysentery		fever		Whooping cough		Diphth	neria	Mea	isles	Meningo- coccal infection		Acı		Non-paralytic		
Age-group	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	М.	F.	M.	F.	M.	F.	
All Ages 1— 2— 3— 4— 5— 10— 25 and over Unknown	1,698 106 187 147 134 111 328 164 117 387 17	1,754 88 158 167 112 89 274 113 202 532 19	1,474 10 45 104 162 203 728 154 50 15	1,510 11 48 84 138 167 816 172 40 29 5	2,012 223 224 249 221 223 714 122 15 11	2,256 232 232 296 266 233 804 123 16 46 8	2 - - 1 1 -	4 - 1 2 - 1 - 1	38,906 1,449 4,168 5,261 5,231 5,213 15,553 1,432 280 149 170	37,586 1,475 4,065 4,939 5,215 4,870 14,737 1,572 296 251 166	70 21 7 7 7 2 7 7 7 3 7 9	46 11 9 3 2 - 3 4 7 7	115 3 26 13 14 11 20 7 8 13	94 12 10 14 9 6 15 6 7	29 -4 2 3 4 6 2 5 3	23 1 1 3 3 1 7 5	

Age-group	Typhoi	d fever	Paraty fev		Erysi	pelas	Infec		cephalitis Post-inf			ute monia		ood soning
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All Ages 0—	22 3 6 11 2 —	11 2 2 4 1 2	24 2 7 12 3 —	20 3 7 4 3 3	198 2 5 43 98 49 1	283 -3 53 144 78 5	20 4 8 7 1 —	10 5 1 4 —	18 6 8 2 2 —	9 1 4 4 - -	895 138 102 182 278 183 12	637 100 87 139 132 171 8	1,056 285 230 297 169 53 22	1,058 184 153 434 186 66 35

			Tuberculo	osis		
Age-group	Respi	ratory	Meni and C		Oth	ier
	M.	F.	M.	F.	M.	F.
All Ages 0—	2,896 85 136 361 867 1,067 375 5	1,689 80 129 397 651 306 124 2	30 8 4 7 8 3 —	22 4 3 5 6 1	246 12 21 36 106 48 22 1	367 5 31 77 136 75 41 2

TABLE V

Infant mortality: rates by quarters and each completed year, 1959 to 1961

England and Wales and various other countries
(Deaths under 1 year per 1,000 live births)

Country	1959	1960	1961		19	59			19	60			19	961	
Country	1939	1900	1901	Mar.	June	Sept.	Dec.	Mar.	June	Sept.	Dec.	Mar.	June	Sept.	Dec.
England and Wales Wales Scotland N. Ireland Irish Republic	22 26 28 28 32	22 25 27 27 30	21 22 † †	25 28 33 33 37	21 25 26 26 35	19 25 25 25 26 25	24 28 29 29 30	23 26 29 28 35	21 25 26 26 27	20 23 24 22 26	24 27 27 30 30	24 26 30 35 35	20 19 25 26 29	19 21 23 20 †	22 24 26
Australia Canada Chile Denmark France	22 28 120 22 30	20 27 127 22 27	† † † †	22 32 143 22 35	20 26 106 23 30	23 26 103 19 26	21 29 126 25 27	21 30 158 23 31	18 26 127 21 28	22 23 105 18 24	19 30 120 24 27	18 † 134 24 30	19 † 101 19 26	21 † 101 21 23	21
Italy Netherlands New Zealand Sweden U.S.A	45 17 20 17 26	44 17 20 16 26	† † † † †	49 20 20 16 28	44 16 19 16 26	44 16 22 15 24	43 - 16 - 19 - 18 - 27	43 18 17 17 27	46 17 20 17 26	42 15 24 14 23	45 17 18 17 27	44 17 16 16 27	39 15 20 15 25	38 15 22 † 23	16 19 26

[†] Figures not yet available.

TABLE VI

Deaths by cause and sex in 1959 and 1960, and in the last nine available quarters, classified according to the International Abbreviated List (7th Revision, 1955), with certain sub-divisions England and Wales

Causes of Death	1959	1960	1 9	59	1	196	50			1961 †	
Causes of Death	1939	1900	Sept.	Dec.	March	June	Sept.	Dec.	March	June	Sept.
ALL CAUSES $\left\{ {\mathop{_{F}}^{M}} \right\}$	269,878 257,773	269,172 257,096	52,918 50,479	65,305 61,897	76,121 72,916	63,324 61,014	57,799 54,678	71,928 68,488	90,008 87,032	63,673 61,525	56,143 54,603
Tuberculosis of respiratory system (001-008) Tuberculosis of meninges and C.N.S. (010) Tuberculosis, other forms (011-019) Syphilis and its sequelae (020-029) Typhoid fever (040) Cholera (043) Dysentery, all forms (045-048) Scarlet fever (050) Streptococcal sore throat (051) Diphtheria (055) Whooping cough (056) Meningococcal infections (057) Plague (058) Acute poliomyelitis (080) Acute infectious encephalitis (082) Smallpox (084) Measles (085) Typhus and other rickett-sial diseases (100-108) Malaria (110-117) Meningosococal Meningococtal Meningococcal Meni	854 50 37 140 153 627 331 2 1 — 2	255,669 247,477 2,342 763 35 134 135 623 321 2 1 1 15 21 10 13 2 3 20 17 46 49 4 62 62 62 13 18 1	49,597 48,476 484 184 10 9 27 22 130 60 1 2 3 11 15 7 16 12 12 9 7 3	61,891 59,459 594 215 10 8 24 46 157 63 1 1 2 1 4 20 11 7 6 10 16 1 2 1	72,675 70,226 671 215 7 12 32 43 169 77 — — 4 3 — 4 6 1 1 5 3 13 18 — 7 1 15 8 — 2 4 — —	59,955 58,812 552 188 10 8 30 24 161 72 1	54,489 52,584 489 156 5 6 31 32 147 78 1 4 4 4 1 2 7 8 6 5 2 17 20 3 2 1 2	68,550 65,855 630 204 4 9 41 366 146 94 ——————————————————————————————————	86,431 84,138 749 256 6 8 42 34 156 97 — — — — 2 10 — 2 — 1 5 10 7 20 30 — — 16 21 — — — — — — — — — — — — — — — — — —	60,218 59,344 537 157 16 9 34 37 70 1	52,933 52,505 420 145 8 7 24 37 118 80 — 2 4 — 2 11 6 — 13 3 13 14 — 7 9 — 3
Other diseases classified as infective or parasitic M (Rem. of 001-138) F	420 384	444 426	103 96	86 94	103 117	106 89	112 101	123 119	129 125	89 105	105 101

[†] Provisional.

			195	9	And the second s	1960				1961†	
Causes of Death	1959	1960	Sept.	Dec.	March	June	Sept.	Dec.	March	June	Sept.
hs from non-violent											
causes—cont. alignant neoplasm of $\int M$ stomach (151) $\int F$	7,930 6,146	7,846 6,107	1,987 1,490	1,997 1,562	1,999 1,555	1,893 1,429	1,988 1,533	1, 9 66 1,590	1,987 1,505	1,953 1,532	1,930 1,460
alignant neoplasm of intestines and rectum M	6,774	6,758	1,733	1,700	1,657	1,695 1,946	1,698 2,091	1,708 2,031	1,686 2,023	1,674 1,997	1 676 1,969
(152-154) \F alignant neoplasm of other digestive organs \int M	8,248 4,456	8,025 4,419	2,069	2,101	1,957	1,065	1,099	1,144	1,079	1,201	1,139
(Rem. of 150-159) \F	4,191	4,308	1,071	1,086	1,091	1,028 4,536	1,109 4,742	1,080 4,889	1,081 4,882	1,085 4,725	1,122 4,722
trachea, bronchus, lung M (162-163) F lalignant neoplasm of	18,181 2,882	18,882 3,118	4,452 744	4,791 732	4,715 787	713	818	800	802	754	853
other respiratory or- J M gans (Rem. of 160-165) \ F	320	877 323	178 78	204 73	246 71	228 91 14	194 76 19	209 85 15	206 89 21	218 75 27	200 72 13
talignant neoplasm of M	8,708	9,059	2,119	2,273	2,319	2,184	2,245	2,311	2,306	2,276	2,351
Ialignant neoplasm of uterus (171-174) Feukaemia and	4,003 1,315	4,088 1,476	1,008 309	1,033	1,008	1,010	1,027	1,043	980 355 311	1,008 346 291	951 347 306
aleukaemia (204) \ F		1,218 12,458	3,013	302	301	319	321	277 3,184	3,288	3,000	3,025
other sites (Rem. of M. 140-205) Fenign and unspecified M.	9,617	9,763 613	2,360 128	2,490	2,425 146	2,399 149	2,477	2,462 161	2,443 172 182	2,440 141 193	2,553 125 169
neoplasms (210-239) F hyrotoxicosis with or N	735 55	768 40 311	200 14 53	169 12 65	217 9 94	182 14 82	186 10 62	183 7 73	11 85	12 74	12 60
without goitre (252) \ F Diabetes mellitus (260) \ K	1,100	1,193 2,366	203 450	291 540	313 662	261 553	265 495	354 656	418 752	297 615	267 530
ernicious and other hyperchromic N	1 227	253 517	68 128	47 137	75 114	56 149	49 128	73 126	62 161	65 132	42 133
anaemias (290) F Anaemias, other (291- S 293) F	1 355	340 549	75 109	91	84 143	83 151	88 133	85 122	91 164	77 149	88 148
Vascular lesions affecting the central nervous \(\) N	30,897	31,006 45,216	6,185 8,937	7,488 10,976	9,059 12,920	7,243 10,874	6,605 9,516	8,099 11,906	9,564 13,759	7,347 11,051	6,436 9,520
system (330-334) F Non-meningococcal meningitis (340) F	180	209	42 28	53 37	64 56	47	38	60	64 62	50 40 10	45 24 10
Rheumatic fever (400-) N	63	61 64	9 9 498	14 13 583	19 24 701	16 10 567	18 16 550	8 14 651	24 16 796	10 602	7 520
Chronic rheumatic heart Misease (410-416) Figure 2 L'oronary and arterio-	4,589	2,469 4,652	879	1,124	1,349	1,072	972	1,259	1,512	1,158	964
sclerotic heart disease \ \ \(\text{(420)} \) \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	52,193 32,729	56,514 35,447	10,601 6,469	13,770 8,689	15,562 9,792	13,118 8,282	12,421 7,504	9,869	10,769	13,883 8,566	12,297 7,796
Chronic endocarditis and other myocardial de- M generation (421, 422)	20,507 31,495	19,550 30,747	3,545 5,720	4,682 7,222	6,054 9,260	7,281	3,834 6,129	5,149 8,077	6,868 10,849	4,239 6,917	3,433 5,791
Other diseases of heart \ \ \ \ (430-434) \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	7,120	6,019 7,479	980	1,324	1,800 2,164	1,786	1,525	1,628 2,004 1,274	2,267 2,813 1,478	1,429 1,834 1,035	1,173 1,544 843
Hypertension with heart \ I \ disease (440-443) \ \ldots \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	4,656	4,678 6,61 6	872 1,224	1,109 1,584	1,366 1,993		1,268	1,805	2,246	1,577	1,226
mention of heart (444- { 1 447)	3,269 3,555	3,123 3,407	639 677	768 857	922 1,013			801 916			586 609
Other diseases of circulatory system (Rem. of)!	M 7,492	7,830 9,907	1,415 1,743	1,852 2,276		1,858 2,394		2,149 2,752	3,327	2,544	1,665 2,173
Influenza (480-483) {]	M 3,898 F 3,964	553	28 32	120 121	242 266	125 137	31 20		3,277	72	25 16 1,955
Pneumonia (except of) newborn) (490-493)	M 13,203 F 13,387	11,818	1,672 1,631								2,009
Pneumonia of newborn { (763)	M 445 F 305		83 65					1		i	
Bronchitis (500-502) 5	M 20,193	18,997 7,488	2,040			3,793 1,519	848	2,308	4,696	1,352	860
Other respiratory diseases (Rem. 470-527)	M 3,462 F 1,587	3,465 1,564	545 248	798 353	1,028	372	597 248	1,061	1,412	364	264
Ulcer of stomach and duodenum (540, 541)	M 3,090 F 1,473	3,165 1,540	281	353	473	332	318	417	475	339	277
Appendicitis (550-553) { Intestinal obstruction and	F 2/1	271	64	68 358	388	3 35	8 68 1 344	369	458	62 3 346	329
hernia (560, 561, 570) Castritis, duodenitis, en-						38:	375	434	469	400	361
teritis and colitis, ex-	M 951 F 1,381										
newborn (543, 571, 572) (Gastro-enteritis and	1,501	1,-101									
colitis, except ulcer- ative, aged 4 wks2											
yrs., and diarrhoea of newborn (571.0, § 764)	M 218						8 4 2				
OT)								N MANUAL PROPERTY AND ADDRESS OF THE PARTY AND	ADDRESS STREET MARKET DEATH))

TABLE VI (continued)

	4050	40.60	19:	59 .		19	60			1961†	
Causes of Death	1959	1960	Sept.	Dec.	March	June	Sept.	Dec.	March	June	Sept.
Deaths from non-violent							CONTRACTOR CONTRACTOR CONTRACTOR				
causes—cont. Cirrhosis of liver (581) { M F	617 586	685 587	137 141	158 165	178 147	174 142	154 146	179 152	181 178	175 156	184 132
Other diseases of digestive system (Rem. of M 530-587) F	1,247 1,878	1,318 1,936	249 474	354 471	338 487	326 495	333 454	321 500	371 500	290 472	31 2 469
Nephritis and nephrosis M (590-594) F Hyperplasia of prostate	1,923 1,762	2,005 1,709	406 372	428 410	548 466	511 419	432 3 75	514 449	552 487	422 404	393 356
(610) M Other diseases of genito-	3,505	3,259	793	842	924	770	731	834	956	695	659
urinary system (Rem. M of 590-637) F Sepsis of pregnancy,	1,460 1,914	1,557 2,016	314 454	374 507	426 529	378 519	347 489	406 479	465 525	379 538	345 560
childbirth and puer- perium; abortion with sepsis (640, 641, 651, 681, 682, 684) F Other complications of pregnancy, childbirth and puerperium includ-	76	68	22	20	20	21	13	14	22	15	16
ing abortion (Rem. 640- 689) F Congenital malforma- \int M tions (750-759) \int F	214 2,503 2,408	242 2,696 2,426	54 616 515	42 601 612	64 686 614	70 682 613	56 636 584	52 692 615	5 6 656 686	5 9 631 630	52 663 562
Birth injuries, postnatal asphyxia and atelect-∫M	2,818	2,749	669	696	699	671	699	680	752	723	722
asis (760-762) F Infections of the newborn M (763-768) F Other diseases peculiar	1,743 511 338	1,753 524 318	419 97 72	408 108 71	446 152 103	388 125 81	459 101 57	460 146 77	456 177 107	438 107 77	447 105 73
to early infancy, and immaturity unqualified M (769-776) F Senility without mention	2,177 1,726	2,425 1,751	540 380	542 457	604 451	593 454	573 427	655 419	617 464	643 480	539 409
of psychosis, ill-defined and unknown causes M (780-795) F All other natural causes M (Rem. 001-795) F	2,718 5,094 4,716 6,693	2,435 4,873 4,745 6,702	472 906 990 1,458	598 1,201 1,128 1,601	736 1,409 1,309 1,844	594 1,189 1,179 1,613	478 1,009 1,052 1,473	627 1,266 1,205 1,772	915 1,671 1,520 2,114	570 1,199 1,152 1,646	418 906 1,014 1,532
(10011.001-175) (1		0,702	-,:00	1,001	1,011	1,013	2, 175	1,772	2,114	2,010	1,002
Motor vehicle accidents M (E810-E835) F	13,456 9,379 4,414 1,612	13,503 9,619 4,754 1,889	3,321 2,003 1,091 394	3,414 2,438 1,367 529	3,446 2,690 1,180 530	3,369 2,202 1,050 326	3,310 2,094 1,215 448	3,378 2,633 1,309 585	3,577 2,894 1,180 531	3,455 2,181 1,132 412	3,210 2,098 1,118 397
Other transport accidents (E800 - E802, E840 - M E866) F	584 92	552 80	151 28	153 25	140 22	123 19	158	131 17	141 15	150 26	143 29
Accidental poisoning	608 750 2,105 3,538	659 813 1,906 3,559	101 112 464 709	135 187 495 868	212 252 508 994	147 162 494 844	103 133 454 794	197 266 450 927	221 320 547 1,080	139 157 433 753	121 134 420 772
Accidents caused by fire or hot substance (E916, ME917) FAll other accidents (Rem. ME800-E962) F	320 486 2,128 667	275 455 2,118 660	55 45 640 181	81 91 432 170	109 183 458 173	70 98 609 158	38 50 578 173	58 124 473 156	149 183 520 189	75 90 575 164	51 46 629 175
Suicide and self-inflicted injury (E963, E970-{M E979) F	3,116 2,091	3,059 2,054	778 503	595 521	794 512	831 561	729 449	705 532	775 541	898 555	682 523
Homicide and operations of war (E964, E965, M E980-E999) F	181 143	180 109	41 31	56 47	45 24	45 34	35 25	55 26	44 35	53 ' 24	46 22

[†]Provisional,

TABLE VII

Accidental deaths registered in the quarter ended 31st December 1961 analysed by sex and age, with totals for the corresponding quarter of the previous year

England and Wales

(Classified according to the International Classification of Diseases (7th Revision 1955))

Home accidents*: Coal gas poisoning	(Classified acc	cording	All a	ges nber	0—	1—		10-14	Total under	15-	25-	45	65 & over	Total aged 15 &
Cool gas poisoning		-							13				Over	
CESOD Services CESO				440				2	A	E	0	27	65	106
CENTA-ERSS, ES91_ERSS5	Coal gas poisoning (E890)	{M F				1		2	3	5	8	21	106	140
Capaba F 647 721 1 3	Other poisoning (E870-E888, E891-E895)	${M \choose F}$								5		19	14	46
CEDICATION CED		${M \choose F}$					_1	_1		3 2				
CEP2L, E922, E924, E925 F 46 53 50 6 2 38 1 6 8 15		${M \choose F}$							14 17					
Total know accidents Remainder of E870-E936 F 36 24 4 4 8 2 1 4 9 16	Choking and suffocation (E921, E922, E924, E925)	${M \choose F}$					_1		52 38	2				
Transport accidents		${M \choose F}$					_3	2			_			
Motor vehicle road accidents involving injury to: Motor vehicle road accidents involving injury to: Pedal cyclist (E813)		${ M \brace F}$	605 1,079						99 72					
Pedal cyclist (Bal3) Str.	Motor vehicle road accidents involving injury to: Motor cyclist†	ſΜ	369		11									
Pedestrian (E812)		_		113			3	16	20	15	13	42		93
Occupant of motor wehiclet (Remainder of E810-	Pedestrian	CM	430	439		21	30		61	16	33	94	235	378
vehiclet (Remainder of E810- E825) March 1611- F 114 1611- 161 2 4 3 11 10 44 40 40 27 151 Other road accidents involving injury to: Pedal cyclist (E843) March 17 F 17 F 19 F - - 1 2 3 2 4 5 5 16 September (E843) Pedestrian (E840-E842, E844) March 27 F March 28 San 2		ζF												
involving injury to:	vehicle‡ (Remainder of E810-	₹						1						
All other transport accidents including rail, air, water (Remainder of E800-E866)	involving injury to: Pedal cyclist	{M F	17			_	_1	_2	_3	_2	4			
including rail, air, water (Remainder of E800-E866) {F 26 10 1 1 2 1 3 3 2 1 3 2 2 1 8 8 1 1 1 1 1 1 1		${M \atop F}$		4 8		=	=	_			annual distance of the same of	3		
Other accidents:	including rail, air, water	${ m M} { m F}$	123 26				=							
Poisonings (E870-E895) \{ M \ 25 \ F \ 27 \ 15 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		${M \atop F}$	1,389 575											
Falls (E900-E904) Mr 72 72 1 1 1 4 12 54 71	Poisonings	${M \choose F}$	25 27			_2			_2	3				25 15
Burns		${M \choose F}$	130 72		11	_2	4	4	10	11 .				
CE929 CE9		${M \choose F}$			II.	_	_1	_1	_2			4		
Corner (Remainder of E870-E936) F 16 26 2 1 3 4 2 9 8 23		${M \choose F}$	118 31		11	9 2	6	_3	18 3					
Total other accidents (E870-E936) F 149 142 3 3 1 7 8 13 40 74 135	Other (Remainder of E870-E936)	${M \choose F}$	206 16			3 1	_1	4		41				
December quarter 1961 (E800- E936) F 1,778 44 49 24 19 136 98 110 244 1,190 1,642 §Total, all accidents December quarter 1960 (E800- T 1,002 20 41 41 24 145 65 118 310 1 165 1,658		${M \atop F}$	491 149	515 142			12							
E936) (F 1,778 44 49 24 19 130 98 110 244 1,190 1,042 §Total, all accidents December quarter 1960 (E800- { T 1,002 20 41 41 24 145 65 118 310 1 165 1,658	December quarter 1961 (E800-	₹												
December quarter 1960 (E800- \ 7 1 002 \ 20 41 41 24 145 65 118 310 1 165 1 658	E936)		2,485	1,778				-						-
	December quarter 1960 (E800-	₹			39	41	41	24	145	65	118	310	1,165	1,658

^{*} Including deaths in residential institutions. † Including passengers. ‡ Including a few deaths of other and unspecified persons § Excluding deaths from therapeutic misadventure, etc., (E940-E959), and late effects of injury and poisoning (E960-E962).

TABLE VIII

Numbers of insured persons absent from work owing to certified sickness or industrial injury (or prescribed disease)

England and Wales; standard regions*
(Supplied by the Ministry of Pensions and National Insurance)
(Figures to nearest hundred)

Area	17th Octo	ober 1961	21st Nove	mber 1961	19th Dece	mber 1961
Alva	Sickness	Injury	Sickness	Injury	Sickness	Injury
England and Wales	791,800	55,800	819,000	54,600	777,200	49,700
Northern	66,000	8,000	67,900	7,600	64,700	6,800
East and West Ridings	83,300	8,400	84,500	8,000	79,500	7,200
North Western	154,300	8,100	158,000	8,100	155,500	7,300
North Midland	54,800	5,500	56,200	5,200	52,000	4,800
Midland	78,100	4,600	79,600	4,500	75,100	4,100
Eastern	44,500	2,200	47,000	2,400	45,000	2,100
London and South Eastern:						
London and Middlesex	84,700	3,500	89,700	3,400	78,900	3,200
Remainder	73,100	3,400	76,900	3,500	70,800	3,100
Southern	33,200	1,700	35,600	1,600	34,700	1,500
South Western	51,500	2,400	54,700	2,600	52,500	2,200
Wales	68,400	8,100	68,800	7,600	68,400	7,300

Notes: (1) Periodical checks of the proportion of males included in the total figures of persons absent from work have shown a fairly constant level of about 68 or 69 per cent for absence caused by sickness and about 87 per cent for absence caused by industrial injury.

- (2) Broadly, the whole of the civilian working population aged 15 and over can now qualify under the National Insurance Act for sickness benefit without limit of income, including not only those employed under contract of service but also the self-employed. There are, however, about 3 million employed persons who do not qualify, including about 2½ million married women who elect not to be insured in their own right.
- (3) The National Insurance (Industrial Injuries) Act applies, generally speaking, to all civilians working for an employer under contract of service or apprenticeship, corresponding closely with the class of "employed persons" under the main scheme.
- (4) It is not practicable to make a straightforward count of the number of persons who are absent from work on a given day owing to sickness or industrial injury. The method followed has accordingly been to take the number of long-term certificates then current, and to add to it the number of first and intermediate certificates of incapacity received during the week ended on the given day. (The figure so obtained includes a small proportion of persons whose incapacity in fact ended before that day, and excludes a small proportion of persons whose incapacity in fact began on or before that day. Sample enquiries indicate that these factors do not produce on balance any significant effect on the national and regional totals.)

*The constitution of the standard regions of England and Wales is as follows:

REGION I Northern Cumberland Durham Northumberland Westmorland Yorkshire, North Riding REGION II East and West Ridings Yorkshire, East Riding Yorkshire, West Riding Yorkshire, Part of REGION II North Midland Derbyshire, Part of Leicestershire Lincolnshire— Parts of Holland Parts of Kesteven Parts of Lindsey Northamptonshire Northamptonshire Northamptonshire REGION III North Midland Parts of Kesteven Parts of Lindsey Northamptonshire Northamptonshire Northamptonshire REGION V London and South Eastern Essex, Part of 4 Hertfordshire, Part of 5 Hertfordshire, Part of 6 Hertfordshire, Part of 7 Gloucestershire Somerset Wiltshire Wight, Isle of REGION VII Devon Dorset, Part of 6 Hampshire Wight, Isle of REGION VII South Western Cornwall Devon Dorset, Part of 6 Hampshire Wight, Isle of REGION VII South Western Cornwall Devon Northamptonshire Wight, Isle of REGION VII South Western Cornwall Devon Northamptonshire Wight, Isle of REGION VII South Western Cornwall Devon Northamptonshire Wight, Isle of REGION VII South Western Cornwall Devon REGION VII Western Cornwall Devon REGION VII South Western Cornwall Devon REGION VII Western Staffordshire Wight, Isle of REGION VII South Western Cornwall Devon REGION				
	Northern Cumberland Durham Northumberland Westmorland Yorkshire, North Riding REGION II East and West Ridings Yorkshire, East Riding Yorkshire, West Riding Yorkshire, Part of 1 Leicestershire Lincolnshire— Parts of Holland Parts of Kesteven Parts of Lindsey Northamptonshire Nottinghamshire Peterborough, Soke of	Eastern Bedfordshire Cambridgeshire Ely, Isle of Essex, Part of ⁸ Hertfordshire, Part of ⁸ Huntingdonshire Norfolk Suffolk, East Suffolk, West REGION V London and South Eastern Essex, Part of ⁶ Hertfordshire, Part of ⁵ Kent London Admin. County Middlesex Surrey Sussex, East	Southern Berkshire Buckinghamshire Dorset, Part of 6 Hampshire Oxfordshire Wight, Isle of REGION VII South Western Cornwall Devon Dorset, Part of 7 Gloucestershire Somerset Wiltshire REGION VIII Wales I (South East) Brecknockshire Carmarthenshire Glamorganshire	Anglesey Caernarvonshire Cardiganshire Denbighshire Flintshire Merionethshire Montgomeryshire Pembrokeshire Radnorshire REGION IX Midland Herefordshire Shropshire Staffordshire Warwickshire Warwickshire Worcestershire REGION X North Western Cheshire Derbyshire, Part of 8

1. All except Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D., and Chapel en le Frith R.D.

2. All except East Ham C.B., West Ham C.B., Chingford M.B., Wanstead and Woodford M.B., Leyton M.B., Walthamstow M.B., Ilford M.B., Barking M.B., Dagenham M.B., Waltham Holy Cross U.D., and Chigwell U.D.

3. All except Barnet U.D., Bushey U.D., Cheshunt U.D., East Barnet U.D. and Elstree R.D.

4. All areas stated in 2 above.

5. All areas stated in 3 above.

7. All areas except Poole M.B.

8. All areas stated in 1 above.

6. Poole M.B. only.

TABLE IX

Meteorology: values of air temperature, rainfall and sunshine for the fourth quarter 1961 expressed as differences from, or percentages of, the average values†

Districts of England and Wales

(Supplied by the Director General of the Meteorological Office)

					and a second second condensate that we wish that his second statement	The state of the s
		Air Temperatu	re	Rai	nfall	Sunshine
District	Highest	Lowest	Difference from average daily mean	Percentage of average	Number of days difference from average	Percentage of average
	°F.	°F.	°F.	%		%
			ОСТОВ	BER 1961		
England, N.E	70 72 70 73 67 69	29 25 26 27 27 28	+ 0.9 + 1.6 + 1.4 + 2.0 + 1.4 + 0.5	129 140 101 118 122 127	+ 4 + 1 + 6 + 2 + 4 + 6	107 124 122 124 120 94
Mean		-	+1.3	123	+ 4	115
			NOVEM	IBER 1961		
England, N.E. England, E. Midland Counties England, S.E. England, N.W. and N. Wales England, S.W. and S. Wales	59 62 60 63 60 64	22 21 17 21 23 23	0.5 0.2 0.7 0.4 + 0.2 0.7	60 81 59 75 74 49	- 2 - 2 - 1 - 2 - 3	115 107 108 108 133 87
Mean	_		0.4	66	- 2	110
			DECEMB	ER 1961		
England, N.E	57 59 58 59 60 60	1 3 10 10 3 11	-4.3 -2.0 -4.3 -1.6 -4.7 -2.9	121 152 138 112 97 109	- 3 - 3 - 3 - 3 - 5 - 3	95 145 142 152 170 97
Mean	—	decompany	-3.3	121	3	133
			FOURTH QU	JARTER 1961		
England, N.E England, E Midland Counties England, S.E England, N.W. and N. Wales England, S.W. and S. Wales	70 72 70 73 67 69	1 3 10 10 3 11	-1.3 -0.2 -1.2 -0.0 -1.0 -1.0	103 124 99 102 98 95	- 1 0 - 1 - 1 - 1	106 125 124 128 141 93
Mean	-		0.8	103	1	119
)					

[†] The averages used for rainfall and raindays are for the period 1916-50, while those for sunshine and temperatures are for 1921-50.

APPENDIX A

England and Wales, administrative counties, county boroughs, London A.C., City of London and metropolitan boroughs Estimated population of children aged under 15 years as at 30th June 1961

Total under 15		91,600						95,600			12,300	12,300	24,200	24 600	000,4%	35,000	173,800	8,300	80.400	10,300	22,700	4,000		3,167,900		18,700	14,700	16,700	36,000	263,000	22,500	25,800	35,500	24,100	26,200	68 200	31,000	98,000	18,300	12,400	13,300	8,200	0,400
5-14		63,100	9,700	13,800	68,000	69,400	33,600	62,300	254,900	(8,100	8,100	10,300	22,200	27,200	23,500	115,000	5,600	53,200	6,800	14,700	2,600		2,061,900		12,300	008'6	10,900	23,600	169,200	14,700	17,700	23,400	15,000	18,200	43,900	21,600	65,100	12,100	8,200	8,600	5,700	20,65
Total under 5		28,500	4,800	6,000	36,300	34,200	16,800	33,300	134,600	4	4,200	4,200	2,500	11,300	12,000	11,200	58,800	2,700	27,200	3,500	8,000	1,400		1,106,000		6,400	4,900	2,800	12,400	93,800	7,800	8,100	12,100	9,100	8,000	24,300	10,300	33,800	6.200	4.200	4,700	2,500	
1-4		22,690	3,870	4,790	28,450	26,950	13,370	26,240	106,700		3,320	2,300	0,240	0,0,0	10,770	9,1,0	46,500	2.080	21,410	2,810	6,350	1,080		866,200		5,040	3,820	4,520	9,670	72,600	6,140	6,220	9,490	7,130	6,340	18,860	8,050	26,930	4,900	3,280	3,660	2,020	
Under 1		5,810	930	1,210	7,850	7,250	3,430	7,060	27,900	000	000	1 660	1,000	2 310	2,210	2,730	12,300	620	5,790	069	1,650	320		239,800	1	1,360	1,080	1,280	2,730	21,200	1,660	1,880	2,610	1,970	1,660	5,440	2,250	6,870	1,300	920	1.040	480	
Area	Administrative counties—(continued)	Sussex, West	Westmorland	Wight, Isle of	Wiltshire	Worcestershire			Yorkshire, West Riding		Anglesey	Breconsnire	***		•			Merionethshire			:	Radnorshire		County boroughs		Barnsley	Barrow-in-Furness	Bath	Birkenhead			Blackpool	Bolton	Bootle	Bournemouth	Bradford			S	Burton upon Trent		Alique	0 0 72
Total under 15	10,586,000	7,418,100	90,500	99,500	120,800	40,200	210,600	71,700	400			70,100	6	200,700	744 100	118 500	190,000	31,700	214,900	19,300		506,600	95,700	23,900	32,000			451,100		71,900	115,900	140,600	51,000	17,400	6,000	72,000	117,300	233,100	52,000	29,400	319,400	76,600	
5-14	6,921,000	4,859,100	57,900	64,300	80,600	25,900	138,500	47,900	300	35,900	114,400	72,400	155,200	17,200	202,000	77,600	122 900	21.600	142,300	12,200	255,700	332,000	62,700	16,100	20,600	52,700	395,800	290,100	58,300	46,900	76,500	91,900	32,000	10,900	4,000	48,500	79,600	153,100	34,600	18,900	214,000	53,800	
Total under 5	3,665,000	2,559,000	32,600	35,200	40,200	14,300	72,100	23,800	100	19,000	58,700	34,700	000,77	6,000	151,200	40,500	68,000	10,100	72,600	7,100	130,400	174,600	33,000	7,800	11,400	27,900	247,800	161,000	30,400	25,000	39,400	48,700	19,000	6,500	2,000	23,500	37,700	80,000	17,400	10,500	105,400	22,800	
1-4	2,880,000	2,013,800	24,920	27,620	31,390	11,170	56,500	18,960	70	15,190	46,500	014/7	7,000	2,700	120,420	32,000	53,800	7.880	58,000	5,520	103,800	137,100	25,660	6,170	080'6	22,080	190,200	125,300	24,230	19,790	31,580	38,400	14,940	5,030	1,570	18,440	29,610	62,500	13.890	8,300	83,400	18,090	2000
Under 1	785,000	545,200	7,680	7,580	8,810	3,130	15,600	4,840	30	3,810	12,200	7,290	17,720	1,200	30,500	20,000	14,200	2.220	14,600	1,580	26,600	37,500	7,340	1,630	2,320	5,820	27,600	35,700	6,170	5,210	7,820	10,300	4,060	1,470	430	5.060	8,090	17,500	3,510	2,200	22,000	4,710	,,,,,
Area	ENGLAND and WALES	Administrative counties	Bedfordshire	Berkshire	Buckinghamshire	Cambridgeshire	Cheshire	Cornwall (excl. Isles of Scilly)	cilly, Isles of	Cumberland	Derbyshire	Devon	Durham	٥	Forest	Cloudestershire	nuchire	Herefordshire		Huntingdonshire	:		Leicestershire	(Parts		incolnshire (Parts of Lindsey)	ropuon uopuon	Middlesex	Norfolk wloston	Northamptonshire	Northumberland	Nottinghamshire	Oxfordshire	h, Soke of		Shropshire	Somerset	Staffordshire				Hast	

Total under 15		13,400 25,000 28,800	17,800 23,400 36,200	21,000	33,600	23,900	63,500	25,000	000,75	643,600	2000	042,100	23,000	39,600	8,700	7,600	19,800	34,300	14,800	2,700	24,200	51,000	20,100	14,600	22,400	10,100	20,800	11,500	10,300	32,800
5-14		8,900 16,200 18,700	11,600 15,200 23,800	13,400	21,700	15,900	41,300	16,300	74,000	395,800	200	000,080	7,600	7,600	5,600	4,600	12,000	20,400	8,500	1,600	12,600	30,200	10,700	9,400	12,600	6,800	12,300	6,600	46,000	22,800
Total under 5		4,500 8,800 10,100	6,200 8,200 7,200	7,600	11,900	8,000 8,000	22,200	8,700 200,700	13,000	247,800	007	247,600	9,000 4,100	3,700	3,100	3,000	7,800	13,900	6,300	1,100	11,600	20,800	9,400	5,200	9,000	3,300	7,500	4,900	24.300	10,000
4-1		3,560 6,980 7,870	4,890 6,450	5,960	9,740	3,750	17,400	5,000	10,190	190,200	0/1	190,030	3,190	2,900	2,420	2,360	5,910	10,510	7,040	890	8,410	16,100	6.920	4,010	2,270	2,630	5,890	3,740	18,770	7,850
Under 1		940 1,820 2,230	1,310	1,640	2,610	1,050 1,750	4,800	2,050	2,810	27,600	30	57,570	2,010	800	2,200	1,260	1,890	3,390	2,160	210	3,190	4,700	3,620	1,190	730	670	1,610	1,160	5,530	2,150
		; ; ;		::	• • •	::	:	: :	* *	:	* * * * * * * * * * * * * * * * * * * *	:		• • •	: :		:	: :	:		: :	:		•	•	: :	:	: :	•	
es .	tinued)		• •	: :		: :	:	: :	*	:	•	sı		• • •	: :				:			:			•	: :		: :	:	: :
Area	County boroughs (continued)	Wakefield Wallasey	Warrington West Bromwich	West Hartlepool	Wigan Wolverhampton	Worcester York	ff.	Merthyr Tydfil Newport (Mon.)	ınsea	London A.C	of London	Metropolitan boroughs	Battersea	Bethnal Green	Chelsea	Deptford		Greenwich Hackney	Hammersmith	Holborn	Islington Kensington	Lambeth	Lewisham	Poplar	Marylebone	Shoreditch	Southwark	Stepney Stoke Newington	Wandsworth	westminister Woolwich
	Count												,							,,,	-1,	, , , , ,				m) - 100 (100 (100 (100 (100 (100 (100 (10			a anno 14	
Total under 15	, 34	16,400 13,500 72,700	55,400	12,800	20,400	10,500	17,700	16,800	25,100 21,300	28,200	28,200	116,000	17,100	160,900	45,200 64,100	23,000	74,500	25,700	48,700							3,4%	4	32,800	62,	50,800 17,600
5-14		10,400 8,800	37,000	18,800 8,400	13,200	7,600	12,200	10,800	16,100	8,800 18,200	18,300	75,000	11,300	102,000	28,300 40,600	15,400	47,700	16,500	31,600	16,700	18,400	13,500	17,800	65,700	8,900	24,000	9,600	18,400	41,900	32,500
Total under 5		6,000	18,400 6,300	9,400	7,200	2,900	5,500 9,100	6,000 3,700	9,000	3,600	9,900	21,000	5,800	58,900	16,900	7,600	26,800	9,200	17,100	9,000	9,300	7,000	8,900	36,100	4,700	17,000	4,900	10,100	20,100	18,300
4 1		3,660	14,260 4,920	7,260	3,700	2,290	7,190	4,650	7,050	2,860	7,800	32,280	4,400	26,800 46,400	13,450	5,930	21,140	7,210	13,500	7,000	7,200	5,430	7,040	28,180	3,640	13,580	3,780	8,040	15,840	14,550
Under 1		1,300	4,140 1,380	2,140	1,500	610	1,170	1,350	1,950	740	2,100	8,720	1,400	16,000	3,450	1,670	5,660	1,990	3,600	2,700	2,100	1,570	1,860	7,920	1,060	3,420	1,120	2,060	4,260	3,750
Area	County boroughs (continued)	Carlisle	Croydon	Derby	Doncaster	East Hom	Exeter	Gloucester	Grims by	Hastings	pswich mon Hull	leeds	incoln	Liverpool	Middlesbrough	1	Nottingham		Plymouth	Portsmouth	**************************************	Rotherham	sue	:	Smethwick	Southampton	inport	spl	Stoke-on-Trent Stoke-on-Trent	

APPENDIX B

Estimated home population by sex and age, as at 30th June 1961

England and Wales, standard regions and conurbations
(Figures in thousands)

Note. The constitution of the standard regions is shown on page 18. For the detailed constitutions of the conurbations see the explanatory notes to the Registrar General's Statistical Review.

								The second second	parts of the second second	
	All ages	0	5—	15—	25—	35—	45	55	65—	75 and over
ENGLAND AND WALES (M)	22,346	1,882	3,544	3,072	2,932	3,115	3,165	2,516	1,431	689
	23,820	1,783	3,377	3,015	2,878	3,175	3,280	2,911	2,105	1,296
Regions and conurbations:										
Northern $\cdots \begin{Bmatrix} M \\ F \end{Bmatrix}$	1,606	145	267	234	214	209	217	174	100	46
	1,647	138	256	229	204	207	218	191	132	72
Tyneside Conurbation $\left\{egin{aligned} \mathbf{M} \\ \mathbf{F} \end{aligned}\right\}$	413	38	66	57	58	55	57	46	25	11
	439	37	64	61	56	56	60	51	35	19
Remainder of Northern $\left\{ egin{array}{l} M \\ F \end{array} \right.$	1,193	107	201	177	156	154	160	128	75	35
	1,208	101	192	168	148	151	158	140	97	53
East and West Ridings $\dots \begin{Bmatrix} M \\ F \end{Bmatrix}$	2,021	172	321	262	270	282	294	233	129	58
	2,153	163	309	276	260	286	302	267	187	103
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	806	69	126	96	107	113	122	97	53	23
	898	65	121	107	104	119	133	119	84	46
Remainder of East and $\{M\}$	1,215	103	195	166	163	169	172	136	76	35
West Ridings $\{M\}$	1,255	98	188	169	156	167	169	148	103	57
North Western $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	3,134	276	507	405	403	437	456	365	198	87
	3,436	262	488	427	404	457	485	438	309	166
South East Lancashire { M Conurbation { F	1,155	102	185	141	153	166	171	135	72	30
	1,274	96	179	152	151	174	183	164	115	60
Merseyside Conurbation $\left\{ egin{array}{l} M \\ F \end{array} \right.$	657	67	116	96	85	88	87	68	35	15
	727	64	112	105	88	93	93	82	58	32
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1,322	107	206	168	165	183	198	162	91	42
	1,435	102	197	170	165	190	209	192	136	74
North Midland $\cdots \left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	1,806	152	287	251	245	250	253	198	114	56
	1,846	144	273	240	227	246	251	218	155	92
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2,355	199	379	331	330	342	330	246	135	63
	2,424	189	360	325	315	329	327	274	191	114
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1,147	99	183	154	167	171	163	119	63	28
	1,206	94	175	164	161	166	165	135	93	53
Remainder of Midland $\begin{cases} M \\ F \end{cases}$	1,208	100	196	177	163	171	167	127	72	35
	1,218	95	185	161	154	163	162	139	98	61
Eastern $\left\{ egin{array}{lll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	1,852 1,910	161 152	288 270	271 237	241 232	256 254	249 252	199 227	122 171	65
	5,209	419	798	652	688	769	771	607	341	164
	5,864	397	761	715	708	816	833	735	543	356
Greater London $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	3,852	310	576	477	530	587	582	448	235	107
	4,300	294	554	534	539	616	621	531	374	237
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1,357	109	222	175	158	182	189	159	106	57
	1,564	103	207	181	169	200	212	204	169	119
Southern $\cdots \begin{Bmatrix} M \\ F \end{Bmatrix}$	1,411	119	227	242	172	182	182	149	91	47
	1,445	113	214	179	167	185	187	174	134	92
South Western $\left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	1,656	133	264	246	201	217	229	191	114	61
	1,761	125	249	213	198	223	240	224	170	119
	1,296	106	206	178	168	171	184	154	87	42
	1,334	100	197	174	163	172	185	163	113	67
Wales I (South East) $\dots \begin{Bmatrix} M \\ F \end{Bmatrix}$	937	. 77	149	126	125	125	134	112	61	28
	953	73	142	126	121	125	132	115	76	43
Wales II (remainder) $\dots \begin{Bmatrix} M \\ F \end{Bmatrix}$	359 381	29 27	57 55	52 48	43.	46 47	50 53	42 48	26 37	14 24

APPENDIX C

Estimated home population by sex and age, as at 30th June 1961

England and Wales: hospital regions

- Note 1. The estimates are of the population of the region; this is not necessarily the same as the population which makes use of the hospitals within the region.
 - 2. The analysis of the populations of hospital regions by sex and age has been made by assuming that the sex-age structure of the population of a hospital region is the same as that of the corresponding standard region.* Because hospital regions and standard regions do not coincide (except for the Birmingham and the Welsh regions) the results are approximate only and subject to relatively wide margins of error.

(Figures in thousands)

4th distributions	Hospital region			All ages	0	5—	15—	25—	35—	45	55—	65—	75 and over
ENG	LAND AND WA	LES	${M \atop F}$	22,346 23,820	1,882 1,783	3,544 3,377	3,072 3,015	2,932 2,878	3,115 3,175	3,165 3,280	2,516 2,911	1,431 2,105	689 1,296
(1)	Newcastle	* * *	${M \choose F}$	1,491 1,527	136 129	247 238	219 212	198 189	194 191	200 202	161 177	93 122	43 67
(2)	Leeds		${M \atop F}$	1,506 1,598	128 122	238 229	196 204	201 192	210 212	219 224	174 199	97 139	43 77
(3)	Sheffield	***	${M \choose F}$	2,181 2,215	184 174	347 329	304 287	296 272	300 295	305 301	239 261	138 186	68 110
(4)	East Anglian	•••	${M \choose F}$	767 787	67 63	119 111	113 97	100 96	106 103	103 104	82 94	50 71	27 48
(5)	North West Metropolitan	***	{M F	1,941 2,173	157 148	297 283	244 265	256 262	284 302	286 309	227 272	128 201	62 131
(6)	North East Metropolitan	9 0 9	${M \atop F}$	1,515 1,696	122 115	232 221	190 206	200 204	222 236	223 242	177 213	100 157	49 102
(7)	South East Metropolitan	•••	${M \choose F}$	1,556 1,743	125 118	238 227	195 212	205 210	229 242	230 248	182 219	103 162	49 105
(8)	South West Metropolitan		${M \choose F}$	1,498 1,678	120 114	230 218	188 204	197 202	221 234	221 237	174 211	99 156	48 102
(9)	Oxford	•••	${M \atop F}$	812 828	68 65	130 123	139 102	99 96	105 105	106 107	86 100	52 77	27 53
(10)	South Western		${M \choose F}$	1,397 1,478	112 105	223 210	207 178	169 167	183 187	193 200	161 188	97 143	52 100
(11)	Welsh	***	${M \choose F}$	1,296 1,334	106 100	206 197	178 174	168 163	171 172	184 185	154 163	87 113	42 67
(12)	Birmingham		${M \atop F}$	2,355 2,424	199 189	379 360	331 325	330 315	342 329	330 327	246 274	135 191	63 114
(13)	Manchester	•••	${M \choose F}$	2,129 2,313	180 171	336 322	267 275	273 270	298 310	316 333	255 304	141 214	63 114
(14)	Liverpool	•••	${M \choose F}$	1,035 1,142	105 101	182 177	152 165	135 138	138 145	137 146	107 129	55 91	24 50
(15)	Wessex		${M \atop F}$	867 884	73 69	140 132	149 109	105 102	112 112	112 115	91 107	56 82	29 56

^{*}The constitution of the standard regions is shown on page 18.

APPENDIX D

Total population, projections from 30th June 1961 by sex and age

England and Wales

These projections have been prepared by the Government Actuary's Department in consultation with the General Register Office

Basis:

Mid-1961 estimate of Total population of England and Wales (including members of H.M. Forces belonging to England and Wales and serving overseas but excluding the Forces of other countries temporarily in England and Wales).

Assumptions (1961 Revision):

Mortality:

Death rates at the outset based on the experience in the five years 1956-60. At ages under 45 death rates are assumed to decline steadily over the next 25 years until at the end of that period they are about one half of the rates now being experienced. At ages over 45 the assumed rates of decline become progressively smaller as the age advances. It has been assumed that after 25 years the death rates at all ages will remain at the levels then reached.

Natality:

In view of the increased number of births registered during 1961 and of the allowance for inward migration now incorporated, the assumptions made in the previous projections have been modified. The revised estimates give annual births of 820,000 in the year mid-1961 to mid-1962, an average of just over 800,000 per annum in the next five years, and thereafter a gradual increase to 960,000 at the end of the century. (Male/Female ratio 1.06 throughout.)

Migration:

A net inward migration of 140,000 in the year mid-1961 to mid-1962, 90,000 in the next year and thereafter a net inward migration of 30,000 persons per annum.

Projections involving children yet unborn are shown above the dotted line

(Figures in thousands)

Estim population		Age-				Pr	ojected p	opulation	s at 30th	June						
30th Jun		group	1966		1971		19	1976		1981		1991		2001		
Males	Females		Males	Females												
1,882	1,783	0-	2,027	1,920	2,032	1,921	2,108	1,993	2,133	2.015	2 277	2.140	2 /21	2.005		
1,668	1,586	5-	1,877	1,780	2,032	1,915	2,026	1,917	2,103	2,015 1,989	2,277 2,200	2,149	2,421	2,287		
1,876	1,791	10-	1,663	1,582	1,873	1,777	2,020	1,917	2,103	1,969	2,125	2,077 2,009	2,346	2,216		
1,070	1,771	,10	1,000	1,002	1,075	.,,,,,	2,017	1,712	2,022	1,914	4,123	2,009	2,270	2,143		
4.640	4 7776	1.5	1.075	1.700	1.663	1 500	1.073	1 702			_					
1,640	1,576	15-	1,875	1,799	1,662	1,588	1,872	1,783	2,016	1,918	2,100	1,992	2,197	2,081		
1,494	1,439	20-	1,657	1,607	1,882	1,813	1,671	1,603	1,881	1,798	2,031	1,935	2,134	2,030		
1,460	1,400	25-	1,533	1,463	1,669	1,616	1,894	1,822	1,685	1,613	2,039	1,943	2,123	2,017		
1,499	1,478	30-	1,484	1,409	1,539	1,466	1,675	1,619	1,900	1,825	1,902	1,812	2,052	1,948		
				4 400	4 400	1 400	4 ##0	4 455								
1,603	1,622	35-	1,506	1,482	1,482	1,409	1,538	1,466	1,675	1,620	1,693	1,619	2,046	1,948		
1,522	1,554	40-	1,599	1,623	1,498	1,479	1,476	1,408	1,533	1,465	1,895	1,825	1,897	1,812		
1.506	1 (41	4.5	1 500	1.546	1 570	1 610	1 401	1.460	. 4 464	1 400	4 < 0.00	4 510				
1,596 1,572	1,641 1,639	45 50-	1,508 1,551	1,546 1,616	1,578 1,464	1,610 1,522	1,481 1,535	1,469 1,588	1,461 1,444	1,400 1,451	1,655 1,485	1,613 1,443	1,674 1,835	1,612 1,796		
1,415	1,547	55-	1,482	1,596	1,464	1,574	1,386	1,486	1,457	1,554	1,361	1,359	1,542	1,566		
1,101	1,364	60-	1,276	1,474	1,341	1,526	1,331	1,510	1,266	1,430	1,265	1,375	1,302	1,369		
020	1.166	65-	933	1 257	1 007	1 262	1 150	1 410	1 1 10	1 400	4 4 6 7	4 400	4 004	4.004		
830 601	1,166 939	70-	640	1,257 1,009	1,087 725	1,363 1,094	1,150 852	1,418 1,194	1,149 909	1,409 1,250	1,165 881	1,409	1,091	1,234		
397	690	75-	400	727	430	789	492	863	585	950	638	1,007	650	1,010		
200 92	401 205	80- 85 &	209 95	444 242	213 100	473 274	232 103	519 298	268 112	574 328	349 154	677 405	340 176	648 446		
- 20	200	over	,,,				103	270	1. 1. /100	320	134	403	1/0	טדד		
		All														
22,448	23,821	ages	23,315	24,576	24,060	25,209	24,839	25,868	25,599	26,503	27,215	27,841	28,979	29,311		


Summary

Num- ber	per 1,000		Num- ber	per 1,000	Num - ber	per 1,000	Num- ber	per 1,000	Num- ber	per 1,000	Num- ber	per 1,000	Num- ber	per 1,000
46,269	1,000	Total	47,891	1,000	49,269	1,000	50,707	1,000	52,102	1,000	55,056	1,000	58,290	1,000
10,586		M & F under15		227	11,539	234	11,973	236	12,176	234	12,837	233	13,683	235
9,218 9,069		M15-44 F 15-44		202 196	9,732 9,371	198 190	10,126 9,701	200 191	10,690 10,239	205 197	11,660 11,126	212 202	12,449 11,836	214 203
5,684 4,827		M45-64 F 45-59		121 99	5,847 4,706	119 95	5,733 4,543	113 90	5,628 4,405	108 84	5,766 4,415	105 80	6,353 4,974	109 85
2,120 4,765		M 65+ F 60+	2,277 5,153	48 107	2,555 5,519	52 112	2,829 5,802	56 114	3,023 5,941	58 114	3,187 6,065	58 110	3,140 5,855	54 100

APPENDIX E

Births, Deaths and Marriages. Numbers registered in the ten years 1952 to 1961

England and Wales



APPENDIX F

Changes in boundaries, names, etc. of counties, boroughs, urban districts and rural districts during the six months ended 31st December 1961

There were no changes during the six months ended 31st December 1961

CORRECTION

The Registrar General's Quarterly Return for England and Wales Quarter ended 30th September, 1961. No. 451

The estimates given below have been revised to take account of the sex proportions derived from the preliminary results of the 1961 Census and replace those published in the Appendix to the above-mentioned Return.

Estimated population, total, home and civilian, by sex and age, as at 30th June, 1961

England and Wales

(Figures in thousands)

Note: The estimates of population described as "home" and "total" have the following content:

Home population—the population, of all types, actually in England and Wales.

Total population—the home population plus members of H.M. Forces belonging to England and Wales and serving overseas but excluding the Forces of other countries temporarily in England and Wales.

	То	tal popula	tion	Но	me popula	ition	Civilian population			
Age	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	
0 1 2 3	785 743 733 714	403 382 376 367	382 361 357 347	785 743 733 714	403 382 376 367	382 361 357 347	785 743 733 714	403 382 376 367	382 361 357 347	
4	690	354	336	690	354	336	690	354	336	
0-4	3,665	1,882	1,783	3,665	1,882	1,783	3,665	1,882	1,783	
5 6 7 8 9	664 642 656 653 639	342 329 336 335 326	322 313 320 318 313	664 642 656 653 639	342 329 336 335 326	322 313 320 318 313	664 642 656 653 639	342 329 336 335 326	322 313 320 318 313	
5-9	3,254	1,668	1,586	3,254	1,668	1,586	3,254	1,668	1,586	
10 11 12 13 14	657 677 711 765 857	337 346 365 390 438	320 331 346 375 419	657 677 711 765 857	337 346 365 390 438	320 331 346 375 419	657 677 711 765 857	337 346 365 390 438	320 331 346 375 419	
10-14	3,667	1,876	1,791	3,667	1,876	1,791	3,667	1,876	1,791	
15 16 17 18 19	665 659 669 637 586	340 338 342 324 296	325 321 327 313 290	665 659 669 636 579	340 338 342 322 289	325 321 327 314 290	662 652 657 617 562	337 331 331 306 274	325 321 326 311 288	
15-19	3,216	1,640	1,576	3,208	1,631	1,577	3,150	1,579	1,571	
20	548	276	272	538	267	271	523	253	270	
All ages under 21	14,350	7,342	7,008	14,332	7,324	7,008	14,259	7,258	7,001	
20-24	2,933	1,494	1,439	2,879	1,441	1,438	2,752	1,318	1,434	
25-29 30-34 35-39 40-44 45-49	2,860 2,977 3,225 3,076 3,237	1,460 1,499 1,603 1,522 1,596	1,400 1,478 1,622 1,554 1,641	2,843 2,967 3,218 3,072 3,235	1,443 1,489 1,597 1,518 1,594	1,400 1,478 1,621 1,554 1,641	2,797 2,939 3,196 3,053 3,225	1,398 1,462 1,575 1,499 1,584	1,399 1,477 1,621 1,554 1,641	
50-54 55-59 60-64 65-69 70-74	3,211 2,962 2,465 1,996 1,540	1,572 1,415 1,101 830 601	1,639 1,547 1,364 1,166 939	3,210 2,962 2,465 1,996 1,540	1,571 1,415 1,101 830 601	1,639 1,547 1,364 1,166 939	3,206 2,962 2,465 1,996 1,540	1,567 1,415 1,101 830 601	1,639 1,547 1,364 1,166 939	
75-79 80-84 85 and over	1,087 601 297	397 200 92	690 401 205	1,087 601 297	397 200 92	690 401 205	1,087 601 297	397 200 92	690 401 205	
All Ages	46,269	22,448	23,821	46,166	22,346	23,820	45,852	22,044	23,808	



MINISTRY OF HEALTH AND GENERAL REGISTER OFFICE

Report on Hospital In-patient Enquiry for the year 1959

Part I: Preliminary Tables

This preliminary Report for 1959 contains summary tables and data on selected important conditions for 1959 and certain figures for 1955-58. It includes information on the diagnosis and age of patients treated in hospital and the region in which they were treated. (Part II will contain detailed tables with commentary.) The Enquiry is based on a 10 per cent sample of discharges (including deaths) from National Health Service hospitals (other than psychiatric hospitals) in England and Wales.

Price 1s. 6d. net. By post 1s. 9d.

Obtainable from

HER MAJESTY'S STATIONERY OFFICE

GENERAL REGISTER OFFICE

STUDIES ON MEDICAL AND POPULATION SUBJECTS

No. 17

Mass Miniature Radiography

A report on three years' examinations in England and Wales, 1955-1957

by

M. A. HEASMAN, M.R.C.S., L.R.C.P., D.P.H.

This study, which it is hoped will be of value to research workers and others interested in respiratory tuberculosis and other chest diseases, contains a detailed statistical analysis of the examinations made by Mass Miniature Radiography units in the three years 1955-57. The figures, which are based on all abnormalities found on examination and on a ten per cent sample of over ten and a half million examinations made during that period, are analysed by sex, age, social class, socio-economic and occupation groups, diagnosis (tuberculosis and other diseases discovered), medical history of the persons examined and area of residence.

Price 15s. net. By post 15s. 7d.

Obtainable from

HER MAJESTY'S STATIONERY OFFICE

